

Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	AOC	Logo		
Company name *	AOC International (Europe) B.V.			
Contact information *	Contact: Kevin Yang			
e-mail address	Email: kevin.yang@tpv-tech.com			
Internet site *	https://aoc.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	D Monitor					
Commercial name *	24P3QW					
Model number *	24P3					
Issue date *	16-Nov-2022					
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		24P3	Logo					
Issue date *		16-Nov-2022						
-	environ	mental attributes - Legal requirements					tmet	
Item P1	Llamanda	we are before and propositions		Y	'es	No	n.a.	
P1.1*		ous substances and preparations s do comply with current European RoHS Directive. (See legal reference and NOTE	E P1)	1				
P1.2*		s do comply with current European Kon's Directive. (See legal relefence and NOTE s do not contain Asbestos (see legal reference).	_ DT)			⊢		
P1.2"		t Legal reference has no maximum concentration value.		L	\boxtimes	Ш		
P1.3*								
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).			\boxtimes			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the	\boxtimes			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/	week	\boxtimes			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):							
P2	Batterie							
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the dispos	al [\square	
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn e)	nium. (See	legal			\boxtimes	
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		[\boxtimes	
P3	Conform	nity verification & Eco design (ErP)			_			
P3.1*	The proc	duct is CE-marked to show conformance with applicable legal requirements (see leg	gal referen	ce).	\times			
	The Dec	laration of Conformity can be requested at (add link or e-mail address):						
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		[\ge			
		d information is; given in item P15 or added to this document,		[\ge			
		available at (add URL):						
P5		packaging						
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.							
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).				\square			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco (see legal reference). Comment: Legal reference has no maximum concentration values.				X			
P6	Treatment information							
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).							

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		24P3	Logo						
Issue date *		16-Nov-2022							
Produc		mental attributes - Market requirements (See General NOTE GN I	below)						
		onmental conscious design		Requir					
Item P7	[^] =manda Design	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.			
F /		mbly, recycling							
P7.1*	Parts that have to be treated separately are easily separable								
P7.2*	Plastic materials in covers/housing have no surface coating.								
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.								
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.							
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable to	ols. 🔀					
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).							
		lifetime							
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				\boxtimes			
P7.8*	Upgradir	ng can be done using commonly available tools				\boxtimes			
P7.9	Spare pa	arts are available after end of production for: ${f 3}$ years							
P7.10	Service	s available after end of production for: 3 years							
		and substance requirements							
<mark>P7.11*</mark>		cover/housing material type (e.g. plastics, metal, aluminum):	l trans						
P7.12		type: ABS Material type: Materia n materials of external electrical cables are PVC free.	a type:		\square				
P7.13	Insulation materials of external electrical cables are PVC free.								
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%								
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content								
P7.15		sircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌	are low ha	alogen 🔀					
		ed in IEC 61249-2-21. (See 1NOTE B2)							
<mark>P7.16</mark>		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\square			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: DOPO, CAS #:								
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: 35948-25-5	ents) > 25 g						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #:								
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043				\boxtimes			
<mark>P7.19</mark>	assigned	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:							
P7.20*		rce(s) for these classifications is/are found at (add URL(s)): , (S sumer recycled plastic material content is used in the product (See Note B6):	ee note B5	<u>''</u>					
	lf YES; a a) Of t a p or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 80.95 %.	t (calculate	_					
	b) The	e weight of recycled material is g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	24P3 16-Nov-2022	Logo				
Product environmental attributes - Market requirements (continued) Requirement me						

Item

Requirement metYesNon.a.

	Material and sub	stance requirements	(continued)					
P7.21*		naterial content is used		DTE B7):				
	If VES, at least an	a of the two alternative		, And				
		ie of the two alternative ic parts' weight > 25 g,			ed as a percentage of			
		by weight) is $\frac{\%}{3}$.			ed do a percentage of			
	or							
		of the biobased plastic n						
P7.22*	0	free from mercury, i.e. specify: Number of lan	<i>i</i> 0 1	im more in content no	*			
P8	Batteries	specily: Number of lan	ips: and maximu	um mercury content pe	r lamp: mg			
P8.1*	Battery chemical	composition:					\square	
P9	Energy consumption (See NOTE B8)							
P9.1	For the product the following power levels or energy consumptions are reported:							
Energy m		Power level at	Power level at	Power level at	Reference/Standard	for energy		
		100 V AC	115 V AC	230 V AC	modes and test meth			
EPS No-I								
	power supply /							
	olugged in the wall t disconnected from							
the produ								
PTEC *		15.08 w	15.14 <mark>w</mark>	14.5 <mark>w</mark>	EPA8.0			
	nergy Consumption	15.00	10.14 <mark>VV</mark>	14.0 <mark>VV</mark>				
ETEC * Annual Energy Consumption		47.82 Wh/year	48.07 <mark>kWh/year</mark>	46.27 <mark>kWh/year</mark>	EPA8.0			
External I	Power Supply Efficie	ncy Level (International	Efficiency Marking Pro	otocol) * :			\square	
<mark>Display r</mark> e	esolution *:1920*10)80 <mark>megapixels</mark>						
<mark>Default ti</mark>	<mark>me to enter energy s</mark>	ave mode: 0.1 minutes	<mark>3</mark>					
<mark>P9.2*</mark>	Information about	the energy save function	on is provided with the	product.				
<mark>P9.3</mark>	Energy efficiency	class (monitors only): E			(EU) 2019/2013			
P10	Emissions							
.		 Declared according to 	ISO 9296 (See NOTE					
P10.1	Mode	Mode description		Statistical upper limi L _{WA,c} (B)	t A-weighted sound pov	ver level,		
	Idle	*		*			\square	
Operation *		*		*			X	
	Other mode							
	Measured accord	ing to: ISO 7779	ECMA-74					
		·	ly if not covered by EC	MA-74)				
	1		<u> </u>	/				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		24P3					Logo				
Issue date *		16-Nov-2022									
Product	t environr	nental attribut	es - Market requirer	nents (cor	ntinued)			F	Require	ment	met
ltem			-		•				Yes	No	n.a
	Electror	nagnetic emissi	ons-								
<mark>P10.4</mark>	program	(s): PreEn50279:		frequency e	lectromagnetic field	s of the foll	owing volu	ntary			\square
P12	Ergonomics for computing products										
P12.1*			gonomic requirements o				gies.		\square		
P12.2*	The phy	sical input device	meets the requirement	s of ISO 999	95 and ISO 9241-41	0.					\times
P13	Packagi	ng and docume	ntation								
<mark>P13.1*</mark>	Product		al type(s): <i>EPS</i> al type(s): <i>Paper</i> al type(s): <i>PE+EPE</i>	weight (ko weight (ko weight (ko	g): <i>2. 15</i>						
P13.2*	Product plastic primary packaging is free from PVC.										
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-										
<mark>P13.4*</mark>		media for user an ic 🗌 Paper 🔀	d product documentatio	on (tick box)	:						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:										
	Totally chlorine-free Elemental chlorine-free Processed chlorine-free										
P14	Volunta	ry programs									
<mark>P14.1</mark>	The proc	luct meets the re-	quirements of the follow	/ing volunta	y program(s):						
	ENERG Eco-labe Eco-labe		Criteria version: <i>8.</i> Criteria version: Criteria version:	0	Date: 2022-11-16 Date: Date:	Product	category: [category: [category:				
P15	Addition	nal information (See NOTE B10)								
P9	Energy	consumption of	computer products; o	lescription	of the tested produ	uct config	uration:				
			•	-	· ·						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

1