

# I2475PRQU

**Stunning performance that puts comfort first.**

With ergonomic options, wide viewing angles, various connectors (incl. DisplayPort, USB) and speakers, this monitor drives efficiency in any workplace.

## GENERAL

Model Name	I2475PRQU
EAN	4038986145947
Channel	B2B
Product line	Pro-line
Design family	75 ID
Launch date (ETA)	12/1/2016

## SCREEN

Flat / Curved	Flat
Display hardness	3H
Panel resolution	1920x1200
Resolution name	WUXGA
Panel type	IPS
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	4 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	250 cd/m2
Pixel Pitch (mm)	0.269

## ERGONOMICS

Vesa wallmount	100x100
Pivot	Yes
Height adjust (mm)	130mm

**CONNECTIVITY AND MULTIMEDIA**

HDMI	HDMI 1.4 x 1
DisplayPort	DisplayPort 1.1 x 1
USB Hub speed	USB 2.0 + 3.0 (4 USB downstream ports)
USB downstream ports	4
D-SUB (VGA)	1x
DVI	1x DVI-D

**MULTIMEDIA**

Speakers	✓
Speaker power	2 W x 2
Audio Output	Headphone out (3.5mm)

**FEATURES**

Flicker-Free	Flicker Free
--------------	--------------

**SUSTAINABILITY**

TCO Certified	7
---------------	---

**POWER / ENVIRONMENTAL**

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.5
Energy class	A

**PRODUCT DIMENSIONS**

Product dimensions incl. base (WxHxD) mm	534(H) x 559(W) x 139(D)
Packaging dimensions (WxHxD) mm	189(H) x 648(W) x 434(D)
Gross weight incl. package (in kg)	7.7
Net weight excl. package (in kg)	6.2

**WHAT'S IN THE BOX**

HDMI cable	1.8
D-SUB (VGA) cable	1.8
DVI cable	1.8
Displayport cable	1.8
Audio cable	1.8
Power cable C13	1.8

**OTHER INFORMATION**

MTBF	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours

**REGULATORY COMPLIANCE**

ISO 9241-307	✓
--------------	---