



27P2Q

Comfort, connectivity, and performance in a 27" Full HD display

The 27P2Q is equipped with a flat 27" IPS/3FL panel and Full HD resolution in a slim, 3-sided frameless display to help professionals such as start-ups and SMBs reach their productivity goals. Featuring wide viewing angles of 178°/178°, 4ms response time, a 75Hz refresh rate, and Adaptive-Sync technology, it can be height-adjusted, tilted and swiveled to the perfect ergonomic position, includes a USB 3.2 hub, and is compatible with HDMI, DP, VGA, and DVI.

GENERAL	
Model Name	27P2Q
EAN	4038986187329
Channel	B2B
Product line	Pro-line
Design family	P2
Launch date (ETA)	7/1/2020

1/4



SCREEN	
Screen size (inch)	27
Screen size (cm)	68.58
Flat / Curved	Flat
Display hardness	ЗН
Panel treatment	Antiglare (AG)
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	300 cd/m2
Pixel Pitch (mm)	0.3114
Pixels per Inch	81

EXTERIOR	
Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

ERGONOMICS	
Vesa wallmount	100×100
Tilt	-5/35
Swivel	-180/180
Pivot	Yes
Height adjust (mm)	150mm



CONNECTIVITY AND MULTIMEDIA	
HDMI	HDMI 1.4 x 1
DisplayPort	DisplayPort 1.2 x 1
USB Hub	✓
USB Hub speed	USB 3.2 (Gen 1) (4 USB downstream ports) 5Gbit
USB downstream ports	4
USB fast charge port	/
D-SUB (VGA)	1x
DVI	1x DVI-D

MULTIMEDIA	
Speakers	✓
Speaker power	2 W x 2
Built-in Microphone	-
Audio Output	Headphone out (3.5mm)

FEATURES	
Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
Kensington Lock	✓
Colour space (Adobe RGB) CIE 1931 %	74

SUSTAINABILITY	
TCO Certified	8
Energy star	Energy star 8
EPEAT	Silver

POWER / ENVIRONMENTAL	
Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.3
Power consumption off in watts	0.3
Energy class	D

3 / 4



PRODUCT DIMENSIONS	
Product dimensions incl. base (WxHxD) mm	544.5(H) x 613.6(W) x 200.1(D)
Product dimensions excl. base (WxHxD) mm	369.5(H) x 613.6(W) x 51.1(D)
Packaging dimensions (WxHxD) mm	595(H) x 690(W) x 160(D)
Gross weight incl. package (in kg)	7.6
Net weight excl. package (in kg)	5.87

WHAT'S IN THE BOX	
HDMI cable	1.8
Displayport cable	1.8
Audio cable	1.8
Power cable C13	1.8

REGULATORY COMPLIANCE	
ISO 9241-307	✓