ЛОС



Q27P3CV

27" QHD 3-sided flat IPS display for smooth and productive workdays

The AOC Q27P3CV is a 27" flat-screen IPS monitor with an attractive three-sided ultrathin bezel design that has everything you need for optimal productivity. Peak 350-nit brightness, generous 178/178° wide viewing angles and two built-in 2W + 2W speakers will let you enjoy the incredible detail of QHD (2560 x 1440) resolution, which provides superior clarity and contrast for editing photos, videos, or watching movies. Monitor Q27P3CV is ready to boost your productivity with USB-C supporting Power Delivery up to 65W, data transfer and DP-alt mode. Connectivity of this monitor is enhanced with USB Hub, RJ-45 & DP-out. To ensure the most efficient power consumption, an array of environmental certifications including EPA, TCO, and EPEAT complete this monitor.

GENERAL	
Model Name	Q27P3CV
EAN	4038986180740
Channel	B2B
Product line	Pro-line
Design family	P3
Launch date (ETA)	2/14/2023

/IOC

SCREEN	
Screen size (inch)	27
Screen size (cm)	68.6
Flat / Curved	Flat
Display hardness	ЗН
Panel treatment	Antiglare (AG)
Panel resolution	2560x1440
Resolution name	QHD
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	350 cd/m2
Pixel Pitch (mm)	0.2331
Pixels per Inch	109

EXTERIOR	
Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

ERGONOMICS	
Vesa wallmount	100x100
Tilt	-5°~35°
Swivel	180°
Pivot	-90°~90°
Height adjust (mm)	150mm

/IOC

CONNECTIVITY AND MULTIMEDIA	
НОМІ	HDMI 1.4 x 2
Digital HDCP (HDMI version)	HDCP 1.4
DisplayPort	DisplayPort 1.2 x 1, DisplayPort Out
USB-C connectivity	USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W)
USB Hub	/
USB Hub speed	USB 3.2 (Gen 2)
USB downstream ports	4
RJ45	1x 10M/100M/1G

MULTIMEDIA	
Speakers	\checkmark
Speaker power	2 W x 2
Audio Output	1x Audio out

FEATURES	
Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
Kensington Lock	\checkmark
Colour space (sRGB) CIE 1976 %	111.8

SUSTAINABILITY	
TCO Certified	TCO Certified Edge
Energy star	Energy star 8

POWER / ENVIRONMENTAL	
Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.3
Energy class	F

//OC

PRODUCT DIMENSIONS	
Product dimensions incl. base (WxHxD) mm	613.8(W) x (395.71~543.99)(H) x 200.19(D)
Product dimensions excl. base (WxHxD) mm	613.8(W) x 369.6(H) x 52.8(D)
Packaging dimensions (WxHxD) mm	820(W) x 481(H) x 162(D)
Gross weight incl. package (in kg)	9.98
Net weight excl. package (in kg)	6.81
Product without stand (kg)	4.81

WHAT'S IN THE BOX	
HDMI cable	1.8
Displayport cable	1.8
Power cable C13	1.8

OTHER INFORMATION	
MTBF (excluding panel)	70.000 hours
MTBF (including panel)	30.000 hours