



## **Q27P3CW**

27" QHD 3-sided flat IPS display for enjoyable and productive workdays

The AOC Q27P3CW is a 27" flat-screen IPS monitor with a three-sided bezel design offering the features and flexibility that today's professionals seek. Enjoy the incredible detail of QHD (2560 x 1440) resolution, which provides superior clarity and contrast for editing photos, videos, or watching movies. This model features peak 350-nit brightness and generous 178/178° wide viewing angles. To ensure smooth remote collaboration, this monitor features two built-in 5W + 5W speakers for high-quality sound and a 5MP integrated webcam supporting Windows Hello™. Monitor Q27P3CW is ready to boost your productivity with USB-C supporting Power Delivery up to 65W, data transfer and DP-alt mode. Connectivity of this monitor is enhanced with USB Hub, RJ-45 & DP-out. To ensure the most efficient power consumption, an array of environmental certifications including EPA, TCO, and EPEAT complete this monitor.

GENERAL	
Model Name	Q27P3CW
EAN	4038986180801
Channel	В2В
Product line	Pro-line
Design family	Р3
Launch date (ETA)	2/14/2023

1/4



SCREEN	
Screen size (inch)	27
Screen size (cm)	68.6
Flat / Curved	Flat
Display hardness	ЗН
Panel treatment	Antiglare (AG)
Panel resolution	2560x1440
Resolution name	QHD
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	350 cd/m2
Pixel Pitch (mm)	0.2331
Pixels per Inch	109

EXTERIOR	
Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

ERGONOMICS	
Vesa wallmount	100×100
Tilt	-5°~35°
Swivel	180°
Pivot	-90°~90°
Height adjust (mm)	150mm



CONNECTIVITY AND MULTIMEDIA	
НДМІ	HDMI 1.4 x 2
Digital HDCP (HDMI version)	HDCP 1.4
DisplayPort	DisplayPort 1.2 x 1
USB-C connectivity	USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W)
USB Hub	✓ ·
USB Hub speed	USB 3.2 (Gen 1)
USB downstream ports	4
RJ45	1x 10M/100M/1G
DisplayPort output	1x DP-Out 1.2

MULTIMEDIA	
Speakers	✓
Speaker power	5 W x 2
Built-in Microphone	✓
Audio Output	1x Audio out
MonitorWebcam	5MP Win Hello Webcam

FEATURES	
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
Kensington Lock	1
Colour space (sRGB) CIE 1976 %	111.8

SUSTAINABILITY	
TCO Certified	TCO Certified Edge
Energy star	Energy star 8
EPEAT	Gold

POWER / ENVIRONMENTAL	
Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.3
Energy class	F



PRODUCT DIMENSIONS	
Product dimensions incl. base (WxHxD) mm	613.8 x (412.96~561.24) x 200.1
Product dimensions excl. base (WxHxD) mm	613.8 x 369.6 x 52.8
Packaging dimensions (WxHxD) mm	820 x 481 x 162
Gross weight incl. package (in kg)	10.08
Net weight excl. package (in kg)	6.91
Product without stand (kg)	4.91

WHAT'S IN THE BOX	
HDMI cable	1.8
Displayport cable	1.8
Power cable C13	1.8

OTHER INFORMATION	
MTBF	70.000 hours (excluded backlight) + 30.000 hours (including backlight)
MTBF (excluding panel)	70.000 hours
MTBF (including panel)	30.000 hours

REGULATORY COMPLIANCE	
ISO 9241-307	