ЛОС



1960SRDA

19" 5:4 IPS display with speakers

This 5:4 19" IPS display comes with wide viewing angles, DVI connectivity and integrated speakers, which make it a good choice for demanding office users.

GENERAL	
Model Name	1960SRDA
EAN	4038986195041
Channel	B2B
Product line	Pro-line
Design family	60 ID
Launch date (ETA)	12/29/2014

SCREEN	
Screen size (inch)	19
Screen size (cm)	48.26
Flat / Curved	Flat
Display hardness	ЗН
Panel resolution	1280x1024
Resolution name	SXGA
Aspect ratio	5:4
Panel type	IPS
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	5 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	250 cd/m2
Pixel Pitch (mm)	0.294

/IOC

1960SRDA

EXTERIOR	
Bezel type (front)	Normal
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

ERGONOMICS	
Vesa wallmount	100x100
Tilt	-5/20
Pivot	Νο

CONNECTIVITY AND MULTIMEDIA	
USB Hub	-
USB fast charge port	-
D-SUB (VGA)	lx
DVI	1x DVI-D

MULTIMEDIA	
Speakers	
Speaker power	2 W x 2
Built-in Microphone	-

FEATURES	
Flicker-Free	Νο
Kensington Lock	-

SUSTAINABILITY	
TCO Certified	6
Energy star	Energy star 8

//OC

POWER / ENVIRONMENTAL	
Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.27
Power consumption off in watts	0.21
Energy class	E

PRODUCT DIMENSIONS	
Product dimensions incl. base (WxHxD) mm	405.1(H) x 409.2(W) x 210(D)
Packaging dimensions (WxHxD) mm	114(H) x 463(W) x 459(D)
Gross weight incl. package (in kg)	4.2
Net weight excl. package (in kg)	2.85

WHAT'S IN THE BOX	
D-SUB (VGA) cable	1.8
DVI cable	1.8
Audio cable	1.8
Power cable C7	1.8

OTHER INFORMATION	
MTBF	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours

REGULATORY COMPLIANCE	
ISO 9241-307	-