



E2460SD2

Vivid imagery, versatile productivity

This model targets business and home office users alike. Hidden behind its classically designed case is the latest LED technology. It boasts a high typical contrast, an ultra-fast 1ms response time and wide viewing angles for excellent imaging performance. The environmentally friendly display comes in an elegant, textured black finish.

GENERAL

Model Name	E2460SD2
EAN	4038986145213
Channel	B2B
Product line	Essential-line
Design family	60 ID
Launch date (ETA)	3/1/2015

SCREEN

Screen size (inch)	24
Flat / Curved	Flat
Display hardness	3H
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	TN
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	1 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	170/160
Display colours	16.7 Million
Brightness in nits	250 cd/m2
Pixel Pitch (mm)	276

ERGONOMICS

Vesa wallmount	100x100
Pivot	No

CONNECTIVITY AND MULTIMEDIA

USB Hub	-
USB fast charge port	-
D-SUB (VGA)	1x
DVI	1x DVI-D

MULTIMEDIA

Built-in Microphone	-
---------------------	---

FEATURES

Flicker-Free	No
Kensington Lock	-

SUSTAINABILITY

TCO Certified	6
---------------	---

POWER / ENVIRONMENTAL

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.29
Power consumption off in watts	0.13

PRODUCT DIMENSIONS

Product dimensions incl. base (WxHxD) mm	403.05(H) x 565.4(W) x 219.3(D)
Packaging dimensions (WxHxD) mm	131(H) x 621(W) x 476(D)
Gross weight incl. package (in kg)	6.1
Net weight excl. package (in kg)	4.64

WHAT'S IN THE BOX

D-SUB (VGA) cable	1.2
-------------------	-----

OTHER INFORMATION

MTBF	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours

REGULATORY COMPLIANCE

ISO 9241-307	✓
--------------	---