



## Q32V5CE/BK

**32" VA QHD panel for maximum productivity and great free time, USB-C and PD65W**

The AOC Q32V5CE is a 32" VA panel with QHD resolution for comfortable and outstanding viewing experience in a three-side frameless chassis. Ready to boost your productivity with USB-C with Power Delivery up to 65W, 4 USB ports & HDMI, while also offering everything you need for your free time.

GENERAL	
Model Name	Q32V5CE/BK
EAN	4038986110181
Channel	B2C
Product line	Value-line
Design family	V5
Launch date (ETA)	7/6/2022

SCREEN	
Screen size (inch)	31.5
Screen size (cm)	80
Flat / Curved	Flat
Display hardness	6H
Panel treatment	Antiglare (AG)
Panel resolution	2560x1440
Resolution name	QHD
Aspect ratio	16:9
Panel type	VA
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Response time MPRT	1 ms
Static contrast ratio	3000:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	300 cd/m2
Pixel Pitch (mm)	0.2724
Pixels per Inch	93

EXTERIOR	
Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Matt
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Matt

ERGONOMICS	
Vesa wallmount	100x100
Tilt	3° ±2° ~ 21° ±2°
Pivot	No

**CONNECTIVITY AND MULTIMEDIA**

HDMI	HDMI 2.0 x 1
Digital HDCP (HDMI version)	HDCP 2.2
DisplayPort	DisplayPort 1.4 x 1
USB-C connectivity	USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W)
USB Hub	✓
USB downstream ports	4
USB fast charge port	✓
RJ45	No
D-SUB (VGA)	0x
DVI	0x

**MULTIMEDIA**

Speakers	✓
Speaker power	5 W x 2
Built-in Microphone	-
Audio Output	Headphone out (3.5mm)
Monitor Webcam	No

**FEATURES**

Sync technology (VRR)	Freesync
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
KVM	No
Kensington Lock	✓
Colour space (sRGB) CIE 1976 %	118
Colour space (DCI-P3) CIE 1931 %	90
Colour space (DCI-P3) CIE 1976 %	89
Colour space (Adobe RGB) CIE 1931 %	90
Colour space (Adobe RGB) CIE 1976 %	96

**POWER / ENVIRONMENTAL**

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.3
Energy class	G

**PRODUCT DIMENSIONS**

Product dimensions incl. base (WxHxD) mm	714.0(W)×517.1(H)×215.0(D)
Product dimensions excl. base (WxHxD) mm	714.0(W)*418.7(H)*46.1(D)
Packaging dimensions (WxHxD) mm	980(W)*513(H)*162(D)
Gross weight incl. package (in kg)	10.95
Net weight excl. package (in kg)	8.52

**WHAT'S IN THE BOX**

HDMI cable	1.5
USB-C to C cable	1.8

**OTHER INFORMATION**

MTBF	50.000 hours (excluded backlight)
MTBF (including panel)	50.000 hours