



## E2460SD2

### Vivid imagery, versatile productivity

This model targets business and home office users alike. Hidden behind its classically designed case is the latest LED technology. It boasts a high typical contrast, an ultra-fast 1ms response time and wide viewing angles for excellent imaging performance. The environmentally friendly display comes in an elegant, textured black finish.

#### GENERAL

Model Name	E2460SD2
EAN	4038986145213
Channel	B2B
Product line	Essential-line
Design family	60 ID
Launch date (ETA)	3/1/2015

#### SCREEN

Screen size (inch)	24
Flat / Curved	Flat
Display hardness	3H
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	TN
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	1 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	170/160
Display colours	16.7 Million
Brightness in nits	250 cd/m2
Pixel Pitch (mm)	276

**ERGONOMICS**

Vesa wallmount	100x100
Pivot	No

**CONNECTIVITY AND MULTIMEDIA**

USB Hub	-
USB fast charge port	-
D-SUB (VGA)	1x
DVI	1x DVI-D

**MULTIMEDIA**

Built-in Microphone	-
---------------------	---

**FEATURES**

Flicker-Free	No
Kensington Lock	-

**SUSTAINABILITY**

TCO Certified	6
---------------	---

**POWER / ENVIRONMENTAL**

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.29
Power consumption off in watts	0.13

**PRODUCT DIMENSIONS**

Product dimensions incl. base (WxHxD) mm	403.05(H) x 565.4(W) x 219.3(D)
Packaging dimensions (WxHxD) mm	131(H) x 621(W) x 476(D)
Gross weight incl. package (in kg)	6.1
Net weight excl. package (in kg)	4.64

**WHAT'S IN THE BOX**

D-SUB (VGA) cable	1.2
DVI cable	1.5
Power cable C7	1.2

**OTHER INFORMATION**

MTBF	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours

**REGULATORY COMPLIANCE**

ISO 9241-307	✓
--------------	---