



22P2Q

Looks, convenience, and performance in a 21.5" Full HD display with DisplayPort

The 22P2Q features a flat 21.5" IPS panel with Full HD resolution and wide viewing angles of 178°/178°. Designed with professional users in mind, this 3-sided frameless display can be height-adjusted, tilted, swiveled, and pivoted to the ideal ergonomic position, while offering the comfort of eye-friendly innovations such as Low Blue Mode and Flicker-Free technology. Highly connectable, it features a USB 3.2 hub and is compatible with VGA, DVI, HDMI, and DP.

| GENERAL | |
|-------------------|-----------|
| Model Name | 22P2Q |
| Channel | B2B |
| Product line | Pro-line |
| Design family | P2 |
| Launch date (ETA) | 6/15/2020 |

1/4



| SCREEN | |
|------------------------|----------------|
| Screen size (inch) | 21.5 |
| Screen size (cm) | 54.61 |
| Flat / Curved | Flat |
| Display hardness | ЗН |
| Panel treatment | Antiglare (AG) |
| Panel resolution | 1920x1080 |
| Resolution name | FHD |
| Aspect ratio | 16:9 |
| Panel type | IPS |
| Backlight type | WLED |
| Max Refresh rate | 75 Hz |
| Response time GtG | 4 ms |
| Static contrast ratio | 1000:1 |
| Dynamic contrast ratio | 50M:1 |
| Viewing angle (CR10) | 178/178 |
| Display colours | 16.7 Million |
| Brightness in nits | 250 cd/m2 |
| Pixel Pitch (mm) | 0.24795 |
| Pixels per Inch | 102 |

| EXTERIOR | |
|------------------------------|-------------------|
| Bezel type (front) | 3-sided frameless |
| Bezel Colour (front) | Black |
| Bezel finishing (front) | Texture |
| Cabinet colour (backside) | Black |
| Cabinet finishing (backside) | Texture |

| ERGONOMICS | |
|--------------------|----------|
| Vesa wallmount | 100x100 |
| Tilt | -5/35 |
| Swivel | -180/180 |
| Pivot | Yes |
| Height adjust (mm) | 150mm |



| CONNECTIVITY AND MULTIMEDIA | |
|-----------------------------|--|
| HDMI | HDMI 1.4 x 1 |
| DisplayPort | DisplayPort 1.2 x 1 |
| USB Hub | ✓ |
| USB Hub speed | USB 3.2 (Gen 1) (4 USB downstream ports) 5Gbit |
| USB downstream ports | 4 |
| USB fast charge port | ✓ |
| D-SUB (VGA) | 1x |
| DVI | 1x DVI-D |

| MULTIMEDIA | |
|---------------------|-----------------------|
| Speakers | ✓ · |
| Speaker power | 2 W x 2 |
| Built-in Microphone | - |
| Audio Output | Headphone out (3.5mm) |

| FEATURES | |
|--|----------------|
| Sync technology (VRR) | Adaptive Sync |
| Blue Light Technology | Low Blue Light |
| Flicker-Free | Flicker Free |
| Kensington Lock | ✓ |
| Colour space (Adobe RGB) CIE 1931 % | 76 |

| SUSTAINABILITY | |
|----------------|---------------|
| TCO Certified | 8 |
| Energy star | Energy star 8 |
| EPEAT | Silver |

| POWER / ENVIRONMENTAL | |
|------------------------------------|--------------------|
| Power supply | Internal |
| Power source | 100 - 240V 50/60Hz |
| Power consumption standby in watts | 0.3 |
| Power consumption off in watts | 0.3 |
| Energy class | E |

3 / 4



| PRODUCT DIMENSIONS (METRIC) | |
|---|------------------------------|
| Product dimensions incl. base (WxHxD) mm | 476(H) x 488.5(W) x 200.1(D) |
| Product dimensions excl. base (WxHxD) mm | 296.1(H) x 488.5(W) x 50(D) |
| Packaging dimensions (WxHxD) mm | 520(H) x 559(W) x 137(D) |
| Gross weight incl. package (in kg) | 5.83 |
| Product with stand (kg) | 4.16 |

| WHAT'S IN THE BOX | |
|-------------------|-----|
| HDMI cable | 1.8 |
| D-SUB (VGA) cable | 1.8 |
| Displayport cable | 1.8 |
| Audio cable | 1.5 |
| Power cable C13 | 1.8 |

| REGULATORY COMPLIANCE | |
|-----------------------|--|
| ISO 9241-307 | |