



U34E2M

34" VA monitor with WQHD and slim 3 side frameless design for a comfortable and neat look

The AOC U34E2M is equipped with a 34" VA panel with Ultrawide QHD 21:9 resolution for an incredible viewing experience and more screen estate to boost your productivity and multitasking. Multiple inputs supported thanks to HDMI and DP ports.

GENERAL

Model Name	U34E2M
Channel	B2B
Product line	Essential-line
Design family	E2
Launch date (ETA)	9/21/2022

SCREEN

Screen size (inch)	34
Screen size (cm)	86.4
Flat / Curved	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Panel resolution	3440x1440
Resolution name	WQHD
Aspect ratio	21:9
Panel type	VA
Backlight type	WLED
Max Refresh rate	100 Hz
Response time GtG	4 ms
Static contrast ratio	4000:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	300 cd/m2
Pixel Pitch (mm)	0.23175
Pixels per Inch	109.7

EXTERIOR

Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

ERGONOMICS

Vesa wallmount	100x100
Tilt	5° ~ 23°
Pivot	No

CONNECTIVITY AND MULTIMEDIA

HDMI	HDMI 2.0 x 2
DisplayPort	DisplayPort 1.2 x 1
USB Hub	-
USB fast charge port	-
RJ45	No
D-SUB (VGA)	0x
DVI	0x

MULTIMEDIA

Audio Output	Headphone out (3.5mm)
--------------	-----------------------

FEATURES

Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Multiview (PbP, PiP)	PbP
Flicker-Free	Flicker Free
KVM	No
Kensington Lock	✓
Colour space (DCI-P3) CIE 1976 %	91.2

POWER / ENVIRONMENTAL

Power supply	Internal
Power consumption standby in watts	0.5
Power consumption off in watts	0.3
Energy class	F

PRODUCT DIMENSIONS (METRIC)

Product dimensions incl. base (WxHxD) mm	817.5 x 475.0 x 253.8
Product dimensions excl. base (WxHxD) mm	817.5 x 370.7 x 55.3
Packaging dimensions (WxHxD) mm	940 x 506 x 174
Gross weight incl. package (in kg)	10.7
Product with stand (kg)	7.67

WHAT'S IN THE BOX

HDMI cable	1.8
Power Cable	✓
Power adaptor	-