



Q27E3UMF

27" QHD VA display with essential features for long hours of productivity

The AOC Q27E3UMF offers a great 27" VA panel with wide viewing angle, detailed and crystal-clear QHD resolution and 300 nits brightness. It also offers all essentials for working or studying, supporting long hours with features for eye care such as Low Blue Mode and Flicker Free. For a neatwork station, it also offers cable management for its complete connectivity.

| GENERAL | |
|-------------------|----------------|
| Model Name | Q27E3UMF |
| Channel | B2B |
| Product line | Essential-line |
| Design family | E3 |
| Launch date (ETA) | 7/30/2023 |

| Screen size (inch) Screen size (cm) 68.6 Flat / Curved Flat Display hardness 3H Panel treatment Antiglare (AG) Panel resolution 2560x1440 Resolution name QHD Aspect ratio 16:9 Panel type VA Backlight type WLED | |
|---|--|
| Flat / Curved Flat Display hardness 3H Panel treatment Antiglare (AG) Panel resolution 2560x1440 Resolution name QHD Aspect ratio 16:9 Panel type VA | |
| Display hardness 3H Panel treatment Antiglare (AG) Panel resolution 2560x1440 Resolution name QHD Aspect ratio 16:9 Panel type VA | |
| Panel treatment Antiglare (AG) Panel resolution 2560x1440 Resolution name QHD Aspect ratio 16:9 Panel type VA | |
| Panel resolution 2560x1440 Resolution name QHD Aspect ratio 16:9 Panel type VA | |
| Resolution name QHD Aspect ratio 16:9 Panel type VA | |
| Aspect ratio 16:9 Panel type VA | |
| Panel type VA | |
| | |
| Backlight type WLED | |
| | |
| Max Refresh rate 75 Hz | |
| Response time GtG 4 ms | |
| Static contrast ratio 4000:1 | |
| Dynamic contrast ratio 20M:1 | |
| Viewing angle (CR10) 178/178 | |
| Display colours 16.7M (8bits) | |
| Brightness in nits 300 cd/m2 | |
| Pixel Pitch (mm) 0.2331 | |
| Pixels per Inch 109 | |

1/3



| EXTERIOR | |
|------------------------------|-------------------|
| Bezel type (front) | 3-sided frameless |
| Bezel Colour (front) | Black |
| Bezel finishing (front) | Texture |
| Cabinet colour (backside) | Black |
| Cabinet finishing (backside) | Texture |

| ERGONOMICS | |
|--------------------|----------|
| Vesa wallmount | 100x100 |
| Tilt | -5°~35° |
| Swivel | 175°±5° |
| Pivot | -90°~90° |
| Height adjust (mm) | 150mm |

| CONNECTIVITY AND MULTIMEDIA | |
|-----------------------------|---------------------|
| HDMI | HDMI 1.4 x 1 |
| DisplayPort | DisplayPort 1.2 x 1 |
| USB Hub | ✓ |
| USB Hub speed | USB 3.2 (Gen 1) |
| USB downstream ports | 2 |

| MULTIMEDIA | |
|---------------|-----------------------|
| Speakers | / |
| Speaker power | 2 W x 2 |
| Audio Output | Headphone out (3.5mm) |

| FEATURES | |
|-----------------------|----------------|
| Sync technology (VRR) | Adaptive Sync |
| Blue Light Technology | Low Blue Light |
| Flicker-Free | Flicker Free |
| KVM | No |
| Kensington Lock | ✓ · |

2/3



| SUSTAINABILITY | |
|----------------|--------------------|
| TCO Certified | TCO Certified Edge |
| Energy star | Energy star 8 |
| EPEAT | Yes (any level) |

| POWER / ENVIRONMENTAL | |
|------------------------------------|--------------------|
| Power supply | Internal |
| Power source | 100 - 240V 50/60Hz |
| Power consumption standby in watts | 0.5 |
| Power consumption off in watts | 0.3 |
| Energy class | F |

| PRODUCT DIMENSIONS (METRIC) | |
|---|--------------------------------|
| Product dimensions incl. base (WxHxD) mm | 614.7 x 396.21~544.49 x 200.12 |
| Product dimensions excl. base (WxHxD) mm | 614.7 x369.6 x 52.8 |
| Packaging dimensions (WxHxD) mm | 820 x 481 x 162 |
| Gross weight incl. package (in kg) | 8.55 |
| Product with stand (kg) | 5.55 |
| Product without stand (kg) | 3.79 |

| WHAT'S IN THE BOX | |
|-------------------|-----|
| HDMI cable | 1.8 |
| Power Cable | / |
| Power cable C13 | 1.8 |

| OTHER INFORMATION | |
|------------------------|--------------|
| MTBF (excluding panel) | 70.000 hours |
| MTBF (including panel) | 30.000 hours |

| REGULATORY COMPLIANCE | |
|-----------------------|---|
| ISO 9241-307 | / |

3/3