# ЛОС



## 24B3HMA2

High-performance clarity with 23.8" FHD monitor featuring 100Hz refresh rate and HDMI

Experience the brilliance of our compact-sized 23.8" monitor with Full HD VA monitor that transforms your viewing experience into a visual masterpiece. Enjoy yourself in the heart of action with a dynamic 100Hz refresh rate, complemented by an ultra-responsive 1ms MPRT for unmatched clarity and precision. Connectivity made effortless: equipped with HDMI, seamlessly connect your devices to unlock a world of entertainment and productivity. Enjoy tear-free visuals with courtesy of the Adaptive Sync technology that adds a new dimension to your content. Not just a monitor, but an auditory delight – 24B3HMA2 comes with integrated 2W speakers, adding a layer of immersive sound to your multimedia adventures. Prioritize your well-being with Low Blue Light technology and embrace a three-sided frameless design for a captivating, distraction-free display.

GENERAL	
Model Name	24B3HMA2
Channel	B2C
Product line	Basic-line
Design family	В3
Launch date (ETA)	2/1/2024

### **/IOC**

SCREEN	
Screen size (inch)	23.8
Screen size (cm)	60.5
Flat / Curved	Flat
Display hardness	ЗН
Panel treatment	Antiglare (AG)
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	VA
Backlight type	WLED
Max Refresh rate	100 Hz
Response time GtG	4 ms
Response time MPRT	1 ms
Static contrast ratio	4000:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	178/178
Display colours	16.7M (8bits)
Brightness in nits	250 cd/m2
Pixel Pitch (mm)	0.2745
Pixels per Inch	93

EXTERIOR	
Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

ERGONOMICS	
Vesa wallmount	100x100
Tilt	-5 (+3/-0) ~ +23 (-3/+0)

### ЛОС

#### 24B3HMA2

CONNECTIVITY AND MULTIMEDIA	
НДМІ	HDMI 1.4 x 1
Digital HDCP (HDMI version)	HDCP 1.4
RJ45	Νο
D-SUB (VGA)	lx
DVI	0x

MULTIMEDIA	
Speakers	$\checkmark$
Speaker power	2 W x 2
Built-in Microphone	-
Audio Output	1x Audio out
MonitorWebcam	Νο

FEATURES	
Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
KVM	Νο
Kensington Lock	$\checkmark$
Colour space (sRGB) CIE 1976 %	96.5
Colour space (DCI-P3) CIE 1931 %	74.8
Colour space (DCI-P3) CIE 1976 %	76.9
Colour space (Adobe RGB) CIE 1931 %	75.2
Colour space (Adobe RGB) CIE 1976 %	82.7

SUSTAINABILITY	
TCO Certified	Νο

### ЛОС

#### 24B3HMA2

POWER / ENVIRONMENTAL	
Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.3
Energy class	E

PRODUCT DIMENSIONS (METRIC)	
Product dimensions incl. base (WxHxD) mm	539.7 x 320.4 x 44.7
Product dimensions excl. base (WxHxD) mm	539.7 x 416.1 x 202.3
Packaging dimensions (WxHxD) mm	614 x 394 x 126
Gross weight incl. package (in kg)	4.86
Product with stand (kg)	2.84
Product without stand (kg)	2.5

WHAT'S IN THE BOX	
HDMI cable	1.5
RS232	-
Power Cable	