



27P1/GR

27" Full HD IPS display with fully ergonomic stand

Large 27" screen real estate, with accurate colours in 1920x1080 resolution thanks to 27P1/GR's IPS panel. The 27P1/GR can connect to legacy and current sources thanks to its VGA, DVI, HDMI and DisplayPort inputs. 27P1/GR offers improved working comfort with its ergonomic stand (150mm height adjustment), its wide viewing angles, Flicker-Free technology and Low Blue Light modes.

GENERAL	
Model Name	27P1/GR
Channel	B2B
Product line	Pro-line Pro-line
Design family	P1
Launch date (ETA)	8/29/2018

Screen size (inch) 27 Screen size (cm) 68.58 Flat / Curved Flat Display hardness 3H Panel resolution 1920x1080 Resolution name FHD Aspect ratio 16:9 Panel type IPS Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms Static contrast ratio 1000:1	
Flat / Curved Flat Display hardness 3H Panel resolution 1920x1080 Resolution name FHD Aspect ratio 16:9 Panel type IPS Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms Static contrast ratio 1000:1	
Display hardness 3H Panel resolution 1920x1080 Resolution name FHD Aspect ratio 16:9 Panel type IPS Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms Static contrast ratio 1000:1	
Panel resolution 1920x1080 Resolution name FHD Aspect ratio 16:9 Panel type IPS Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms Static contrast ratio 1000:1	
Resolution name FHD Aspect ratio 16:9 Panel type IPS Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms Static contrast ratio 1000:1	
Aspect ratio 16:9 Panel type IPS Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms Static contrast ratio 1000:1	
Panel type IPS Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms Static contrast ratio 1000:1	
Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms Static contrast ratio 1000:1	
Max Refresh rate60 HzResponse time GtG5 msStatic contrast ratio1000:1	
Response time GtG 5 ms Static contrast ratio 1000:1	
Static contrast ratio 1000:1	
Dynamic contrast ratio 50M:1	
Viewing angle (CR10) 178/178	
Display colours 16.7 Million	
Brightness in nits 250 cd/m2	
Pixel Pitch (mm) 0.3114	

1/3



EXTERIOR	
Bezel type (front)	Normal
Bezel Colour (front)	Grey
Bezel finishing (front)	Texture
Cabinet colour (backside)	Grey
Cabinet finishing (backside)	Texture

ERGONOMICS	
Vesa wallmount	100x100
Tilt	-5/35
Swivel	-175/175
Pivot	Yes
Height adjust (mm)	150mm

CONNECTIVITY AND MULTIMEDIA	
HDMI	HDMI 1.4 x 1
DisplayPort	DisplayPort 1.2 x 1
USB Hub	✓
USB Hub speed	USB 3.0 (4 USB downstream ports)
USB downstream ports	4
USB fast charge port	✓
D-SUB (VGA)	1x
DVI	1x DVI-D

MULTIMEDIA	
Speakers	1
Speaker power	2 W x 2
Built-in Microphone	-
Audio Output	Headphone out (3.5mm)

FEATURES	
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
Kensington Lock	/
Colour space (Adobe RGB) CIE 1931 %	75



SUSTAINABILITY	
TCO Certified	7
Energy star	Energy star 8
EPEAT	Silver

POWER / ENVIRONMENTAL	
Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.5
Energy class	E

PRODUCT DIMENSIONS (METRIC)	
Product dimensions incl. base (WxHxD) mm	548.5(H) x 627.9(W) x 202.49(D)
Packaging dimensions (WxHxD) mm	478(H) x 827(W) x 186(D)
Gross weight incl. package (in kg)	8.85
Product with stand (kg)	6.1

WHAT'S IN THE BOX	
HDMI cable	1.8
DVI cable	1.8
Displayport cable	1.8
Audio cable	1.5
Power cable C13	1.8

OTHER INFORMATION	
MTBF	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours

REGULATORY COMPLIANCE	
ISO 9241-307	✓