

| 1.0 Reference and Address | | | | | |
|----------------------------------|---|---|--|--|--|
| Report Number | 240301161SHA-2 | Original Issued: 15-Apr-2024 | Revised: None | | |
| Standard(s) | ENERGY STAR® Program Requirements for Displays Version 8.0 | | | | |
| Test Methods | All Product Types and Screen Sizes | ENERGY STAR Test Method for Determining Display Energy – Rev. Nov-2021 | | | |
| | Enhanced Performance Displays | International Committee for Display Metrology (ICDM) Information Display Measurements Standard – Version 1.03 | | | |
| | Displays Claiming Full Network Connectivity | CTA-2037-A, Determination of Television Set Power Consumption | | | |
| | Displays Claiming High Dynamic Range (HDR) | VESA High-performance Monitor and Display Compliance Test Specification (DisplayHDR CTS) Version 1.0 | | | |
| Test Materials | "IEC 62087:2011 Dynamic Broadcast-Content Signal" shall be used for testing, as specified in IEC 62087:2011, Section 11.6, "On (average) mode testing using dynamic broadcast-contentvideo signal." | | | | |
| | "VESA FPDM2" shall be used only for products that cannot display the IEC 62087:2011 Dynamic Broadcast-Content Signal. | | | | |
| Reference Standard | IEC 62301:2011, "Household electrical appliances - Measurement of standby power" | | | | |
| Applicant | Top Victory Electronics (Taiwan) Co.,Ltd. | Manufacturer 1 | TPV Electronics(Fujian) Co., Ltd | | |
| Address | 10F.,No.230,Liancheng Rd. Zhonghe City. Taipei Country 23553 | Address | Rongqiao Economic and Technological Development Zone, Fuqing City, Fujian Province | | |
| Country | Taiwan | Country | P.R.China | | |
| Contact | David.Cheng | Contact | Winter.Feng | | |
| Phone | +886-2-82261668-2375 | Phone | +86-591-85285555 | | |
| FAX | +886-2-82261668-2375 | FAX | +86-591-85285447 | | |
| Email | David.cheng@tpv-tech.com | Email | winter.feng@tpv-tech.com | | |

| 1.0 Reference and Address | | | |
|---------------------------|--|----------------|---|
| Manufacturer 2 | TPV Display Technology (Beihai) Co.,Ltd | Manufacturer 3 | TPV Display Technology (China) Co.,Ltd. |
| Address | China Electronic Beihai Industry Park,Northeast of the Crossing between Taiwan Road and Jilin Road Beihai City,Guangxi | Address | No.106 Jinghai 3 Rd., BDA, Beijing City |
| Country | China | Country | China |
| Contact | Jiaping Chen | Contact | Nancy.Shang |
| Phone | 86-799-3132666-8255 | Phone | 86(10)64326699-8312 |
| FAX | 86-779-2232270 | FAX | NA |
| Email | jiaping.Chen@tpv-tech.com | Email | lijia.shang@tpv-tech.com |
| Manufacturer 4 | L&T Display Technology (Fujian) Ltd. | Manufacturer 5 | TPV Display Technology(Wuhan)Co.,Ltd |
| Address | Optoelectronic Park, Rongqiao Economic and Technological Development Zone, Fuqing City,Fujian Province | Address | Unique No.11 Zhuankou Development District of Economic Technological Development Zone Wuhan |
| Country | P.R.China | Country | China |
| Contact | Elaine Lin | Contact | Zhe.Zhou |
| Phone | +86-591-86515558 | Phone | 86(27)-6884 3822 |
| FAX | +86-591-86515555 | FAX | 86(27)-6884 3822 |
| Email | elaine.lin@Intdisplayfj.com | Email | zhe.zhou@tpv-tech.com |

| 2.0 Product Description | | | | | |
|--|--|-------------------------|-----|-----|--|
| Product | Display (LCD Monitor) | | | | |
| Brand Name | AOC | | | | |
| Description | The product covered by this report is a Display (LCD Monitor) | | | | |
| Models | 27B3CA2;27B3CF2;27B3HA2 | | | | |
| Model Similarity | 27B3CA2,27B3CF2:power board 715GC478 and main board 715GD815 27B3HA2:main board with power supply module 715GE360 27B3CA2,27B3HA2 and 27B3CF2:different pedestal | | | | |
| Ratings | 100-240Vac, 50/60Hz, 1.5A | | | | |
| Other Ratings | NA | | | | |
| Date Available | 04/15/2024 | Market Availability | Yes | OEM | TPV Electronics(Fujian) Co. Ltd |
| Major Markets | Canada,Japan,Switzerland,Taiwan,United States | | | | |
| Trans Type | Initial Certification: Model Meets ENERGY STAR Requirements | | | | |
| Notes | | | | | |
| UPC | 4038986181471,4038986181457,4038986181532 | | | | |
| Reason no UPC | | | | | |
| Other reason no UPC | | | | | |
| Additional Model Details (Optional) | Model Name and Number | Identifying Information | | | |
| | | | | | |
| | | | | | |
| Original Certificate Actual Issued Date for Model Tested (Only Applies to Revised Reports) | | | | NA | |

3.0 Product Photographs

Photo 1 - External View (front)




Photo 2 - External View (back)



3.0 Product Photographs

Photo 3 - Main Board (TPV/L&T/ 715GD815)





Photo 4 - Main Board with power supply module (TPV/L&T/ 715GE360)



3.0 Product Photographs

Photo 5 - Power Board (TPV/L&T/ 715GC478)





Photo 6 - Pedestal



| 4.0 Critical Components | | | | | | |
|-------------------------|-----------------------|-------------------------------------|---|--|--|------------------------------------|
| Photo # | Item no. ¹ | Name | Manufacturer/ trademark ² | Type / model ² | Technical data and securement means | Mark(s) of conformity ³ |
| 1 | 1 | LCD Panel | L&T | LM270*****(* * can be 0~9,A~Z, ".", "-" or blank) | 27 inches, LED backlighting. LM270WF7 is tested as a representation. | NR |
| | | | | LGD | LM270*****(* * can be 0~9,A~Z, ".", "-" or blank) | 27 inches, LED backlighting. |
| 3 | 2 | Main Board | TPV/L&T | 715GD815 | I/P: Max 11.5-20.5Vdc 1.5A This is tested model. | NR |
| 4 | 3 | Main board with power supply module | TPV/L&T | 715GE360 | I/P:100-240Vac,50/60Hz,1.5A O/P:19Vdc/2A max | NR |
| 5 | 4 | Power Board | TPV/L&T | 715GC478 | I/P: 100-240Vac, 50/60Hz, 1.5A; O/P: Max 11.5-20.5Vdc 1.5A This is tested model. | NR |

NOTES:

1) Not all item numbers are indicated (called out) in the photos, as their location is obvious.

2) "Various" means any type, from any manufacturer that complies with the "Technical data and securement means" and meets the "Mark(s) of conformity" can be used.

3) Indicates specific marks to be verified, which assures the agreed level of surveillance for the component. "NR" - indicates: a) Unlisted and only visual examination is necessary or b) marks are not required to be verified.

5.0 Critical Unlisted CEC Components

Periodic Evaluation of Critical Unlisted Components by the Intertek Component Evaluation Centers (CEC) is not required under the INTERTEK ENERGY STAR Program.

6.0 Critical Features

Critical Features/Components - An essential part, material, subassembly, system, software, or accessory of a product that has a direct bearing on the product's conformance to applicable requirements of the ENERGY STAR® Program Requirements.

Listed Component - A component part, which has been previously Listed or Certified by an accredited Certification Organization with no restrictions and is used in the intended application within its ratings.

Recognized Component - A component part, which has been previously evaluated by an accredited certification body with restrictions and must be evaluated as part of the basic product considering the restrictions as specified by the Conditions of Acceptability.

Unlisted Component - A part that has not been previously evaluated to the appropriate designated component standard. It may also be a Listed or Recognized component that is being used outside of its evaluated Listing or component recognition.

Construction Details - For specific construction details, reference should be made to the photographs and descriptions. All dimensions are approximate unless specified as exact or within a tolerance. In addition to the specific construction details described in this Report, the following general requirements also apply.


1. Product Safety Compliance - NA
2. EMI Compliance - NA
3. Schematics - NA
4. Installation, Operating and Safety Instructions - Instructions for installation and use of this product are provided by the manufacturer. Refer to Illustration No(s). 1-2 for details.
5. Package Markings - NA
6. Warranty Information - NA
7. Marking Label - Refer to Illustration No.3 for details.

7.0 Illustrations

Illustration 1 - Installation, Operating and Safety Instructions

Connecting the Monitor

Cable Connections in Back of Monitor:



1. HDMI
2. USB C
3. USB3.2 Gen1+charging
4. Earphone
5. Power

Connect to PC

1. Connect the power cord to the back of the display firmly.
2. Turn off your computer and unplug its power cable.
3. Connect the display signal cable to the video connector on your computer.
4. Plug the power cord of your computer and your display into a nearby outlet.
5. Turn on your computer and display.

If your monitor displays an image, installation is complete. If it does not display an image, please refer to Troubleshooting.


To protect equipment, always turn off the PC and LCD monitor before connecting.

7.0 Illustrations

Illustration 2 - Installation, Operating and Safety Instructions(continue)

Connecting the Monitor

Cable Connections In Back of Monitor.



1. HDMI
2. Analog (D-Sub 15-Pin VGA cable)
3. Earphone
4. Power

Connect to PC

1. Connect the power cord to the back of the display firmly.
2. Turn off your computer and unplug its power cable.
3. Connect the display signal cable to the video connector on your computer.
4. Plug the power cord of your computer and your display into a nearby outlet.
5. Turn on your computer and display.

If your monitor displays an image, installation is complete. If it does not display an image, please refer to Troubleshooting.

To protect equipment, always turn off the PC and LCD monitor before connecting.

7.0 Illustrations

Illustration 3 - Marking Label



8.0 Test Summary

| | | | |
|-------------------|---|-------------|---------------|
| Evaluation Period | 4/15/2024 - 4/15/2024 | Project No. | 240301161SHA |
| Sample Rec. Date | 12-Apr-2024 | Condition | Prototype |
| Test Location | Intertek Testing Services Shanghai Limited (1105997) Building No.86, 1198 Qinzhou Road (North), Shanghai 200233, China | | |
| Test Procedure | Testing Lab | Test type | Qualification |

Determination of the result includes consideration of measurement uncertainty from the test equipment and methods. The product was tested as indicated below with results in conformance to the relevant test criteria.

The following requirements were evaluated:

| Required Submittal Information | Submittal Data |
|--|----------------|
| Model Name and/or Number tested | 27B3CA2 |
| Date tested | 04/15/2024 |
| Serial number of Unit tested | 1 sample |
| ENERGY STAR Specification Version* | 8.0 |
| Product_Type* | Monitor |
| Tiled_Display_System | |
| Maximum_Tiled_Configuration | |
| Panel_Type* | IPS LCD |
| Other_Panel_Type | |
| Diagonal_Screen_Size_in* | 27 |
| Screen_Area_sq_in* | 311.67 |
| Display_Contrast_Ratio* | 1300 |
| Native_Vertical_Resolution_lines* | 1080 |
| Native_Horizontal_Resolution_lines* | 1920 |
| Total_Native_Resolution_megapixels* | 2.1 |
| Native_Pixel_Density_Dp_pixels_sq_in* | 6653 |
| As_Tested_Screen_Refresh_Rate_Hz* | 60 |
| Maximum_Screen_Refresh_Rate_Hz* | 100 |
| Enhanced_Performance_Criteria* | No |
| Color_Gamut | |
| Reported_Contrast_Ratio_at_85_deg_Left_Horiz_Viewing_Angle | |
| Reported_Contrast_Ratio_at_85_deg_Right_Horiz_Viewing_Angle | |
| High_Dynamic_Range_HDR* | N/A |
| Other_Available_Interfaces | |
| Other_Features | |
| Signal_Interface* | USB-C |
| Other_Interface | |
| USB_C_with_Power_Delivery_Supported* | Yes |
| Maximum_Power_Delivery_W | 65 |
| Other_Power_Source | |
| Does_Model_Have_a_Forced_Menu_at_Initial_Start_up* | No |
| Maximum_Measured_Luminance_cd_m_2* | 262.1 |
| Maximum_Reported_Luminance_cd_m_2* | 250 |
| As_shipped_Luminance_cd_m_2 | 223.5 |
| As_tested_Luminance_cd_m_2* | 200 |
| On_Mode_Power_at_12_Lux_at_115_Volts_W | |
| On_Mode_Power_at_300_Lux_at_115_Volts_W | |
| Measured_On_Mode_Power_at_115_Volts_W | 17.15 |
| Reported_On_Mode_Power_at_115_Volts_W | 17.15 |
| Maximum_On_Mode_Power_Limit_for_Signage_Certification_W | |
| Measured_Sleep_Mode_Power_at_115_Volts_W | 0.26 |
| Reported_Sleep_Mode_Power_at_115_Volts_W | 0.26 |
| Measured_Disconnected_Sleep_Mode_Power_at_115_Volts_W | 0.26 |
| Maximum_Sleep_Mode_Power_Limit_for_Signage_Certification_W | |
| Number_of_Sleep_Modes_in_Addition_to_Default_Sleep_Mode* | 0 |
| Other_Mechanism_for_Automatically_Entering_Sleep_or_Off_Mode | |

8.0 Test Summary

| | |
|--|--|
| Default_Delay_Time_to_Sleep_min | |
| Measured_Off_Mode_Power_at_115_Volts_W | 0.18 |
| Reported_Off_Mode_Power_at_115_Volts_W | 0.18 |
| Measured_Total_Energy_Consumption_at_115_Volts_kWh | 54.06 |
| Reported_Total_Energy_Consumption_at_115_Volts_kWh | 54.06 |
| Max_Total_Energy_Consumption_Limit_for_Monitor_kWh | 54.81 |
| On_Mode_Power_at_12_Lux_at_230_Volts_W | |
| On_Mode_Power_at_300_Lux_at_230_Volts_W | |
| Measured_On_Mode_Power_at_230_Volts_W | 16.73 |
| Measured_Sleep_Mode_Power_at_230_Volts_W | 0.33 |
| Measured_Disconnected_Sleep_Mode_Power_at_230_Volts_W | 0.33 |
| Measured_Off_Mode_Power_at_230_Volts_W | 0.19 |
| Measured_Total_Energy_Consumption_at_230_Volts_kWh | 53.17 |
| True_Power_Factor_PF_During_On_Mode_Testing_at_115_Volts_W | 0.91 |
| True_Power_Factor_PF_During_On_Mode_Testing_at_230_Volts_W | 0.63 |
| Color_Spaces_Supported* | sRGB |
| Available_Signal_or_Data_Interfaces* | HDMI,USB |
| Model_Features* | Built-In Speakers,USB-C |
| Features_Enabled_in_Default_On_Mode* | Built-In Speakers |
| Features_Enabled_in_Default_Sleep_Mode* | None |
| Wireless_Technologies_Supported* | None |
| Ethernet_Supported* | None |
| Power_Source* | Ac to dc internal power supply |
| Mechanism_for_Automatically_Entering_Sleep_or_Off_Mode* | Display Power Management Signaling |
| On_Mode_Power_at_12_Lux_at_100_Volts_50Hz_W | |
| On_Mode_Power_at_300_Lux_at_100_Volts_50Hz_W | |
| Measured_On_Mode_Power_at_100_Volts_50Hz_W | 17.22 |
| Measured_Sleep_Mode_Power_at_100_Volts_50Hz_W | 0.23 |
| Measured_Disconnected_Sleep_Mode_Power_at_100_Volts_50Hz_W | 0.23 |
| Measured_Off_Mode_Power_at_100_Volts_50Hz_W | 0.18 |
| Measured_Total_Energy_Consumption_at_100_Volts_50Hz_kWh | 54.11 |
| On_Mode_Power_at_12_Lux_at_100_Volts_60Hz_W | |
| On_Mode_Power_at_300_Lux_at_100_Volts_60Hz_W | |
| Measured_On_Mode_Power_at_100_Volts_60Hz_W | 17.21 |
| Measured_Sleep_Mode_Power_at_100_Volts_60Hz_W | 0.24 |
| Measured_Disconnected_Sleep_Mode_Power_at_100_Volts_60Hz_W | 0.24 |
| Measured_Off_Mode_Power_at_100_Volts_60Hz_W | 0.18 |
| Measured_Total_Energy_Consumption_at_100_Volts_60Hz_kWh | 54.13 |

8.1 Signatures

A representative sample of the product covered by this report has been evaluated and found to comply with the applicable requirements of the standards indicated in Section 1.0.

| | | | |
|---------------|-----------|--------------|------------|
| Completed by: | Nyck Guan | Reviewed by: | Carl Dong |
| Title: | Engineer | Title: | Engineer |
| Signature: | Nyck Guan | Signature: | Carl Dong. |

9.0 Correlation Page For Multiple Listings

The following products, which are identical to those identified in this report except for model number and Company name.

| | | | |
|--------------|--|--------|---------|
| BASIC LISTEE | Top Victory Electronics (Taiwan) Co., Ltd. | | |
| Address | 10F.,No.230,Liancheng Rd. Zhonghe City. Taipei Country 23553 | | |
| Country | Taiwan | EPA ID | 1065104 |
| Product | Display (LCD Monitor) | | |
| Contact | David.Cheng | | |
| Phone | +886-2-82261668-2375 | | |
| FAX | +886-2-82261668-2375 | | |
| Email | David.cheng@tpv-tech.com | | |

| | | | |
|-------------------------------------|-----------------------|-------------------------|-----|
| MULTIPLE LISTEE 1 | None | | |
| Address | | | |
| Country | | | |
| Contact | | | |
| Phone | | | |
| FAX | | | |
| Email | | | |
| Brand Name | | | |
| Date Available | | Market Availability | OEM |
| Major Markets | | | |
| Trans Type | | | |
| Notes | | | |
| UPC | | | |
| Reason no UPC | | | |
| Other reason no UPC | | | |
| ASSOCIATED MANUFACTURER | | | |
| Address | | | |
| Country | | | |
| MULTIPLE LISTEE 1 MODELS | | BASIC LISTEE MODELS | |
| | | | |
| Additional Model Details (Optional) | Model Name and Number | Identifying Information | |
| | | | |
| | | | |

9.0 Correlation Page For Multiple Listings

| | | | |
|-------------------------------------|-----------------------|---------------------|-------------------------|
| MULTIPLE LISTEE 2 | None | | |
| Address | | | |
| Country | | | EPA ID |
| Contact | | | |
| Phone | | | |
| FAX | | | |
| Email | | | |
| Brand Name | | | |
| Date Available | | Market Availability | OEM |
| Major Markets | | | |
| Trans Type | | | |
| Notes | | | |
| UPC | | | |
| Reason no UPC | | | |
| Other reason no UPC | | | |
| ASSOCIATED MANUFACTURER | | | |
| Address | | | |
| Country | | | |
| MULTIPLE LISTEE 2 MODELS | | BASIC LISTEE MODELS | |
| | | | |
| Additional Model Details (Optional) | Model Name and Number | | Identifying Information |
| | | | |
| | | | |

10.0 General Information

The Applicant has agreed to produce products in accordance with the requirements of this report and to maintain compliance with all ENERGY STAR Product Specification requirements.

Changes to Product Design / Alternate Components

As part of this agreement, the Applicant also has agreed to notify Intertek and to request authorization prior to making any changes to the product (including but not limited to using alternate parts, components or materials) which may effect compliance with the ENERGY STAR Product Specification. Those parts, components or materials identified as critical have been listed in Section 4.0 of this report.

Product Surveillance

Under this Program, market surveillance is conducted on an annual basis. For each Product Type defined in the EPA ENERGY STAR Program, Intertek will select 10% of those certified products for Verification Testing in accordance with the requirements of the EPA ENERGY STAR Product Specification.

The primary source for products under Verification Testing will be the retail market. Applicants whose products are selected for Verification Testing are required to provide a list of locations where the product might be obtained. The Applicant is responsible for the cost of procurement and the Verification Tests. Should products not be readily available on the retail market, the Applicant is required to provide access to distribution warehouses to allow selection of those products. Should the product not be available on the retail market or if procurement from the retail market is not feasible, then alternate arrangements for Verification Testing will be made by the Intertek Certification Body.

As a general rule under the Verification Testing requirements, the products must achieve energy values within 5% of the required Tier Limit.

Compliance with ENERGY STAR Product Specifications under Verification Testing

Products found non-compliant with ENERGY STAR Product Specification under Verification Testing, will be reported to the EPA within 48 hours and the product removed from the ENERGY STAR Program. If it is determined during Verification Testing that changes have been made to product design or critical components, the Certification Body may increase Verification Testing frequency of those products.

10.1 Evaluation of Unlisted Components

Because Unlisted Components are uncontrolled, and they do not fall under a third party follow up program, Intertek may require these components to be tested and/or evaluated at least once annually, more often for certain components, as part of the independent certification process. The Unlisted Components in Section 5.0 require testing and/or evaluation as indicated.

Note to Intertek Follow Up Inspector: The Component Evaluation Center, CEC, will notify you in writing when these components must be selected and sent to the CEC for re-evaluation

Ship the samples to:
Intertek Testing Services Shanghai Limited
ETL Component Evaluation Center
Building No. 86, 1198 Qinzhou Road (North)
Shanghai 200233, China
Attn: Ms. Angela Han

Sample Disposition: Due to the destructive nature of the testing, all samples will be discarded at the conclusion of testing unless, the manufacturer specifically requests the return of the samples. The request for return must accompany the initial component shipment.

11.0 Manufacturing and Production Tests

Manufacturing and Production tests are not required under the INTERTEK ENERGY STAR Program. However, Intertek encourages the use of such ongoing product testing to ensure compliance with the EPA ENERGY STAR Product Specifications.

12.0 Revision Summary

The following changes are in compliance with the declaration of Section 8.1: