



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	AOC	Logo
Company name *	AOC International Europe B.V.	
Contact information *		
e-mail address		
Internet site *		
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *	Display				
Commercial name *	Q27P2Q				
Model number *	Q27P2Q				
Issue date *	28 May 2020				
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	Q27P2Q	Logo	
Issue date *	28 May 2020		
Product environ	mental attributes - Legal requirements		Requirement met
Item			Yes No n.a.

Product	Requirement met			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square		
	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th	e 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/weel			
	(see legal reference).			
54.5	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
P2	Batteries Control of the Control of		_	
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal		$\overline{}$	
1 2.2	reference)	' Ш	Ш	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
P3.2*	The product complies with the Eco design requirements for energy-related products,			
	(see legal reference).			
	Required information is; given in item P15 or added to this document,		Ш	ш
-	available at (add URL):			
P4	Consumable materials			<u> </u>
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).		$\overline{}$	\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	-	+	
F4.3	are Community workplace exposure limits, the product/packaging is adequately labeled according to		Ш	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	d 🔀		
D= 0+	hexavalent chromium by weight of these together.	`		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	,		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre	al 🔀		
	Protocol (see legal reference).			<u> </u>
DC	Comment: Legal reference has no maximum concentration values.			
P6.1*	Treatment information			
70.1"	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	Q27P2Q	Logo	
Issue date *	28 May 2020		

Product	environmental attributes - Market requirements (See General NOTE GN below)						
	- Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design						
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable						
P7.1			<u> </u>	<u> </u>			
	Plastic materials in covers/housing have no surface coating.		Щ.	Ц_			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Щ.	Щ.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Щ.				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Щ.				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ш				
D7.7*	Product lifetime			<u> </u>			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	_ <u> </u>					
P7.8*	Upgrading can be done using commonly available tools						
P7.9.	Spare parts are available after end of production for: 5 years						
P7.10	Service is available after end of production for: 5 years						
D= 44*	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Material type: Material type:						
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes				
P7.13	Insulation materials of internal electrical cables are PVC free.		$\overline{\boxtimes}$				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all \boxtimes PCBs > 25 g \square are low halogen as defined in IEC 61249-2-21. (See NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:	\boxtimes					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(16)						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "						
	3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		\boxtimes				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:						
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):		\boxtimes				
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of recycled material is g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nher*	Q27P2Q				Logo			
Issue date			8 May 2020						
issue uate		20 May 20	020						
Product environmental attributes - Market requirements (continued) Requirement met									met
Item									n.a.
	Material	and subst	tance requirements (continued)					
P7.21*			aterial content is used		e NOTE B7):				
	If YES; a	t least one	of the two alternatives	below shall be an	swered;				
				the biobased plas	tic material content (calculated	as a perce	entage of		
	total or	l plastic by	weight) is %.						
	b) The weight of the biobased plastic material is g.								
P7.22*			ee from mercury, i.e. le				×	1 \square	
		<u> </u>	pecify: Number of lam	ps: and max	ximum mercury content per lan	1p: I	mg		
P8	Batteries		101						
P8.1*			mposition:						
P9			ion (See NOTE B8)		orfice and account of				
P9.1		roduct the	following power levels		·				
Energy mo	de *		Power level at	Power level a	I I	eference/St		energy	
			100 V AC	115 V AC	230 V AC mo	odes and te	est method *		
Sleep mod			0.26 W	0.26 W	0.33W EI	IERGY ST	AR 8.0 for dis	play	
STAR® Op (OM) produ		Mode							
Standby/of			0.18 W	0.19 W	0.27W EI	NERGY ST	AR 8.0 for dis	play	
ENERGY S	STAR Ope								
Mode (OM)		CV CTAD	CO Od 1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/	65 60 b) A/b / co	n 66 221/1/1/2/201	IEDOV CT	AD 0 0 for dia	-1	
TEC value for ENERGY STAR TEC products		GYSIAR	68.81 kWh/year	65.68 kWh/yea	r 66.23 kWh/year E	VERGY SI	AR 8.0 for dis	piay	Ш
		.,							
(TEC= Typ	icai Energ	У	l W	W	W				
			W	W	W				屵
									Щ.
			W	W	W				
			W	W	W				
			W	W	W				
			W	W	W				
External Po	ower Supp	ly Efficiend	cy Level (International	Efficiency Marking	Protocol) *:				
Print/Scan	Speed *	:	images per mir	nute					
Default time	e to enter	energy sav	ve mode: 0.1 minutes						
P9.2*									$\overline{\Box}$
P10 Emissions									
	Noise en	nission – I	Declared according to	ISO 9296 (See NO	OTE B9)				
P10.1	P10.1 Mode Mode description Statistical upper limit A-weighted sound power level,								
	$L_{WA,c}(B)$								
	Idle	*			*				
	Operation	n *			*				X
Other mode					K V				
	Measure	d according	g to: SO 7779	ECMA-74					
			_	(only if not covered	d by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * Q2		Q27P2Q					Logo			
Issue date	*	28 May 2020								
	environ	mental attributes -	Market req	uirements (co	ntinued)			Require		
Item	01	-1		-4- (0 NOTE	D40)			Yes	No	n.a.
P10.2*		cal emissions from p rformed according to E				on Pates from E	loctronic			
F 10.2		ent (ISO/IEC 28360)			lennear Ennissi	on Nates Iron L	lectronic		Ш	
P10.3		emission rate (operati								
					Ch was a	D.,,,,,,	TV/00			
	Ink devi	photographic devices:	Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC			\boxtimes
	IIIK UEVI	ces.		Dust	Styrene	Delizerie	1000			
	Note: co	ompliance with maxim	um emission r	ates in eco label	s to be declared	d in P14.				
P11		mable materials for p								
P11.1*		y Data Sheet (SDS) is					,			\boxtimes
P11.2*	Paper of EN 122	containing post-consu 81.	mer recycled	fibers can be u	ised, provided	that it meets th	ne requiremen	ts of		
P11.3*	2-sided	(duplex) printing/copy	ing is an integ	rated product fu	nction.					\boxtimes
P11.4*	The pro	duct is delivered to en	d-user with de	efault auto-duple	x enabled.					\boxtimes
P13		ing and documentat								
P13.1*										
P13.2*	Product plastic primary packaging is free from PVC.									
P13.3*										
P13.4*	4* Specify media for user and product documentation (tick box): Electronic , CD Other									
P13.5	Ùser an	only complete this ite d product documentat please specify:								
	Totally of	chlorine-free								
	Elemen	tal chlorine-free								
	Process	sed chlorine-free						$\overline{\boxtimes}$		
P14	Volunta	ary programs:								
P14.1	The pro	duct meets the require	ements of the	following volunta	ry program(s):					
		SY STAR®	Criteria version		Date: 2020-4		duct category:			
		el: TCO	Criteria versio		Date:		duct category:	Display		
P15	Eco-label: Criteria version: Date: Product category: Additional information (See NOTE B11)									
. 10	Additio	nai inioiniation (See	MOIL DII)							

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1