intertek Total Quality. Assured.

1.0 Reference and Address						
Report Number	180302772SHA-005 Original Issued: 9-May-2018			Revised: None		
Standard(s)	ENERGY STAR® Program Requirements for Displays Version 7.0 and 7.1					
Applicant	Top Victory Electronic Co.,Ltd.	<u>cs (Taiwan)</u>	Manufacturer	TPV Electronics(Fujian) Co., Ltd		
Address	10F.,No.230,Lianche City. Taipei Country 2	• •	Address	Rongqiao Economic and Technological Development Zone, Fuqing City, Fujian Province		
Country	Taiwan		Country	P.R.China		
Contact	David.Cheng		Contact	Lissa Wang		
Phone	+886-2-82261668-23	75	Phone	+86-591-85285555		
FAX	+886-2-82261668-23	75	FAX	+86-591-85285447		
Email	David.cheng@tpv-teo	ch.com	Email	lissa.wang@tpv-tech.com		
Manufacturer 2	TPV Display Technology (Beihai) Co.,Ltd		Manufacturer 3	TPV Display Technology (China) Co., Ltd.		
Address	China Electronic Beihai Industry Park,Northeast of the Crossing between Taiwan Road and Jilin Road Beihai City,Guangxi		Address	No.106 Jinghai 3 Rd., BDA, Beijing City		
Country	China		Country	China		
Contact	Yin Tao		Contact	Nancy.Shang		
Phone	18277949678		Phone	86(10)64326699-8312		
FAX	86-779-2232270		FAX	NA		
Email	yin.tao@tpv-tech.com	ו	Email	lijia.shang@tpv-tech.com		
Manufacturer 4	L&T Display Technology (Fujian) Ltd.		Manufacturer 5	TPV Display Technology(Wuhan)Co.,Ltd		
Address	Optoelectronic Park, Rongqiao Economic and Technological Development Zone,Fuqing City,Fujian		Address	Unique No.11 Zhuankou Development District of Economic Technological Development Zone Wuhan		
Country	China		Country	China		
Contact	Shan Xu		Contact	Zhe.Zhou		
Phone	86(591)8651-5556		Phone	86(27)-6884 3822		
FAX	86(591)8651-5556		FAX	86(27)-6884 3822		
Email	shan.xu@Intdisplayfj.	com	Email	zhe.zhou@tpv-tech.com		

Page 1 of 15

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

2.0 Product Des	2.0 Product Description				
Product	Display(LCD Monitor)				
Brand Name	AOC				
Description	The product covered by this report is a LCD Display (LED backlighting) The evaluation standard of this report is based on: ENERGY STAR Program Requirements Product Specification for Displays Eligibility Criteria Version 7.1 And the test specification of this report refer to: IEC 62301:2011(Ed.2.0): Household electrical appliances -Measurement of standby power IEC 62087:2011(Ed.3.0): Methods of measurement for the power consumption of audio, video and related equipment				
Models	Q27P1				
Model Similarity	NA				
Ratings	100-240Vac, 50/60Hz, 1.5A				
Other Ratings	NA				
Date Available	04/27/2018		Market Availability Yes	Last Mfg Date NA	
Major Markets	Canada,Europe,Japan,Switzerland,Taiwan,United States				
Trans Type	Initial Certification: Model Meets ENERGY STAR Requirements				
Notes	NA				
Additional Model	Model Name and	Number	Identifyi	ng Information	
Details					
(Optional)					
Original Certificat	e Actual Issued Date	e for Mode	el Tested (Only Applies to Revi	sed Reports) NA	

3.0 Product Photographs

Photo 1 - External view (Front)



Photo 2 - External view (Back)



3.0 Product Photographs

Photo 3 - Main board (TPV / 715G9484)




Photo 4 - Power board (TPV / 715G7610)



4.0 0	4.0 Critical Components					
Photo #	Item no. ¹	Namo	Manufacturer/ trademark ²	Type / model ²	Technical data and securement means	Mark(s) of conformity ³
1	1	LCD panel	TPV	TPM270WF1	27 inch,TFT type,with LED backlight	NR
3	2	Main Board	TPV	715G9484	I/P: 19Vdc, 2.0A	NR
4	З	Power Board	TPV	715G7610	I/P: 100-240Vac, 50/60Hz, 1.5A; O/P: max.19Vdc, 2.5A	NR
NOTE	NOTES:					

1) Not all item numbers are indicated (called out) in the photos, as their location is obvious.

 2) "Various" means any type, from any manufacturer that complies with the "Technical data and securement means" and meets the "Mark(s) of conformity" can be used.

3) Indicates specific marks to be verified, which assures the agreed level of surveillance for the component. "NR" - indicates: a) Unlisted and only visual examination is necessary or b) marks are not required to be verified.

5.0 Critical Unlisted CEC Components

Periodic Evaluation of Critical Unlisted Components by the Intertek Component Evaluation Centers (CEC) is not required under the INTERTEK ENERGY STAR Program.

6.0 Critical Features

<u>Critical Features/Components</u> - An essential part, material, subassembly, system, software, or accessory of a product that has a direct bearing on the product's conformance to applicable requirements of the ENERGY STAR® Program Requirements.

<u>Listed Component</u> - A component part, which has been previously Listed or Certified by an accredited Certification Organization with no restrictions and is used in the intended application within its ratings.

<u>Recognized Component</u> - A component part, which has been previously evaluated by an accredited certification body with restrictions and must be evaluated as part of the basic product considering the restrictions as specified by the Conditions of Acceptability.

<u>Unlisted Component</u> - A part that has not been previously evaluated to the appropriate designated component standard. It may also be a Listed or Recognized component that is being used outside of its evaluated Listing or component recognition.

<u>Construction Details</u> - For specific construction details, reference should be made to the photographs and descriptions. All dimensions are approximate unless specified as exact or within a tolerance. In addition to the specific construction details described in this Report, the following general requirements also apply.

1. Product Safety Compliance - NA

2. EMI Compliance - NA

- 3. <u>Schematics</u> NA
- 4. <u>Installation, Operating and Safety Instructions</u> Instructions for installation and use of this product are provided by the manufacturer. Refer to Illustration No.1.for details.

5. Package Markings - NA

6. Warranty Information - NA

7. Marking Label - Refer to Illustration No.2.for details.

7.0 Illustrations

Illustration 1 - Installation, Operating and Safety Instructions

Safety

National Conventions

The following subsections describe notational conventions used in this document.

Notes, Cautions, and Warnings

Throughout this guide, blocks of text may be accompanied by an icon and printed in bold type or in italic type. These blocks are notes, cautions, and warnings, and they are used as follows:

X

NOTE: A NOTE indicates important information that helps you make better use of your computer system.

CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

WARNING: A WARNING indicates the potential for bodily harm and tells you how to avoid the problem. Some warnings may appear in alternate formats and may be unaccompanied by an icon. In such cases, the specific presentation of the warning is mandated by regulatory authority.

7.0 Illustrations

Illustration 2 - Marking Label



8.0 Test Summary						
Evaluation Period	5/9/2018-5/9/201	18	Project No.	180302772SHA		
Sample Rec. Date	18-Apr-2018	Condition Prototype		0180418-68-006		
Table and the	Intertek Testing	Services Shanghai Limited. EPA ID(11	05997)			
Test Location	Building No.86,	198 Qinzhou Road (North), Shanghai	200233, China			
Test Procedure	Testing Lab		Test type	Qualification		
Determination of the r	result includes co	nsideration of measurement uncertaint				
		ndicated below with results in conforma				
The following requirer						
Required Submittal In				Submittal Data		
Model Name and/or N				Q27P1		
Date tested				05/09/2018		
Serial number of Unit	tested			1 sample		
ENERGY STAR Spe	ecification Versio	n*		7.1		
Product_Type*	_			Monitor		
Display_Type*				Other		
Other_Display_Type				TFT LCD		
Display_Backlight_Te	chnology*			LED		
Other_Display_Backli				NA		
Display_Contrast_Ra				1000		
Image_Height_in*				13.2		
Image Width in*				23.5		
Diagonal_Screen_Siz	ze in*			27		
Screen_Area_sq_in*				310.47		
Aspect Ratio*				1.78		
Native_Vertical_Reso	olution lines*			1440		
Native Horizontal Re				2560		
Total_Native_Resolut	—			3.7		
Native_Pixel_Density		*		11874		
Screen Refresh Rate				60		
Color Gamut*	·_···			34.1		
Enhanced Performar	nce Criteria*			None		
Reported Contrast F	Ratio at 85 deg	Left_Horiz_Viewing_Angle				
	Reported_Contrast_Ratio_at_85_deg_Right_Horiz_Viewing_Angle					
		ernal_Power_Supply_EPS*		No		
Is_Model_Sold_Throu				Yes		
Other_Available_Inter				NA		
Other Features				NA		
Signal Interface*				DisplayPort 1.2		
Other Interface				ŇA		
Other_Power_Source)			NA		
VESA FPDM2 Test				No		
Other Mechanism fo	or Automatically	Entering Sleep or Off Mode		NA		
Default Delay Time				5		
Does_Model_Have_a		at Initial Start up*		No		
User Interface*				No		
Maximum_Measured	Luminance cd	m 2*		262.5		
Maximum_Reported				250		
As_shipped_Luminan				213.1		
As_tested_Luminance			1	200		
On_Mode_Power_at_12_Lux_at_115_Volts_W						
On_Mode_Power_at_300_Lux_at_115_Volts_W						
Measured_On_Mode				23.31		
Reported_On_Mode_			1	23.31		
	Maximum_On_Mode_Power_Limit_for_Signage_Certification_W					
Measured_Sleep_Mo				0.29		
Reported_Sleep_Mod				0.29		
	`					

8.0 Test Summary	
Measured_Disconnected_Sleep_Mode_Power_at_115_Volts_W	
Maximum_Sleep_Mode_Power_Limit_for_Signage_Certification_W	
Measured_Off_Mode_Power_at_115_Volts_W	0.19
Reported_Off_Mode_Power_at_115_Volts_W	0.19
Measured_Total_Energy_Consumption_at_115_Volts_kWh	73.1
Reported_Total_Energy_Consumption_at_115_Volts_kWh	73.1
Max_Total_Energy_Consumption_Limit_for_Monitor_kWh	73.69
On_Mode_Power_at_12_Lux_at_230_Volts_W	
On_Mode_Power_at_300_Lux_at_230_Volts_W	
Measured_On_Mode_Power_at_230_Volts_W	23.21
Measured_Sleep_Mode_Power_at_230_Volts_W	0.36
Measured_Disconnected_Sleep_Mode_Power_at_230_Volts_W	
Measured_Off_Mode_Power_at_230_Volts_W	0.25
Measured_Total_Energy_Consumption_at_230_Volts_kWh	73.2
True_Power_Factor_PF_During_On_Mode_Testing_at_115_Volts_W	0.53
True_Power_Factor_PF_During_On_Mode_Testing_at_230_Volts_W	0.41
Number_of_Sleep_Modes_in_Addition_to_Default_Sleep_Mode*	0
Color_Spaces_Supported*	sRGB
	DisplayPort
	1.2,HDMI
Available_Signal_or_Data_Interfaces*	1.4,DVI,VGA
Model_Features*	Built-In Speakers
Features_Enabled_in_Default_On_Mode*	Built-In Speakers
Features_Enabled_in_Default_Sleep_Mode*	None
Wireless_Technologies_Supported*	None
Low_Power_Wireless_Technologies*	None
Ethernet_Supported*	None
Power_Source*	Ac power supply
	Display Power
	Management
Mechanism_for_Automatically_Entering_Sleep_or_Off_Mode*	Signaling
On_Mode_Power_at_12_Lux_at_100_Volts_50Hz_W	
On_Mode_Power_at_300_Lux_at_100_Volts_50Hz_W	
Measured_On_Mode_Power_at_100_Volts_50Hz_W	23.29
Measured_Sleep_Mode_Power_at_100_Volts_50Hz_W	0.29
Measured_Disconnected_Sleep_Mode_Power_at_100_Volts_50Hz_W	
Measured_Off_Mode_Power_at_100_Volts_50Hz_W	0.19
Measured_Total_Energy_Consumption_at_100_Volts_50Hz_kWh	73.1
On_Mode_Power_at_12_Lux_at_100_Volts_60Hz_W	
On_Mode_Power_at_300_Lux_at_100_Volts_60Hz_W	
Measured_On_Mode_Power_at_100_Volts_60Hz_W	23.29
Measured_Sleep_Mode_Power_at_100_Volts_60Hz_W	0.28
Measured_Disconnected_Sleep_Mode_Power_at_100_Volts_60Hz_W	0.42
Measured_Off_Mode_Power_at_100_Volts_60Hz_W	0.19
Measured_Total_Energy_Consumption_at_100_Volts_60Hz_kWh	73

8.1 Signatures							
A representative same	A representative sample of the product covered by this report has been evaluated and found to comply with the						
applicable requiremer	nts of the standards indicated in Sect	tion 1.0.					
Completed by:	Carl Dong	Reviewed by:	Jarree Jiang				
Title:	Engineer	Title:	Engineer				
Signature:	Carl Pong.	Signature:	A				

9.0 Correlation Page Fo	or Multiple Listings				
The following products, v	which are identical to those identi	ified in this report except for model r	number and		
Company name.					
BASIC LISTEE	Top Victory Electronics (Taiwan) Co., Ltd.			
Address	10F.,No.230,Liancheng Rd. Zho	nghe City. Taipei Country 23553			
Country	Taiwan	EPA ID	1065104		
Product	Display(LCD Monitor)				
Contact	David.Cheng				
Phone	+886-2-82261668-2375				
FAX	+886-2-82261668-2375				
Email	David.cheng@tpv-tech.com				
MULTIPLE LISTEE 1	None				
Address					
Country		EPA ID			
Contact					
Phone					
FAX					
Email					
Brand Name					
Date Available		Market Availability	Last Mfg Date		
Major Markets					
Trans Type					
Notes					
ASSOCIATED					
MANUFACTURER					
Address					
Country					
MULTIPLE LISTEE 1 MODELS		BASIC LISTEE MODELS			
Additional Model	Model Name and Number	Identifying Informa	tion		
Details (Optional)					

MULTIPLE LISTEE 2	None		
Address			
Country		EPA ID	
Contact			
Phone			
FAX			
Email			
Brand Name			
Date Available		Market Availability	Last Mfg Date
Major Markets			
Trans Type			
Notes			
ASSOCIATED			
MANUFACTURER			
Address			
Country			
MULTIPLE LISTEE 2 MODELS		BASIC LISTEE MOI	DELS
Additional Model	Model Name and Number	Identifying Informa	tion
Details (Optional)			
Details (Optional)			

10.0 General Information

The Applicant has agreed to produce products in accordance with the requirements of this report and to maintain compliance with all ENERGY STAR Product Specification requirements.

Changes to Product Design / Alternate Components

As part of this agreement, the Applicant also has agreed to notify Intertek and to request authorization prior to making any changes to the product (including but not limited to using alternate parts, components or materials) which may effect compliance with the ENERGY STAR Product Specification. Those parts, components or materials identified as critical have been listed in Section 4.0 of this report.

Product Surveillance

Under this Program, market surveillance is conducted on an annual basis. For each Product Type defined in the EPA ENERGY STAR Program, Intertek will select 10% of those certified products for Verification Testing in accordance with the requirements of the EPA ENERGY STAR Product Specification.

The primary source for products under Verification Testing will be the retail market. Applicants whose products are selected for Verification Testing are required to provide a list of locations where the product might be obtained. The Applicant is responsible for the cost of procurement and the Verification Tests. Should products not be readily available on the retail market, the Applicant is required to provide access to distribution warehouses to allow selection of those products. Should the product not be available on the retail market or if procurement from the retail market is not feasible, then alternate arrangements for Verification Testing will be made by the

As a general rule under the Verification Testing requirements, the products must achieve energy values within 5% of the required Tier Limit.

Compliance with ENERGY STAR Product Specifications under Verification Testing

Products found non-compliant with ENERGY STAR Product Specification under Verification Testing, will be reported to the EPA within 48 hours and the product removed from the ENERGY STAR Program. If it is determined during Verification Testing that changes have been made to product design or critical components, the Certification Body may increase Verification Testing frequency of those products.

10.1 Evaluation of Unlisted Components

Because Unlisted Components are uncontrolled, and they do not fall under a third party follow up program, Intertek may require these components to be tested and/or evaluated at least once annually, more often for certain components, as part of the independent certification process. The Unlisted Components in Section 5.0 require testing and/or evaluation as indicated.

Note to Intertek Follow Up Inspector: The Component Evaluation Center, CEC, will notify you in writing when these components must be selected and sent to the CEC for re-evaluation

Ship the samples to: Intertek Testing Services Shanghai Limited ETL Component Evaluation Center Building No. 86, 1198 Qinzhou Road (North) Shanghai 200233, China Attn: Ms. Angela Han Sample Disposition: Due to the destructive nature of the testing, all samples will be discarded at the conclusion of testing unless, the manufacturer specifically requests the return of the samples. The request for return must accompany the initial component shipment.

11.0 Manufacturing and Production Tests

Manufacturing and Production tests are not required under the INTERTEK ENERGY STAR Program. However, Intertek encourages the use of such ongoing product testing to ensure compliance with the EPA ENERGY STAR Product Specifications.

12.0 Revision	12.0 Revision Summary				
The following changes are in compliance with the declaration of Section 8.1: Date/ Project Handler/ Section Item Description of Change					
Date/ Proj # Site ID	Project Handler/ Reviewer	Section	Item	Description of Change	
				None	