

EMC TEST REPORT

Report No. : ACS-E20063

Applicant : TPV Electronics (FuJian) Co., Ltd.
Rongqiao Economic and Technological Development
Zone, Fuqing City, Fujian Province, P.R. China

Product : LCD Monitor

Model No. : **24G2****(* = 0-9, A-Z, a-z, +, -, /, \ or blank)

Brand : AOC

Test Lab. : Audix Technology (Shenzhen) Co., Ltd.
No. 6, Kefeng Road, Science & Technology Park,
Nanshan District, Shenzhen, Guangdong, China
Tel: (0755) 26639496
Fax: (0755) 26632877

Date of Test : Apr.01 ~ 12, 2020

Date of Report : Apr.16, 2020



TABLE OF CONTENTS

<u>Description</u>	<u>Page</u>
Test Report Verification.....	5
1. SUMMARY OF STANDARDS AND RESULTS.....	6
1.1. Description of Standards and Results.....	6
2. GENERAL INFORMATION.....	7
2.1. Description of Device (EUT).....	7
2.2. Tested Supporting System Details.....	8
2.3. Block Diagram of connection between EUT and simulators.....	9
2.4. Test Facility.....	10
2.5. Measurement Uncertainty (95% confidence levels, k=2).....	11
3. CONDUCTED EMISSION AT MAINS TERMINALS TEST.....	12
3.1. Test Equipments.....	12
3.2. Block Diagram of Test Setup.....	12
3.3. Test Standard.....	12
3.4. Power Line Conducted Emission at Mains Terminals Class B Limit.....	12
3.5. EUT Configuration on Test.....	13
3.6. Operating Condition of EUT.....	13
3.7. Test Procedure.....	13
3.8. Conducted Emission at Mains Terminals Test Results.....	14
4. RADIATED EMISSION MEASUREMENT.....	19
4.1. Test Equipments.....	19
4.2. Block Diagram of Test Setup.....	20
4.3. Test Standard.....	20
4.4. Radiated Emission Class B Limit.....	21
4.5. EUT Configuration on Test.....	21
4.6. Operating Condition of EUT.....	21
4.7. Test Procedure.....	21
4.8. Radiated Emission Test Results.....	22
5. HARMONIC CURRENT TEST.....	32
5.1. Test Equipments.....	32
5.2. Block Diagram of Test Setup.....	32
5.3. Test Standard.....	32
5.4. Limits of Harmonic Current.....	32
5.5. EUT Configuration on Test.....	33
5.6. Operating Condition of EUT.....	33
5.7. Test Procedure.....	33
5.8. Test Results.....	33
6. VOLTAGE FLUCTUATIONS & FLICKER TEST.....	40
6.1. Test Equipment.....	40
6.2. Block Diagram of Test Setup.....	40
6.3. Test Standard.....	40
6.4. Limits of Voltage Fluctuation and Flick.....	40
6.5. EUT Configuration on Test.....	40
6.6. Operating Condition of EUT.....	40
6.7. Test Procedure.....	40
6.8. Test Results.....	40
7. IMMUNITY PERFORMANCE CRITERIA.....	42
8. ELECTROSTATIC DISCHARGE IMMUNITY TEST.....	43

8.1.	Test Equipments	43
8.2.	Block Diagram of Test Setup.....	43
8.3.	Test Standard	43
8.4.	Severity Levels and Performance Criterion.....	43
8.5.	EUT Configuration	43
8.6.	Operating Condition of EUT	43
8.7.	Test Procedure	44
8.8.	Test Results.....	44
8.9.	ESD TEST POINT PHOTOS	46
9.	RF FIELD STRENGTH SUSCEPTIBILITY TEST.....	48
9.1.	Test Equipments	48
9.2.	Block Diagram of Test Setup.....	49
9.3.	Test Standard	50
9.4.	Severity Levels and Performance Criterion.....	50
9.5.	EUT Configuration	50
9.6.	Operating Condition of EUT	50
9.7.	Test Procedure	50
9.8.	Test Results.....	50
10.	ELECTRICAL FAST TRANSIENT/BURST IMMUNITY TEST	52
10.1.	Test Equipments	52
10.2.	Block Diagram of Test Setup.....	52
10.3.	Test Standard	52
10.4.	Severity Levels and Performance Criterion.....	52
10.5.	EUT Configuration	52
10.6.	Operating Condition of EUT	52
10.7.	Test Procedure	53
10.8.	Test Results.....	53
11.	SURGE TEST	55
11.1.	Test Equipments	55
11.2.	Block Diagram of Test Setup.....	55
11.3.	Test Standard	55
11.4.	Severity Levels and Performance Criterion.....	55
11.5.	EUT Configuration	55
11.6.	Operating Condition of EUT	55
11.7.	Test Procedure	56
11.8.	Test Results.....	56
12.	CONTINUOUS CONDUCTED DISTURBANCE	58
12.1.	Test Equipments	58
12.2.	Block Diagram of Test Setup.....	58
12.3.	Test Standard	58
12.4.	Severity Levels and Performance Criterion.....	59
12.5.	EUT Configuration	59
12.6.	Operating Condition of EUT	59
12.7.	Test Procedure	59
12.8.	Test Results.....	59
13.	MAGNETIC FIELD IMMUNITY TEST	61
13.1.	Test Equipment	61
13.2.	Block Diagram of Test Setup.....	61
13.3.	Test Standard	61
13.4.	Severity Levels and Performance Criterion.....	61
13.5.	EUT Configuration on Test	61
13.6.	Operating Condition of EUT	61
13.7.	Test Procedure	61
13.8.	Test Results.....	61

14.	VOLTAGE DIPS AND INTERRUPTIONS TEST	63
14.1.	Test Equipment	63
14.2.	Block Diagram of Test Setup.....	63
14.3.	Test Standard	63
14.4.	Severity Levels and Performance Criterion.....	63
14.5.	EUT Configuration	63
14.6.	Operating Condition of EUT	63
14.7.	Test Procedure	63
14.8.	Test Results.....	63
15.	PHOTOGRAPHS	65
15.1.	Photos of Power Line Conducted Emission Test	65
15.2.	Photos of Radiated Emission Test (In 10m Anechoic Chamber)	66
15.3.	Photo of Harmonic / Flicker Test	68
15.4.	Photos of Electrostatic Discharge Immunity Test	68
15.5.	Photo of RF Strength Susceptibility Test	69
15.6.	Photo of Electrical Fast Transient/Burst Immunity Test	70
15.7.	Photo of Surge Test.....	71
15.8.	Photo of Continuous Conducted disturbance Test	71
15.9.	Photo of Magnetic Field Test	72
15.10.	Photo of Voltage Dips and interruptions test.....	72

TEST REPORT VERIFICATION

Applicant : TPV Electronics (FuJian) Co., Ltd.
Product : LCD Monitor
Model No. : **24G2****(* = 0-9, A-Z, a-z, +, -, /, \ or blank)
Brand : AOC
Report No. : ACS-E20063
Power Supply : AC 100-240V; 50/60Hz
Test Voltage : AC 230V/50Hz; AC 110V/60Hz; AC 100V/50Hz
Standards : EN 55032: 2012+AC: 2013 (Class B)
EN 55032: 2015
EN 55032: 2015+AC: 2016
CISPR 32: 2012
CISPR 32: 2015+COR1: 2016
AS/NZS CISPR 32: 2015
EN 61000-3-2: 2014, EN 61000-3-3: 2013
EN 55035: 2017
(IEC 61000-4-2: 2008, IEC 61000-4-3: 2010,
IEC 61000-4-4: 2012, IEC 61000-4-5: 2014,
IEC 61000-4-6: 2013, IEC 61000-4-8: 2009
IEC 61000-4-11: 2004, IEC 61000-4-11: 2004+A1: 2017)

The device described above is tested by Audix Technology (Shenzhen) Co., Ltd. to determine the maximum emission levels emanating from the device and the severe levels of the device can endure and its performance criterion. The test results are contained in this test report and Audix Technology (Shenzhen) Co., Ltd. is assumed full responsibility for the accuracy and completeness of test. Also, this report shows that the EUT is technically compliant with requirements of the EN 55032, EN 61000-3-2, EN 61000-3-3 and EN 55035 standards.

This report applies to above tested sample only. This report shall not be reproduced in part without written approval of Audix Technology (Shenzhen) Co., Ltd.

Date of Test : Apr.01 ~ 12, 2020 Report of date: Apr.16, 2020

Prepared by : Hally Qiu Reviewed by : Fire Zhang
Hally Qiu / Assistant Fire Zhang / Assistant Manager



Approved & Authorized Signer : Signature: Bensun Chen
Bensun Chen / Manager