

1.0 Reference and Address					
Report Number	r 161000379SHA-002 Original Issued: 12-Oct-2016			Revised: None	
Standard(s)	ENERGY STAR® Program Requirements for Displays Version 7.0				
Applicant	Top Victory Electron Co.,Ltd.	<u>cs (Taiwan)</u>	Manufacturer	TPV Electronics(Fujian) Co., Ltd	
Address	10F.,No.230,Liancheng Rd. Zhonghe City. Taipei Country 23553		Address	Rongqiao Economic and Technological Development Zone, Fuqing City, Fujian Province	
Country	Taiwan		Country	P.R.China	
Contact	David.Cheng		Contact	Lissa Wang	
Phone	+886-2-82261668-23	375	Phone	+86-591-85285555	
FAX	+886-2-82261668-23	375	FAX	+86-591-85285447	
Email	David.cheng@tpv-te	ch.com	Email	lissa.wang@tpv-tech.com	
Manufacturer 2	TPV Display Techno Co.,Ltd	logy (Beihai)	Manufacturer 3	TPV Display Technology (China) Co., Ltd.	
Address	China Electronic Bei Park,Northeast of the between Taiwan Roa Beihai City,Guangxi	e Crossing	Address	No.106 Jinghai 3 Rd., BDA, Beijing City	
Country	China		Country	China	
Contact	Yin Tao		Contact	Nancy.Shang	
Phone	18277949678		Phone	86(10)64326699-8312	
FAX	86-779-2232270		FAX		
Email	yin.tao@tpv-tech.cor	n	Email	lijia.shang@tpv-tech.com	
Manufacturer 4	L&T Display Technology (Fujian) Ltd.		Manufacturer 5	TPV Display Technology(Wuhan)Co.,Ltd	
Address	Optoelectronic Park, Rongqiao Economic and Technological Development Zone,Fuqing City,Fujian		Address	Unique No.11 Zhuankou Development District of Economic Technological Development Zone Wuhan	
Country	China		Country	China	
Contact	Shan Xu		Contact	Zhe.Zhou	
Phone	86(591)8651-5556		Phone	86(27)-6884 3822	
FAX	86(591)8651-5556		FAX	86(27)-6884 3822	
Email	shan.xu@Intdisplayfj.com		Email	zhe.zhou@tpv-tech.com	

Page 1 of 17

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

2.0 Product Description					
Product	Display(LCD Monitor)				
Brand name	AOC				
Description	The product covered by this report is a LCD Display (LED backlighting) The evaluation standard of this report is based on: ENERGY STAR Program Requirements Product Specification for Displays Eligibility Criteria Version 7.0 And the test specification of this report refer to: IEC 62301:2011(Ed.2.0): Household electrical appliances -Measurement of standby power IEC 62087:2011(Ed.3.0): Methods of measurement for the power consumption of audio, video and related equipment				
Models	E2475SWQE(236LM00031);E2475PWJ(236LM00031);E2475SWJ(236LM00031)				
Model Similarity	Model name: E2475SWQE;E2475PWJ;E2475SWJ Model number: 236LM00031 Different model names mean different sales regions.				
Ratings	100-240Vac, 50/60Hz, 1.5A				
Other Ratings	NA				
Date available	02/01/2016 Market availability Yes Last Mfg date NA				
Major Markets	Australia, New Zealand, Canada, Europe, Japan, Switzerland, Taiwan, United States				
Trans Type	Initial Certification: Model Meets ENERGY STAR Requirements				
Notes	NA				
Additional model details (optional)	Model Name or Number Identifying Information				
Original Certificat	te actual issued date for model tested (only applies to revised reports) NA				

Page 3 of 17

3.0 Product Photographs

Photo 1 - External View(front)



Photo 2 - External View(back)



Page 4 of 17

3.0 Product Photographs

Photo 3 - Main Board (TPV / 715G5436)



Photo 4 - Main Board (TPV / 715G7970)



Page 5 of 17

3.0 Product Photographs

Photo 5 - Power Board



4

4.0 Critical Components						
Photo #	ltem no. ¹	Name	Manufacturer/ trademark ²	Type / model ²	Technical data and securement means	Mark(s) of conformity ³
1	1	LCD Panel	TPV	TPM236H3	23.6inch,TFT type,with LED backlight	NR
3	2	Main Board	TPV	715G5436	I/P: 5Vdc/3.25A max. Tested model is 715G5436	NR
4	3		IFV	715G7970		INIX
5	4	Power Board	TPV	715G7775	I/P: 100-240VAC, 50/60Hz, 1.5A max. O/P: 16Vdc/2A; 5V,3.5A	NR
NOTES:						

1) Not all item numbers are indicated (called out) in the photos, as their location is obvious.

2) "Various" means any type, from any manufacturer that complies with the "Technical data and securement means" and meets the "Mark(s) of conformity" can be used.

3) Indicates specific marks to be verified, which assures the agreed level of surveillance for the component. "NR" - indicates: a) Unlisted and only visual examination is necessary or b) marks are not required to be verified.

5.0 Critical Unlisted CEC Components

Periodic Evaluation of Critical Unlisted Components by the Intertek Component Evaluation Centers (CEC) is not required under the INTERTEK ENERGY STAR Program.

6.0 Critical Features

<u>Listed Component</u> - A component part, which has been previously Listed or Certified by an accredited Certification Organization with no restrictions and is used in the intended application within its ratings.

<u>Recognized Component</u> - A component part, which has been previously evaluated by an accredited certification body with restrictions and must be evaluated as part of the basic product considering the restrictions as specified by the Conditions of Acceptability.

<u>Unlisted Component</u> - A part that has not been previously evaluated to the appropriate designated component standard. It may also be a Listed or Recognized component that is being used outside of its evaluated Listing or component recognition.

<u>Construction Details</u> - For specific construction details, reference should be made to the photographs and descriptions. All dimensions are approximate unless specified as exact or within a tolerance. In addition to the specific construction details described in this Report, the following general requirements also apply.

1. Product Safety Compliance - NA

2. EMI Compliance - NA

3. <u>Schematics</u> - NA

4. <u>Installation, Operating and Safety Instructions</u> - Instructions for installation and use of this product are provided by the manufacturer. Refer to Illustration No.1-2 for details.

5. Package Markings - NA

6. Warranty Information - NA

7. Marking Label - Refer to Illustration No.3. for details.

7.0 Illustrations

Illustration 1 - Installation and Safety instruction

Safety

National Conventions

The following subsections describe notational conventions used in this document.

Notes, Cautions, and Warnings

Throughout this guide, blocks of text may be accompanied by an icon and printed in bold type or in italic type. These blocks are notes, cautions, and warnings, and they are used as follows:

V

NOTE: A NOTE indicates important information that helps you make better use of your computer system.

∕!

CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

Δ

WARNING: A WARNING indicates the potential for bodily harm and tells you how to avoid the problem. Some warnings may appear in alternate formats and may be unaccompanied by an icon. In such cases, the specific presentation of the warning is mandated by regulatory authority.

Power

The monitor should be operated only from the type of power source indicated on the label. If you are not sure of the type of power supplied to your home, consult your dealer or local power company.

The monitor is equipped with a three-pronged grounded plug, a plug with a third (grounding) pin. This plug will fit only into a grounded power outlet as a safety feature. If your outlet does not accommodate the three-wire plug, have an electrician install the correct outlet, or use an adapter to ground the appliance safety. Do not defeat the safety purpose of the grounded plug.

Onplug the unit during a lightning storm or when it will not be used for long periods of time. This will protect the monitor from damage due to power surges.

🗥 Do not overload power strips and extension cords. Overloading can result in fire or electric shock.

🗥 The wall socket shall be installed near the equipment and shall be easily accessible.

7.0 Illustrations

Illustration 2 - Installation, Operating and Safety Instructions (continued)

Connecting the Monitor

Cable Connections In Back of Monitor and Computer:



1 Power

- 2 HDMI
- 3 DVI
- 4 Analog (D-Sub 15-Pin VGA cable)
- 5 AUDIO IN
- 6 Earphone out

To protect equipment, always turn off the PC and LCD monitor before connecting.

- 1 Connect the power cable to the AC port on the back of the monitor.
- 2 Connect one end of the 15-pin D-Sub cable to the back of the monitor and connect the other end to the computer's D-Sub port.
- 3 Optional (Requires a video card with DVI port) Connect one end of the DVI cable to the back of the monitor and connect the other end to the computer's DVI port.
- 4 Optional (Requires a video card with HDMI port) Connect one end of the HDMI cable to the back of the monitor and connect the other end to the computer's HDMI port.
- 5 Turn on your monitor and computer.

7.0 Illustrations

Illustration 3 - Display Marking Label



8.0 Test Summary				
Evaluation Period	10/12/2016-10/12/2016	Project No. 161000379SHA		
Sample Rec. Date	11-Oct-2016 Condition Prototype	Sample ID. 0161011-46-002		
Test Location		(1105997) 200233, China		
Test Procedure	Testing Lab	Test type Qualification		
	result includes consideration of measurement uncertaint			
	ict was tested as indicated below with results in conforma			
	ements were evaluated:	ince to the relevant test chiena.		
Required Submittal I		Submittal Data		
	monnation	E2475PWJ(236		
Model Name and/or	Number tested	M00031)		
Date tested		10/12/2016		
Serial number of Uni	it tested	Engineer Sampl		
ENERGY_STAR_Sp		7.0		
Product_Type*		Monitor		
Display_Type*		Other		
Other_Display_Type		TFT LCD		
Display_Backlight_T		LED		
Other_Display_Back		NA		
Display_Contrast_R		1000		
Image_Height_in*		11.5		
Image_Width_in*		20.5		
Diagonal Screen Si	ize in*	23.6		
Screen_Area_sq_in*		236.92		
Aspect_Ratio*		1.78		
Native_Vertical_Res	olution lines*	1080		
Native_Horizontal_R		1920		
Total_Native_Resolution_megapixels*				
Native_Pixel_Densit		2.1 8752		
Screen_Refresh_Ra		60		
Color_Gamut*		34		
Enhanced Performa	nce Criteria*	None		
	Ratio_at_85_deg_Left_Horiz_Viewing_Angle			
-	Ratio_at_85_deg_Right_Horiz_Viewing_Angle			
	ped_With_an_External_Power_Supply_EPS*	No		
	pugh_Enterprise_Channels*	Yes		
Other_Available_Inte	• · · ·	NA		
Other_Features		NA		
Signal_Interface*		HDMI 1.4		
Other Interface		NA		
Other_Power_Sourc	е	NA		
VESA_FPDM2_Test		No		
	or_Automatically_Entering_Sleep_or_Off_Mode	NA		
Default_Delay_Time	_to_Sleep_min	5		
	a_Forced_Menu_at_Initial_Start_up*	No		
User_Interface*		No		
Maximum_Measured	d_Luminance_cd_m_2*	265.7		
	_Luminance_cd_m_2*	250		
As_shipped_Lumina		207.3		
As_tested_Luminan	200			
On_Mode_Power_at_12_Lux_at_115_Volts_W				
	t_300_Lux_at_115_Volts_W			
Measured_On_Mode	15.32			
Reported_On_Mode	15.32			
Maximum_On_Mode				

8.0 Test Summary	
Measured_Sleep_Mode_Power_at_115_Volts_W	0.29
Reported_Sleep_Mode_Power_at_115_Volts_W	0.29
Measured_Disconnected_Sleep_Mode_Power_at_115_Volts_W	
Maximum_Sleep_Mode_Power_Limit_for_Signage_Certification	
Measured_Off_Mode_Power_at_115_Volts_W	0.16
Reported_Off_Mode_Power_at_115_Volts_W	0.16
Measured_Total_Energy_Consumption_at_115_Volts_kWh	48.63
Reported_Total_Energy_Consumption_at_115_Volts_kWh	48.63
Max_Total_Energy_Consumption_Limit_for_Monitor_kWh	53.1
On_Mode_Power_at_12_Lux_at_230_Volts_W	
On_Mode_Power_at_300_Lux_at_230_Volts_W	
Measured_On_Mode_Power_at_230_Volts_W	14.73
Measured_Sleep_Mode_Power_at_230_Volts_W	0.36
Measured_Disconnected_Sleep_Mode_Power_at_230_Volts_W	
Measured_Off_Mode_Power_at_230_Volts_W	0.23
Measured_Total_Energy_Consumption_at_230_Volts_kWh	47.22
True_Power_Factor_PF_During_On_Mode_Testing_at_115_Vol	
True_Power_Factor_PF_During_On_Mode_Testing_at_230_Vol	
Number_of_Sleep_Modes_in_Addition_to_Default_Sleep_Mode	
Color_Spaces_Supported*	sRGB
	HDMI
Available_Signal_or_Data_Interfaces*	1.4,DVI,VGA
Model_Features*	Built-In Speakers
Features_Enabled_in_Default_On_Mode*	Built-In Speakers
Features_Enabled_in_Default_Sleep_Mode*	None
Wireless_Technologies_Supported*	None
Low_Power_Wireless_Technologies*	None
Ethernet_Supported*	None
Power_Source*	Ac power supply
	Display Power
	Management
Mechanism_for_Automatically_Entering_Sleep_or_Off_Mode*	Signaling
On_Mode_Power_at_12_Lux_at_100_Volts_50Hz_W	
On_Mode_Power_at_300_Lux_at_100_Volts_50Hz_W	
Measured_On_Mode_Power_at_100_Volts_50Hz_W	15.26
Measured_Sleep_Mode_Power_at_100_Volts_50Hz_W	0.28
Measured Disconnected Sleep Mode Power at 100 Volts 50	
Measured_Off_Mode_Power_at_100_Volts_50Hz_W	0.15
Measured_Total_Energy_Consumption_at_100_Volts_50Hz_kW	
On_Mode_Power_at_12_Lux_at_100_Volts_60Hz_W	40.00
On_Mode_Power_at_300_Lux_at_100_Volts_60Hz_W	
Measured_On_Mode_Power_at_100_Volts_60Hz_W	14.89
Measured_Sleep_Mode_Power_at_100_Volts_60Hz_W	0.29
Measured_Disconnected_Sleep_Mode_Power_at_100_Volts_60	
Measured_Off_Mode_Power_at_100_Volts_60Hz_W	0.16
Measured_Total_Energy_Consumption_at_100_Volts_60Hz_kW	/h 47.32
8.1 Signatures	
A representative sample of the product covered by this report ha	s been evaluated and found to comply with the
applicable requirements of the standards indicated in Section 1.0).
Completed by: Carl Dong Revie	wed by: Jessica He

Completed by:	Carl Dong	Reviewed by:	Jessica He
Title:	Engineer	Title:	Engineer
Signature:	Carl Pong	Signature:	fisicer
	V		

9.0 Correlation Page For Multiple Listings				
The following products,	which are identical to those ident	ified in this report except for model n	umber and	
Company name.				
BASIC LISTEE	Top Victory Electronics (Taiwan) Co.,Ltd.			
Address	10F.,No.230,Liancheng Rd. Zhonghe City. Taipei Country 23553			
Country	Taiwan	EPA ID	1065104	
Product	Display(LCD Monitor)			
Contact	David.Cheng			
Phone	+886-2-82261668-2375			
FAX	+886-2-82261668-2375			
Email	David.cheng@tpv-tech.com			
MULTIPLE LISTEE 1	None			
Address				
Country		EPA ID		
Contact				
Phone				
FAX				
Email				
Brand Name				
Date available		Market availability	Last Mfg date	
Major Markets				
Trans Type				
Notes				
ASSOCIATED				
MANUFACTURER				
Address				
Country				
MULTIPLE	LISTEE 1 MODELS	BASIC LISTEE MOD	DELS	
			-	
A del'the end as a deliver to the	Model Name or Number	Identifying Informa	tion	
Additional model details				
(Optional)				
MULTIPLE LISTEE 2	None			
Address				
Country		EPA ID		
Contact				
Phone				

Contact				
Phone				
FAX				
Email				
Brand Name				
Date available		Market availability	Last Mfg date	
Major Markets				
Trans Type				
Notes				
ASSOCIATED				
MANUFACTURER				
Address				
Country				
MULTIPLE LISTEE 2 MODELS		BASIC LISTEE MODELS		
Additional model details	Model Name or Number	Identifying Informa	tion	
(Optional)				
(Optional)				

10.0 General Information

The Applicant has agreed to produce products in accordance with the requirements of this report and to maintain compliance with all ENERGY STAR Product Specification requirements.

Changes to Product Design / Alternate Components

As part of this agreement, the Applicant also has agreed to notify Intertek and to request authorization prior to making any changes to the product (including but not limited to using alternate parts, components or materials) which may effect compliance with the ENERGY STAR Product Specification. Those parts, components or materials identified as critical have been listed in Section 4.0 of this report.

Product Surveillance

Under this Program, market surveillance is conducted on an annual basis. For each Product Type defined in the EPA ENERGY STAR Program, Intertek will select 10% of those certified products for Verification Testing in accordance with the requirements of the EPA ENERGY STAR Product Specification.

The primary source for products under Verification Testing will be the retail market. Applicants whose products are selected for Verification Testing are required to provide a list of locations where the product might be obtained. The Applicant is responsible for the cost of procurement and the Verification Tests. Should products not be readily available on the retail market, the Applicant is required to provide access to distribution warehouses to allow selection of those products. Should the product not be available on the retail market or if procurement from the retail market is not feasible, then alternate arrangements for Verification Testing will be made by the Intertek

As a general rule under the Verification Testing requirements, the products must achieve energy values within 5% of the required Tier Limit.

Compliance with ENERGY STAR Product Specifications under Verification Testing

Products found non-compliant with ENERGY STAR Product Specification under Verification Testing, will be reported to the EPA within 48 hours and the product removed from the ENERGY STAR Program. If it is determined during Verification Testing that changes have been made to product design or critical components, the Certification Body may increase Verification Testing frequency of those products.

10.1 Evaluation of Unlisted Components

Because Unlisted Components are uncontrolled, and they do not fall under a third party follow up program, Intertek may require these components to be tested and/or evaluated at least once annually, more often for certain components, as part of the independent certification process. The Unlisted Components in Section 5.0 require testing and/or evaluation as indicated.

Note to Intertek Follow Up Inspector: The Component Evaluation Center, CEC, will notify you in writing when these components must be selected and sent to the CEC for re-evaluation

Ship the samples to: Intertek Testing Services Shanghai Limited ETL Component Evaluation Center Building No. 86, 1198 Qinzhou Road (North) Shanghai 200233, China Attn: Ms. Dansy Xu Sample Disposition: Due to the destructive nature of the testing, all samples will be discarded at the conclusion of testing unless, the manufacturer specifically requests the return of the samples. The request for return must accompany the initial component shipment.

11.0 Manufacturing and Production Tests

Manufacturing and Production tests are not required under the INTERTEK ENERGY STAR Program. However, Intertek encourages the use of such ongoing product testing to ensure compliance with the EPA ENERGY STAR Product Specifications.

12.0 Revision Summary				
12.0 Revision Summary The following changes are in compliance with the declaration of Section 8.1: Date/ Project Handler/ Proj # Site ID Reviewer Item Description of Change				
Date/ Proi # Site ID	Project Handler/	Section	Item	Description of Change
				None.