



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	AOC	Logo			
Company name *	AOC International (Europe) B.V.				
Contact information *	Contact: Kevin Yang				
e-mail address	Email: kevin.yang@tpv-tech.com				
Internet site *	www.aoc-europe.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	LCD Monitor					
Commercial name *	Q27P3QW					
Model number *	Q27P3					
Issue date *	3-Nov-2022					
Intended market *	Global ⊠ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	Q27P3	Logo	
Issue date *	3-Nov-2022		

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).			
	Required information is; given in item P15 or added to this document,			
5.	available at (add URL):			
P5	Product packaging		_	
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco (see legal reference).	ol 🔀		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	Q27P3	Logo	
Issue date *	3-Nov-2022		

Produc	t environmental attributes - Market requirements (See General NOTE GN below)						
		Require	met				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes					
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes			
P7.8*	Upgrading can be done using commonly available tools			\boxtimes			
P7.9	Spare parts are available after end of production for: 3 years						
P7.10	Service is available after end of production for: 3 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
P7.12	Material type: ABS Material type: Material type: Insulation materials of external electrical cables are PVC free.						
P7.12	Insulation materials of external electrical cables are PVC free.	- -		╬			
P7.13				╫			
F7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and						
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing						
	more than 25% post-consumer recycled content						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all Z PCBs > 25 g are low halogen	ı 🔀	Ш	Ш			
	as defined in IEC 61249-2-21. (See 1NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			\boxtimes			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):						
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: DOPO, CAS #:	\boxtimes					
	35948-25-5						
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	\boxtimes					
P7.18	according ISO 1043-4: 35948-25-5 Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in						
1 7.10	concentrations above 0,1%:			\square			
	1. Chemical name: , CAS #: (See NOTE B4)						
	2. Chemical name: , CAS #: "						
	3. Chemical name: , CAS #: "						
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:						
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\boxtimes			
	assigned the following Risk phrases; and Hazard statements:						
D7 20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		Ш	Ш			
	If YES; at least one of the two alternatives below shall be answered;						
	 a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 81.95 %. 						
	or						
	b) The weight of recycled material is g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	Q27P3				Logo			
Issue date	*	3-Nov-2	2022						
Product 6	environm	ental at	tributes - Market re	equirements (contin	ued)		Require	emen	t met
Item				•	,		Yes	No	n.a.
	Material	and subs	tance requirements	(continued)					
P7.21*				in the product (See NO	OTE B7):			\square	П
	If YES: at	least one	of the two alternative	s below shall be answe	red·		_		
	a) Of to	otal plastic	parts' weight > 25 g,	the biobased plastic ma		ed as a percent	age of		
	total plastic by weight) is <mark>%</mark> .								
	or b) The weight of the biobased plastic material is g.								
P7.22*				less than 0,1 mg/lamp.			\square		
			specify: Number of lan	nps: and maximu	ım mercury content per	r lamp: r	ng		_
P8 P8.1*	Batteries		omposition:						
P9			ion (See NOTE B8)						
P9.1				s or energy consumption	ne are reported:				
		oduct the			<u> </u>	T			
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and te	andard for en st method *	ergy	
EPS No-loa									
(External p									
charger plu outlet but d									
the product		Za II OIII							
PTEC *			21.55 w	21.66 W	21.42 W	EPA8.0			
Typical Ene	ergy Consu	umption		_					
ETEC *			67.72 Wh/year	68.06 kWh/year	67.43 kWh/year	EPA8.0			
Annual Ene	ergy Consu	<mark>ımption</mark>	OT.TZ Willycan	co.co kvvirycar	or. To kwinyou				
Evternal Po	ower Suppl	v Efficien	cv Level (International	Efficiency Marking Pro	tocal) * ·				
			,	Emolericy Marking 1 To	10001) .				
			l0 <mark>megapixels</mark>						
_	e to enter e	<mark>energy sa</mark>	ve mode: 0.1 minutes						
P9.2*	Information	on about t	<mark>he energy save function</mark>	on is provided with the p	oroduct.		\boxtimes		
P9.3	Energy ef	ficiency c	lass (monitors only): F			(EU) 2019/20	13		
P10	Emission								
D. ()				ISO 9296 (See NOTE			 		
P10.1	Mode	l N	lode description		Statistical upper limit $L_{WA,c}$ (B)	: A-weighted so	und power level	,	
					LWA,c (D)				
	Idle	*			*				\boxtimes
Operation *				*				X	
	Other mo	de							
	Measured	d accordir	ng to: 🔲 ISO 7779 🗌	ECMA-74					
			Other (on	y if not covered by ECI	MA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		Q27P3					Logo				
Issue date	*	3-Nov-2022									
Item	environn	nental attributes	- Market requirem	ents (con	tinued)			R	equire Yes	Ment No	
item	Et		<u>-</u>						res	INO	n.a.
P10.4		nagnetic emission		roguenov el	ootromaanotio fiolda	of the fell	owing volu	unton/			\square
	program(s): PreEn50279:1998 ¹										
P12	Ergonomics for computing products										
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.										
P12.2*		•		of ISO 999	5 and ISO 9241-410	0.					\boxtimes
P13		ng and documenta									
P13.1*		packaging material		weight (kg							
		packaging material	• • • •	weight (kg							
P13.2*		packaging material	raging is free from PV	weight (kg). 0.0403						
P13.3*			ated fiberboard pack		ify the contained n	orcontago	of minimu	ım noct			\blacksquare
F 13.3		er recovered fiber co		aging, spec	ny the contained p	ercernage	OI IIIIIIIII	iii post-			
P13.4*			product documentation	n (tick box):							
	Electroni	c 🔲 Paper 🔀 O	ther								
D40 F	/DI										
P13.5			tem if paper documen ation on paper media								
		ease specify:	ation on paper media	is chilorine-i	iee.					ш	
	Totally c	hlorine-free									
	•	al chlorine-free							Ħ		
	Processe	ed chlorine-free							\boxtimes		
P14	Volunta	ry programs									
P14.1			irements of the followi	ng voluntar	/ program(s):						
	ENERG'	/ STAR®	Criteria version: 8.0)	Date: 2022-11-03	Product of	category: L	Display			
	Eco-label: TCO Criteria version: Date: Product category: Display										
	Eco-labe	l:	Criteria version:		Date:	Product of	category:				
P15		al information (Se									
P9	Energy	consumption of co	omputer products; d	escription (of the tested produ	ıct configi	uration:				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

1