

Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	AOC	Logo
Company name *	AOC International (Europe) B.V.	
Contact information *	Contact: Kevin Yang	
e-mail address	Email: kevin.yang@tpv-tech.com	
Internet site *	www.aoc-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *	LCD Monitor				
Commercial name *	24P2QM				
Model number *	24P2				
Issue date *	28-Jun-2022				
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		24P2	Logo				
Issue date *		28-Jun-2022					
	environ	mental attributes - Legal requirements			iremen		
Item				Ye	s No	n.a.	
P1		bus substances and preparations					
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	: B1)				
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\ge$			
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\times$	1 🗆		
		mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach		,1-	. –		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m	naximum				
D1 4*		ation values.	laringtod				
P1.4*	terpheny	e do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).					
P1.5*		o do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the	]		
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above (	),5 µg/cm²/	/week 🔀	1 🗆		
		al reference).			. –		
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):						
P2	Batterie	S					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the dispos	al 🗌		$\square$	
P2.2*	Batteries referenc	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See	legal		$\square$	
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				$\boxtimes$	
P3	Conform	nity verification & Eco design (ErP)					
P3.1*	The proc	duct is CE-marked to show conformance with applicable legal requirements (see leg	gal referen	ce). 🛛 🔀			
	The Dec	laration of Conformity can be requested at (add link or e-mail address):					
P3.2*		luct complies with the Eco design requirements for energy-related products,		$\succ$			
		al reference).		_			
	Required information is; 🛛 🔄 given in item P15 or added to this document, 🛛 🗌 🗌						
		available at (add URL):					
P5	Product	packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and X hexavalent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)						
	used (se	e legal reference).					
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference).	/lontreal Pi	rotocol 🔀	]		
	Commer	nt: Legal reference has no maximum concentration values.					
P6		Treatment information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\triangleright$	1 🗆		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	24P2	Logo						
Issue date *		28-Jun-2022							
Produc		mental attributes - Market requirements (See General NOTE GN b	pelow)						
ltom		onmental conscious design		Require					
Item P7	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. Design								
• •	Disassembly, recycling								
P7.1*	Parts that have to be treated separately are easily separable								
P7.2*	Plastic materials in covers/housing have no surface coating.								
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		$\boxtimes$					
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\boxtimes$					
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly av	vailable too	ls. 🔀					
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).							
	Product								
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				$\boxtimes$			
P7.8*	Upgradir	ng can be done using commonly available tools				$\boxtimes$			
P7.9	Spare pa	arts are available after end of production for: 3 years							
P7.10	Service i	s available after end of production for: 3 years							
	Material	and substance requirements							
<mark>P7.11*</mark>		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: Material	type:						
P7.12	Insulatio	n materials of external electrical cables are PVC free.	type.		$\boxtimes$				
P7.13	Insulation materials of internal electrical cables are PVC free.								
<mark>P7.14</mark>	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content								
<mark>P7.15</mark>	Printed circuit boards, PCBs (without components) are low halogen: all $\square$ PCBs > 25 g $\square$ are low halogen $\square$ $\square$ as defined in IEC 61249-2-21. (See 1NOTE B2)								
<mark>P7.16</mark>	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:								
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):         TBBPA (additive)								
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g								
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:       Image: CAS #: (See NOTE B4)         2. Chemical name:       , CAS #: (See NOTE B4)         3. Chemical name:       , CAS #: (See NOTE B4)								
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:				$\square$				
<mark>P7.19</mark>	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)								
<mark>P7.20*</mark>		sumer recycled plastic material content is used in the product (See Note B6):	- /	$\square$					
	lf YES; a a) Of t	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 82.74 %.	(calculated	_					
		e weight of recycled material is g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	24P2	Logo				
Issue date *	28-Jun-2022					
Product environmental attributes - Market requirements (continued) Requirement me						

Item

Requirement metYesNon.a.

	Material and substance requirements (continued)							
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):							
	If YES: at least one of the two alternatives below shall be answered:							
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	total plastic by weight) is <mark>%</mark> .							
	or	<b>6 1 1 1 1 1 1</b>						
P7.22*	b) The weight c	of the biobased plastic m free from mercury, i.e. I	aterial is g.					
1 1.22	If mercury is used	specify: Number of lam	ips: and maximu	im mercury content pe	er lamp: mg			
P8	Batteries		•					
P8.1*								
P9		otion (See NOTE B8)						
<mark>P9.1</mark>	For the product th	e following power levels	s or energy consumptio	ns are reported:				
Energy m	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test metho			
EPS No-lo								
	power supply /							
charger pl	lugged in the wall disconnected from							
the produc								
PTEC *		14.41 <mark>W</mark>	14.37 <mark>w</mark>	14.58 <mark>W</mark>	EPA8.0			
Typical Er	nergy Consumption							
ETEC *	nergy Consumption	44.75 Wh/year	44.63 kWh/year	45.5 <mark> kWh/year</mark>	EPA8.0			
External F	Power Supply Efficie	ncy Level (International	Efficiency Marking Pro	tocol) * :			$\boxtimes$	
	esolution * : 1920*10	, , , , , , , , , , , , , , , , , , ,	, ,	,				
	0,	ave mode: 0.1 minutes						
<mark>P9.2*</mark>	Information about	the energy save function	on is provided with the p	product.		$\boxtimes$		
<mark>P9.3</mark>	Energy efficiency	class (monitors only): E			(EU) 2019/2013			
P10	Emissions							
		- Declared according to	ISO 9296 (See NOTE	B9)				
P10.1	Mode	Mode description			it A-weighted sound pow	ver level,		
				L <sub>WA,c</sub> (B)				
	Idle '	*		*				
	Operation '	*		*				
	operation							
	Other mode							
	Measured accord	ing to: 🗌 ISO 7779 🗌	ECMA-74	•				
	Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	mber *	24P2					Logo				
Issue date * 28-Jun-2022											
Dreduct	onvironn	nantal attributa	s - Market require	monto (cor					oguiro	mont	mot
Item	environi		5 - Market require	nents (cor	illinued)			R	equire Yes	No	n.a.
	Electromagnetic emissions-										
<mark>P10.4</mark>	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary										
P12		nics for computi									
P12.1*	The disp	lay meets the erg	onomic requirements of	of ISO 9241-	307 for visual displa	ay technolo	gies.		$\boxtimes$		
P12.2*	The phys	sical input device i	meets the requirement	ts of ISO 999	95 and ISO 9241-4	10.					$\boxtimes$
P13		ng and documen									
<mark>P13.1*</mark>	Product	packaging materia packaging materia packaging materia		weight (ko weight (ko weight (ko	g): <b>2.13</b>						
P13.2*	Product	plastic primary pa	ckaging is free from P		,				$\boxtimes$		
P13.3*											
P13.4*	Specify media for user and product documentation (tick box):										
P13.5	<ul> <li>(Please only complete this item if paper documentation used)</li> <li>User and product documentation on paper media is chlorine-free:</li> <li>If Yes, please specify:</li> </ul>										
	Totally chlorine-free       Image: Constraint of the second										
P14	Volunta	ry programs									
P14.1	The proc	duct meets the req	uirements of the follow	ving voluntai	ry program(s):						
	ENERGY STAR®Criteria version: 8.0Date: 2022-6-28Product category: DisplayEco-label: TCOCriteria version:Date:Product category: DisplayEco-label:Criteria version:Date:Product category: DisplayProduct category:Date:Product category:										
P15		nal information (S				-					
P9	Energy	consumption of	computer products;	description	of the tested prod	luct config	uration:				
1											

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

1