



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	AOC	Logo		
Company name *	AOC International (Europe) B.V.			
Contact information *	Contact: Kevin Yang			
e-mail address	Email: kevin.yang@tpv-tech.com			
Internet site *	www.aoc-europe.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statements given in this declaration.							
Type of product *	LCD Monitor						
Commercial name *	27E2QAE						
Model number *	27E2						
Issue date *	16-Apr-2020						
Intended market *	ed market * Global 🗵 Europe 🗌 Asia, Pacific & Japan 🔲 Americas 🔲 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	27E2	Logo	
Issue date *	16-Apr-2020		

Product	Requirement met			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$		
D. 1. 0.1	Comment: Legal reference has no maximum concentration value.		_	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$	Ш	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\boxtimes$		
	terphenyl (PCT) in preparations (see legal reference).	_		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th	e 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/weel	: 🔀		
	(see legal reference).			
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.  REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\square$		
F 1.1	REACT Afficie 33 illiothation about substances in afficies is available at (add ORE of mail contact).		Ш	Ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		П	$\square$
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			$\boxtimes$
Do ot	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		Ш	<u> </u>
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
P3.2*	The product complies with the Eco design requirements for energy-related products,	$\boxtimes$		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,		ш	
55	available at (add URL):			
<b>P5</b> P5.1*	Product packaging  Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	-	_	
P5.1	hexavalent chromium by weight of these together.	d 🔀	Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(	3)	$\overline{\Box}$	$\overline{\Box}$
. 0.2	used (see legal reference).	"	Ш	Ш
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco	ol 🔀		
	(see legal reference).	_	_	_
Do	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			_
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$	Ш	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	27E2	Logo	
Issue date *	16-Apr-2020		

Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P7	Design Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable	$\square$		П				
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	Ħ				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ħ	Ħ				
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\overline{\boxtimes}$	$\overline{\Box}$	Ī				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			Ī				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$		Ī				
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			$\boxtimes$				
P7.8*	Upgrading can be done using commonly available tools			$\boxtimes$				
P7.9	Spare parts are available after end of production for: 3 years							
P7.10	Service is available after end of production for: 3 years							
	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):							
P7.12	Material type: ABS Material type: Material type:  Insulation materials of external electrical cables are PVC free.							
P7.13	Insulation materials of internal electrical cables are PVC free.	-		+				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			╫				
17.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🔲 are low halogen		$\boxtimes$					
	as defined in IEC 61249-2-21. (See 1NOTE B2)							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:							
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: 9, 10-Dihydro-9-Oxa-10-Phosphaphenanthrene-10-Oxide, CAS #: 35948-25-5							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(20)							
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "							
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\boxtimes$				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:							
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)							
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$						
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 59.79 %.  or b) The weight of recycled material is g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, io dine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	27E2				Logo			
Issue date	*	16-Apr-	2020						
Product 6	environm	ental at	ributes - Market re	equirements (contin	ued)		Require	emen	t met
Item				•	,		Yes	No	n.a.
	Material a	and subs	tance requirements	(continued)					
P7.21*				in the product (See NO	OTE B7):			$\square$	
	If YES: at	least one	of the two alternative	s helow shall he answe	red·		_		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
	total plastic by weight) is <u>%</u> .								
	or b) The	weiaht of	the biobased plastic n	naterial is g.					
P7.22*	Light soul	ces are f	ee from mercury, i.e.	less than 0,1 mg/lamp.			$\square$	$\Box$	
Do			specify: Number of lan	nps: and maximu	ım mercury content per	rlamp: r	ng	_	
<b>P8</b> P8.1*	Batteries		omposition:						
P9			ion (See NOTE B8)						
P9.1				s or energy consumption	ns are reported.				
		- Coddet trie		Power level at	Power level at	Deference /Ct			
Energy mo			Power level at 100 V AC	115 V AC	230 V AC	modes and te	andard for en est method *	ergy	
EPS No-loa									
(External posterior plus charger plus charge	ower supp	ly /							
outlet but o									
the produc									
PTEC *			14.66 W	14.62 W	14.51 W	EPA8.0			
Typical En	ergy Consu	ımption		_					
ETEC *			46.49 140 /	46.26 114/1/	46.00 100/1/200	EPA8.0			
Annual En	ergy Consu	ımption	46.48 Wh/year	46.36 kWh/year	46.08 kWh/year	LI AO.O			ш
External Po	ower Suppl	y Efficien	cy Level (International	Efficiency Marking Pro	tocol) *:				$\boxtimes$
Display res	solution * :	1920*10	80 <mark>megapixels</mark>						
Default tim	e to enter e	energy sa	ve mode: 0.1 minutes						
P9.2*	Information	n about t	he energy save function	on is provided with the p	product.				
P9.3			lass (monitors only): E			(EU) 2019/20			$\overline{}$
	Liloigy of	noionoy o	idoo (monitoro omy). L	<u> </u>		(20) 2010/20			
P10	Emission		Danien dan andre et	100 0000 (0 NOTE	DO				
P10.1	Mode		ode description	ISO 9296 (See NOTE	Statistical upper limit	Δ-weighted so	und nower level		
1 10.1	whose whose description $L_{WA,c}(B)$				A Weighted 30	ana power level	,		
Idle *				*				$\boxtimes$	
Operation *				*				$\boxtimes$	
	Other mo	do							
			a to: 100 7770	ECMA 74					
	Measured	accordin		ECMA-74	10.74)				
	Other (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		27E2					Logo				
Issue date	*	16-Apr-2020									
	environn	nental attributes	<ul> <li>Market requirem</li> </ul>	ents (con	tinued)			Re	quirer		
Item									Yes	No	n.a.
		nagnetic emissions									
P10.4	program	(s): PreEn50279:199		requency el	ectromagnetic field	s of the follo	owing volu	ntary			
P12		nics for computing									
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.										
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.										$\boxtimes$
P13		ng and documenta									
P13.1*		packaging material t		weight (kg							
		packaging material to packaging material t		weight (kg							
P13.2*			aging is free from PV	weight (kg	). <b>0.03</b>				$\boxtimes$	$\overline{}$	
P13.3*			ated fiberboard pack		ify the contained r	nercentage	of minim	ım nost-			$\dashv$
1 10.0		er recovered fiber co		aging, spec	my the contained p	ocrocinago	Or minimine	iii poot			
P13.4*			roduct documentation	n (tick box):							
	Electroni	c 🗌 PAPER 🔀 C	Other								
D40.5	<b>/</b> D:										
P13.5			em if paper document ation on paper media						$\boxtimes$		
		ease specify:	mon on paper media	is chilohine-i	166.					ш	
	Totally cl	hlorine-free									
	Elementa	al chlorine-free							$\sqcap$		
	Processe	ed chlorine-free							$\boxtimes$		
P14	Voluntai	ry programs									
P14.1	The prod	luct meets the requir	ements of the followi	ng voluntary	y program(s):						
	ENERGY STAR® Criteria version: 8.0 Date: 2020-4-16 Product category: Display					Display					
	Eco-label: TCO Criteria version: Date: Product category: Display					Display					
	Eco-label: Criteria version: Date: Product category:										
P15		al information (See									
P9	Energy	consumption of co	mputer products; d	escription (	of the tested prod	uct configu	uration:				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

1