

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	AOC	Logo
Company name *	AOC International Europe B.V.	
Contact information *	alfonso.clemente@tpv-tech.com	
e-mail address		
Internet site *	www.aoc-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	nts given in this declaration.					
Type of product *	Display					
Commercial name *	24E1Q					
Model number *	24E1					
Issue date *	04 May 2018					
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

	ate *	04 May 2018					
	t environ	mental attributes - Legal requirements		Require	ment	met	
ltem				Yes	No	n.a.	
P1		us substances and preparations					
P1.1*	Products	do comply with the current European RoHS Directive. (See legal reference and NC	DTE B1)	$\square$			
P1.2*	Commer	e do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\square$			
P1.3*	hydrobro trichloro	e do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachl ethane, methyl bromide (see legal reference). Comment: Legal reference has no ma ation values.					
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl I (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$			
P1.5*	chain co	e do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0. al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/we	ek 🔀			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail o	contact):				
P2	Batterie	S					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					$\square$	
P2.2*		Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				$\boxtimes$	
P3	Conform	nity verification & Eco design (ErP)					
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address):	al reference).				
P3.2*	(see lega	luct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$			
	•	d information is; given in item P15 or added to this document, available at (add URL):				<u> </u>	
P4		able materials					
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).					
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg				$\square$	
P4.3*	are Com applicab	/toner formulation/preparation is classified as hazardous or contains a substance fo munity workplace exposure limits, the product/packaging is adequately labeled accord le regulations and a Safety Data Sheet (SDS) in accordance with these requirement al reference).	ording to				
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.					
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature c e legal reference).					
P5.3*	Protocol Commer	The product packaging material is free from ozone depleting substances as specified in the Montreal in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	24E1	Logo			
Issue date *		04 May 2018				
	Environn	mental attributes - Market requirements (See General NOTE GN below) nental conscious design	I	Require	ement	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design	while requeling				
P7.1*		nbly, recycling t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			+	<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>
P7.5			vailable tool		<u> </u>	<u> </u>
		arts are free from metal inlays or have inlays that can be removed with commonly av			<u> </u>	<u> </u>
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools		<u> </u>	+	
P7.9.		rts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years				<u> </u>
F7.10						
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
17.11		ype: ABS Material type: Material	type:			
P7.12	Insulatior	materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulatior	n materials of internal electrical cables are PVC free.				
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) c g more than 25% post-consumer recycled content.	retardants,	and		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all $\square$ PCBs > 29 as defined in IEC 61249-2-21. (See NOTE B2)	5 g 🗌 are	low	$\square$	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				$\boxtimes$
P7.17	<u>Alt. 1: Č</u> h	emical specifications of flame retardants in printed circuit boards > 25 g (without cor additive) , TBBPA (reactive) X (See NOTE B3), Other; chemical name:	mponents): , CAS #:	$\boxtimes$		
	according	emical specifications of flame retardants in printed circuit boards (without componer g ISO 1043-4: <i>FR</i> (16)		$\boxtimes$		
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	/preparatior	is in		
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	-4:		$\square$	
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:				
			OTE B5)			
P7.20*	Postcons	umer recycled plastic material content is used in the product (See NOTE B6):			$\boxtimes$	
	a) Of to perc	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content centage of total plastic by weight) is %.	(calculated	as a		
	or b) The	weight of recycled material is g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model num	ber *	24E1				Logo				
Issue date	*									
Product e	nvironn	nental atti	ributes - Market re	quirements (conti	nued)		Rec	quirem	ent	met
Item								Yes I	No	n.a.
			ance requirements (							
P7.21*		•	terial content is used		,				$\mathbf{X}$	
	a) Of t tota	otal plastic Il plastic by		the biobased plastic	ered; material content (calcu	lated as a perce	entage of			
P7.22*	Light sou	urces are fre	ee from mercury, i.e. I pecify: Number of lam	ess than 0,1 mg/lamp	num mercury content pe	er lamp:	ng			
P8	Batteries									
-		hemical cor	mposition:							$\square$
P9			on (See NOTE B8)							لات
P9.1			following power levels	or energy consumpti	ons are reported:					
Energy mod	de *		Power level at <b>100</b> V AC	Power level at 115 V AC	Power level at <b>230</b> V AC	Reference/Standard for modes and test method			rgy	
Sleep mode STAR® Op (OM) produ	erational		<b>0.25</b> W	0.26 W	0.32W	ENERGY STAR 7.1 for display				
Standby/off ENERGY S Mode (OM)	mode for TAR Ope	erational	<i>0.15</i> W	<i>0.16</i> W	0.23W	ENERGY STAR 7.1 for display				
TEC value f	or ENER		52.7 kWh/week	53kWh/week	53.1kWh/week	ENERGY ST	AR 7.1 for o	display		
(TEC= Typi	cal Energ	ју								
			W	W	W					
			W	W	W					
			W	W	W					
			W	W	W					
			W	W	W					F
			W	W	W					$\overline{\neg}$
External Po	wer Supr	oly Efficienc	y Level (International	Efficiency Marking Pr		+				
Print/Scan \$	speed *	:	images per mi	nute		1				
		0,	e mode: 0.1 minutes							
P9.2*	Informati	on about th	e energy save function	n is provided with the	product.			$\boxtimes$		
P10	Emissio									
P10.1	Noise er Mode		Declared according to ode description		E B9) tatistical upper limit A-w	unighted course	ower lovel			
P10.1	wode		ode description		<sub>wa,c</sub> (B)	veignted sound	bower level,			
Ē	Idle	*		*						$\boxtimes$
ľ	Operatio	n *		*						
ľ	Other mo	ode								
	Measure	d according	g to: ISO 7779	ECMA-74 (only if not covered b						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	mber *	24E1					Logo			
Issue date *		04 May 2018								
Product	environ	mental attribute	es - Market req	uirements	s (continued)				irement	
Item								Ye	s No	n.a
			m printing produ							
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic									
P10.3	Typical emission rate (operation phase) is (mg/h):									$\boxtimes$
	Electron	photographic devic	es: Ozone	Dust	Styrene	Benzene	e TVOC			
	Ink devi	0 1	020110	Dust	Styrene	Benzene				
	Noto: o	malianaa with ma		otoo in ooo	labels to be decla	rod in D14				
P11			or printing produ		labels to be decia	red in P14.				
P11.1*					r preparation, eve	n if not legally	v required (see l	24.3)		
P11.2*			,		be used, provide	0.		· ·	$+ \exists$	
· · · · · ∠	EN 122	81.	-		•					
P11.3*	2-sided	(duplex) printing/o	copying is an integ	rated produ	uct function.					$\boxtimes$
P11.4*	The pro	duct is delivered t	o end-user with de	efault auto-	duplex enabled.					$\boxtimes$
P13	Packaging and documentation									
P13.1*	Product packaging material type(s): Paper weight (kg): 0.76   Product packaging material type(s): EPS weight (kg): 0.295   Product packaging material type(s): PE+EPE weight (kg): 0.042									
P13.2*	Product	plastic primary pa	ackaging is free fro	om PVC.	,			$\succ$		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 80 %									
P13.4*		media for user an hic 🔀, CD 🔀 Ot	d product docume her 🗌	ntation (tic	k box):					
P13.5	Úser ar	d product docume	s item if paper doc entation on paper r	umentatior nedia is ch	n used) Iorine-free:					
	lf Yes, p	please specify:								
	Totally	chlorine-free							]	
		tal chlorine-free							]	
	Process	sed chlorine-free						$\geq$	]	
P14		ary programs:								
P14.1	The pro	duct meets the re	quirements of the	following vo	oluntary program(s	5):				
	ENERG	SY STAR®	Criteria versio	on: <b>7.1</b>	Date: 25 A 2018	<b>pr</b> Pro	duct category:	Display		
	Eco-lab	el: TCO	Criteria versio	on: <b>7.0</b>	Date: 10 M 2018	<b>lay</b> Pro	duct category:	Display		
	Eco-lab		Criteria versio	on:	Date:	Pro	duct category:			
P15	Additio	nal information (	See NOTE B11)							

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the NOTE B11 row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1