



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	AOC	Logo			
Company name *	AOC International (Europe) B.V.				
Contact information *	Contact: Kevin Yang				
e-mail address	Email: kevin.yang@tpv-tech.com				
Internet site *	www.aoc-europe.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	LCD Monitor					
Commercial name *	Q27P3CW					
Model number *	Q27P3C					
Issue date *	3-Nov-2022					
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	Q27P3C	Logo	
Issue date *	3-Nov-2022		

Product	Product environmental attributes - Legal requirements					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes				
	Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-					
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated					
1 1.4	terphenyl (PCT) in preparations (see legal reference).		Ш			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the					
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week	\square				
	(see legal reference).	_		_		
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			\boxtimes		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes		
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes				
	The Declaration of Conformity can be requested at (add link or e-mail address):	_		_		
P3.2*	The product complies with the Eco design requirements for energy-related products,	\boxtimes				
	(see legal reference).			_		
	Required information is; given in item P15 or added to this document,	\boxtimes				
	available at (add URL):					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	k 🔀				
	hexavalent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🔀	Ш			
P5.3*	used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco		_	_		
ro.s	(see legal reference).	I 🔀	Ш	Ш		
	Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	Q27P3C	Logo	
Issue date *	3-Nov-2022		

Product environmental attributes - Market requirements (See General NOTE GN below)								
	- Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P7	Design Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes						
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes						
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.							
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.							
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes						
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes				
P7.8*	Upgrading can be done using commonly available tools			\boxtimes				
P7.9	Spare parts are available after end of production for: 3 years							
P7.10	Service is available after end of production for: 3 years							
5	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Material type: Material type:							
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes					
P7.13	Insulation materials of internal electrical cables are PVC free.		X	Ħ				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	X						
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		ш					
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen	\boxtimes						
	as defined in IEC 61249-2-21. (See 1NOTE B2)							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes				
D7.47	Marking:							
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) \(\sum \) (See NOTE B3), Other; chemical name: DOPO, CAS #:							
	35948-25-5		Ш					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	\boxtimes						
	according ISO 1043-4: 35948-25-5		ш					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in							
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)							
	2. Chemical name: , CAS #: (See NOTE 64)							
	3. Chemical name: , CAS #: "							
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:							
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\boxtimes				
	assigned the following Risk phrases; and Hazard statements:							
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)							
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes						
	If YES; at least one of the two alternatives below shall be answered;							
	 a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 81.65 %. 							
	or							
	b) The weight of recycled material is g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	Q27P3C				Logo			
Issue date	*	3-Nov-2							
Product 6	environm	ental at	ributes - Market re	equirements (contin	ued)		Require	emen	t met
Item				•	,		Yes	No	n.a.
	Material a	and subs	tance requirements	(continued)					
P7.21*				in the product (See NO	OTE B7):			\square	
	If YES: at	least one	of the two alternative	s below shall be answe	red·		_		
	a) Of to	tal plastic	parts' weight > 25 g,	the biobased plastic ma		ed as a percent	age of		
	total plastic by weight) is %.								
	or b) The weight of the biobased plastic material is g.								
P7.22*				less than 0,1 mg/lamp.			\square	\Box	
			specify: Number of lam	nps: and maximu	ım mercury content per	rlamp: r	ng		
P8 P8.1*	Batteries								
			omposition:						
P9			ion (See NOTE B8)	s or energy consumption	no oro roportodi				
P9.1		oduct the	<u> </u>		<u> </u>				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and te	andard for en st method *	ergy 	
EPS No-loa									
(External p									
charger plu outlet but d									
the product									
PTEC *			21.55 W	21.66 W	21.42 W	EPA8.0			
Typical En	ergy Consu	ımption							
ETEC *			67.72 Wh/year	60.06.000	67.42	EPA8.0			
Annual Ene	ergy Consu	ımption	67.72 wn/year	68.06 kWh/year	67.43 kWh/year	LI AO.O			Ш
External Po	ower Suppl	y Efficien	cy Level (International	Efficiency Marking Pro	tocol) *:				\boxtimes
Display res	solution * :	2560*144	.0 <mark>megapixels</mark>						
Default tim	e to enter e	energy sa	ve mode: 0.1 minutes						
P9.2*	Informatio	n about t	he energy save function	on is provided with the p	oroduct.	<u> </u>		П	$\overline{\Box}$
P9.3	Energy ef	ficiency c	lass (monitors only): F	· · · · · · · · · · · · · · · · · · ·		(EU) 2019/20			
						, , , , , ,			
P10	Emission		Declared according to	ISO 9296 (See NOTE	DO)				
P10.1	Mode		ode description	130 9290 (See NOTE	Statistical upper limit	A-weighted so	und nower level		
	$L_{WA,c}$ (B)					,			
Idle *		*				\boxtimes			
Operation *			*				\boxtimes		
	Other mo	do							
				TOMA 74					
	Measured	accordin	_	ECMA-74	44.74)				
			Other (on	y if not covered by ECI	VIA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		Q27P3C					Logo				
Issue date	*	3-Nov-2022									
	environn	nental attributes	- Market requirem	ents (con	tinued)			R	equire		
Item									Yes	No	n.a.
D		nagnetic emission				6.11 6.11	<u> </u>				
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): PreEn50279:1998 ¹										
P12	Ergonomics for computing products										
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.										
P12.2*	The phys	sical input device m	eets the requirements	of ISO 999	5 and ISO 9241-410	0.					\boxtimes
P13	Packagi	ng and document	ation								
P13.1*		packaging material		weight (kg							
		packaging material		weight (kg							
D. (0 0 t		packaging material	• • • • •	weight (kg): 0.04 83						
P13.2*		, ,,	kaging is free from PV						\boxtimes		
P13.3*		luct primary corruger recovered fiber c	ated fiberboard pack o <mark>ntent: 92.56</mark> <mark>%</mark>	aging, spec	ify the contained p	ercentage	of minim	um post-			Ш
P13.4*	Specify r	nedia for user and	product documentation	n (tick hov):							
F 13.4	Electroni			ii (lick box).							ш
	Licotioni	c 🛅 i apci 🔼 O									
P13.5	(Please	only complete this i	tem if paper documen	tation used)							
	Ùser and	I product document	ation on paper media						\boxtimes		
	If Yes, pl	ease specify:									
	Totally c	nlorine-free									
	Elementa	al chlorine-free									
	Processe	ed chlorine-free							\boxtimes		
P14	Voluntai	ry programs									
P14.1			irements of the followi	ng voluntar	y program(s):						
	ENERGY STAR® Criteria version: 8.0 Date: 2022–11–03 Product category: Display						Display				
	Eco-label: TCO Criteria version: Date: Product category: Display										
	Eco-labe	l:	Criteria version:		Date:	Product c	category:				
P15		al information (Se									
P9	Energy	consumption of c	omputer products; d	escription (of the tested produ	ıct configu	ıration:	-			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

1