



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	AOC	Logo		
Company name *	AOC International (Europe) B.V.			
Contact information *	Contact: Kevin Yang			
e-mail address	Email: kevin.yang@tpv-tech.com			
Internet site *	www.aoc-europe.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	LCD Monitor					
Commercial name *	U27P2CA					
Model number *	U27P2					
Issue date *	18-Jun-2021					
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	U27P2	Logo	
Issue date *	18-Jun-2021		

Product	environmental attributes - Legal requirements	Require	men	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square		
1 1.4	terphenyl (PCT) in preparations (see legal reference).		Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week	\boxtimes		
	(see legal reference).			_
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			\boxtimes
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)		Ш	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address):	_		
P3.2*	The product complies with the Eco design requirements for energy-related products,	\boxtimes		
	(see legal reference).		_	
	Required information is; given in item P15 or added to this document,	\boxtimes		
	available at (add URL):			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	k 🔀		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🔀		
Dr. 0*	used (see legal reference).		_	_
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco	ol 🖂		
	(see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	U27P2	Logo	
Issue date *	18-Jun-2021		

Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design						
	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes					
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes			
P7.8*	Upgrading can be done using commonly available tools			\boxtimes			
P7.9	Spare parts are available after end of production for: 3 years						
P7.10	Service is available after end of production for: 3 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
D7.40	Material type: ABS Material type: Material type:						
P7.12	Insulation materials of external electrical cables are PVC free.	_ <u></u>					
P7.13	Insulation materials of internal electrical cables are PVC free.	_ <u></u>					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	\boxtimes					
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing						
	more than 25% post-consumer recycled content						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen		\boxtimes				
	as defined in IEC 61249-2-21. (See 1NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes			
D7 47	Marking:						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	\boxtimes					
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: 9, 10-Dihydro-9-		Ш				
	Oxa-10-Phosphaphenanthrene-10-Oxide, CAS #: 35948-25-5						
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	\boxtimes	Ш				
D7.40	according ISO 1043-4: FR(20)						
P7.18	<u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:			\boxtimes			
	1. Chemical name: , CAS #: (See NOTE B4)	Ш	ш				
	2. Chemical name: , CAS #: "						
	3. Chemical name: , CAS #: "						
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		П	\boxtimes			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\overline{\Box}$	Ħ				
	assigned the following Risk phrases; and Hazard statements:						
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes					
	If YES; at least one of the two alternatives below shall be answered;						
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as						
	a percentage of total plastic by weight) i <mark>s 51.44</mark> %. <mark>.</mark>						
	or						
	b) The weight of recycled material is g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	U27P2			Logo				
Issue date	*	18-Jun-	Jun-2021						
.									
	environm	ental at	tributes - Market re	equirements (contin	ued)		Require		
Item							Yes	No	n.a.
	Material and substance requirements (continued)								
P7.21*	Biobased	plastic m	aterial content is used	in the product (See NC	TE B7):			\boxtimes	
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
	total plastic by weight) is \(\frac{\psi}{\psi} \).								
	or b) The weight of the biobased plastic material is g.								
P7.22*				less than 0,1 mg/lamp.			\square		
			specify: Number of lan		m mercury content per	r lamp: n	ng		
P8	Batteries								
P8.1*	Battery ch	nemical co	omposition:						\boxtimes
P9			tion (See NOTE B8)						
P9.1	For the pr	oduct the	following power levels	s or energy consumptio	ns are reported:				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stamodes and te	andard for enest method *	ergy	
EPS No-loa	ad				<u> </u>	-	· · · · · · · · · · · · · · · · · · ·		
(External p		lv /							
charger plu									
outlet but o		ed from							
the produc	<mark>t.)</mark>								
PTEC *			25.63 W	25.61 W	24.75 <mark>W</mark>	EPA8.0			
Typical En	ergy Consu	ımption							
ETEO *					10	ED40.0			
ETEC * Annual En	aray Consu	ımption	79.95 Wh/year	80 kWh/year	77.48 kWh/year	EPA8.0			ш
A TITIOGI ETT	orgy corioc	arription							
External Po	ower Suppl	y Efficien	L <mark>cy Level (International</mark>	Efficiency Marking Pro	tocol) *:				
Display res	solution * :	3840*21	60megapixels						
Default tim	o to optor o	norav oo	ve mode: 0.1 minutes						
								_	<u> </u>
P9.2*				on is provided with the p	product.			Ш	
P9.3	Energy ef	ficiency c	lass (monitors only): G)		(EU) 2019/20	13		
P10	Emission								
				ISO 9296 (See NOTE			<u> </u>		
P10.1	Mode	N	lode description		Statistical upper limit	: A-weighted so	und power level	,	
					L _{WA,c} (B)				
	Idle	*			*				
	Operation	*			*				X
	Operation								
	Other mo	de							
	Measured		ng to: SO 7779	ECMA-74	1				
	ivicasuiec	accordii	_	-	10 71)				
	Other (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		U27P2					Logo				
Issue date	*	18-Jun-2021									
Dun divet e		antal attributes	Moulest vanvinous		4i			D	!		
Item	environm	ientai attributes	- Market requirem	ients (con	tinuea)			Re	equire Yes	No	n.a.
ROIII	Electron	nagnetic emissions	<u>-</u>						100	110	ma.
P10.4	Compute	r display meets the	requirement for low f	requency el	ectromagnetic fields	of the follo	owing volu	ntary			
D40	program(s): PreEn50279:1998¹ Ergonomics for computing products										
P12	Ergonon	nics for computing	products	100 0044	2077						
P12.1*			omic requirements of				gies.			<u>Ц</u>	
P12.2*			eets the requirements	of ISO 999	5 and ISO 9241-41	0.					\boxtimes
P13		ng and documenta									
P13.1*		packaging material t		weight (kg							
		packaging material to packaging material t		weight (kg weight (kg							
P13.2*	Product p	plastic primary pack	aging is free from PV). 0.002						
P13.3*	For prod	uct primary corruga	ated fiberboard pack	aging, spec	ify the contained p	ercentage	of minimu	ım post-			
	consume	er recovered fiber co	ntent: 85 %								
P13.4*			roduct documentation	n (tick box):							
	Electroni	c 🗌 Paper 🔀 Ot	her								
P13.5	(Please	only complete this it	em if paper documen	tation used)	 						
	User and	product documenta	ation on paper media						\boxtimes		
	If Yes, pl	ease specify:									
	Totally ch	nlorine-free									
	Elementa	al chlorine-free									
	Processe	ed chlorine-free							\boxtimes		
P14	Voluntar	y programs									
P14.1	The prod	uct meets the requi	rements of the followi	ng voluntar	y program(s):						
	ENERGY STAR® Criteria version: 8.0 Date: 2021-6-18 Product category: Display										
	Eco-label: TCO Criteria version: Date: Product category: Display										
	Eco-labe		Criteria version:		Date:	Product c	ategory:				
P15		al information (Se									
P9	Energy o	consumption of co	mputer products; d	escription	of the tested produ	ıct configu	ıration:				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

1