



TEST REPORT

Reference No. : WTX21X10116435E
Applicant : Acrox Technologies Co., Ltd.
Address : 4F., No.89, Minshan St., Neihu Dist., Taipei City 114, Taiwan
Product : Gaming Keyboard
Test Model : GK500*****(*=A~Z,a~z,0~9,/,or blank), KME
Standards : EN 55032:2015+A11:2020
EN 55035:2017+A11:2020
Date of Receipt sample : Oct. 29, 2021
Date of Test : Oct. 29, 2021 to Nov. 04, 2021
Date of Issue : Nov. 04, 2021
Test Result : Pass

Remarks:

The results shown in this test report refer only to the sample(s) tested, this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver.

Prepared By:

Waltek Testing Group (Shenzhen) Co., Ltd.

Address: 1/F., Room 101, Building 1, Hongwei Industrial Park, Liuxian 2nd Road,
Block 70 Bao'an District, Shenzhen, Guangdong, China

Tel.: +86-755-33663308

Fax.: +86-755-33663309

Tested by:

Karsa Fan / Project Engineer

Reviewed By:

Evan Cai / EMC Manager

Approved & Authorized By:

Silin Chen / Manager



TABLE OF CONTENTS

1. GENERAL INFORMATION	3
1.1 PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT).....	3
1.2 TEST STANDARDS.....	4
1.3 TEST METHODOLOGY	4
1.4 EUT SETUP AND OPERATION MODE	5
1.5 PERFORMANCE CRITERIA FOR EMS	6
1.6 TEST EQUIPMENT LIST AND DETAILS	7
2. SUMMARY OF TEST RESULTS	8
3. RADIATED EMISSION	9
3.1 MEASUREMENT UNCERTAINTY	9
3.2 BASIC TEST SETUP BLOCK DIAGRAM	9
3.3 CORRECTED AMPLITUDE & MARGIN CALCULATION	10
3.4 ENVIRONMENTAL CONDITIONS	10
3.5 SUMMARY OF TEST RESULTS	10
4. ELECTROSTATIC DISCHARGES (ESD)	13
4.1 TEST PROCEDURE.....	13
4.2 TEST PERFORMANCE	13
4.3 ENVIRONMENTAL CONDITIONS.....	13
4.4 BASIC TEST SETUP BLOCK DIAGRAM	13
4.5 ELECTROSTATIC DISCHARGE IMMUNITY TEST DATA	14
5. CONTINUOUS RF ELECTROMAGNETIC FIELD DISTURBANCES (RS)	15
5.1 TEST PROCEDURE.....	15
5.2 TEST PERFORMANCE	15
5.4 BASIC TEST SETUP BLOCK DIAGRAM	15
5.5 CONTINUOUS RADIATED DISTURBANCES TEST DATA	16
6. POWER-FREQUENCY MAGNETIC FIELDS (PFMF)	17
6.1 TEST PROCEDURE.....	17
6.2 TEST PERFORMANCE	17
6.3 ENVIRONMENTAL CONDITIONS.....	17
6.4 BASIC TEST SETUP BLOCK DIAGRAM	17
6.5 POWER-FREQUENCY MAGNETIC FIELD TEST DATA	18
EXHIBIT 1 - PRODUCT LABELING	19
PROPOSED CE LABEL FORMAT	19
PROPOSED LABEL LOCATION ON EUT	19
EXHIBIT 2 - EUT PHOTOGRAPHS.....	20
EXHIBIT 3 - TEST SETUP PHOTOGRAPHS	24



1. GENERAL INFORMATION

1.1 Product Description for Equipment Under Test (EUT)

Client Information

Applicant:

Address of applicant:

Acrox Technologies Co., Ltd.

4F., No.89, Minshan St., Neihu Dist., Taipei City 114,
Taiwan

Manufacturer:

Address of manufacturer:

TPV Electronics (Fujian) Co., Ltd.

Rongqiao Economic and Technological
Development Zone, Fuqing City, Fujian Province,
P.R.China

General Description of EUT	
Product Name:	Gaming Keyboard
Trade Name:	AOC
Model No.:	GK500*****(*=A~Z,a~z,0~9,/ or blank)
Adding Model(s):	KME

*Note: The test data is gathered from a production sample, provided by the manufacturer. The appearance of others models listed in the report is different from main-test model GK500*****(*=A~Z,a~z,0~9,/ or blank), but the circuit and the electronic construction do not change, declared by the manufacturer.*

Technical Characteristics of EUT	
Rated Voltage:	DC 5V
Rated Current:	/
Rated Power:	/
Power Adaptor Model:	/
Highest Internal Frequency:	Below 108MHz
Classification of Equipment:	Class B



1.2 Test Standards

The tests were performed according to following standards:

EN 55032:2015+A11:2020: Electromagnetic compatibility of multimedia equipment - Emission requirements.

EN 55035:2017+A11:2020: Electromagnetic compatibility of multimedia equipment - Immunity requirements.

Maintenance of compliance is the responsibility of the manufacturer. Any modification of the product maybe which result in lowering the emission/immunity should be checked to ensure compliance has been maintained.

1.3 Test Methodology

All measurements contained in this report were conducted with the standards EN 55032 and EN 55035 for electromagnetic compatibility of multimedia equipment, and all related testing and measurement techniques intentional standards.

A large, semi-transparent watermark logo for 'WALTEK' is centered on the page. The letters are bold and outlined in black.



1.4 EUT Setup and Operation Mode

The equipment under test (EUT) was configured to measure its highest possible emission/immunity level. The test modes were adapted according to the operation manual for use, more detailed description as follows:

Test Mode List				
Test Mode	Description	Remark	Power Supply Mode	
TM1	Working mode	USB cable connect with Macbook	DC 5V	

EUT Cable List and Details				
Cable Description	Length (m)	Shielded/Unshielded	With / Without Ferrite	With / Without Chip
/	/	/	/	/

Special Cable List and Details				
Cable Description	Length (m)	Shielded/Unshielded	With / Without Ferrite	With / Without Chip
/	/	/	/	/

Auxiliary Equipment List and Details				
Description	Manufacturer	Model	Serial Number	
Notebook	Lenovo	XiaoXinPro 14IHU 2021	PF2V9FG1	



1.5 Performance Criteria for EMS

All the test data has been collected, reduced, and analyzed within this report in accordance with Immunity requires the following as specific performance criteria:

- A. The apparatus shall continue to operate as intended during and after the test. The manufacturer specifies some minimum performance level. The performance level may be specified by the manufacturer as a permissible loss of performance.
- B. The apparatus shall continue to operate as intended after the test. This indicates that the EUT does not need to function at normal performance levels during the test, but must recover. Again some minimal performance is defined by the manufacturer. No change in operating state or loss of data is permitted.
- C. Temporary loss of function is allowed. Operation of the EUT may stop as long as it is either automatically reset or can be manually restored by operation of the controls.

WALTEK



1.6 Test Equipment List and Details

Description	Manufacturer	Model	Serial No.	Cal. Date	Due. Date
Spectrum Analyzer	Rohde & Schwarz	FSP	836079/035	2021-03-30	2022-03-29
EMI Test Receiver	Rohde & Schwarz	ESVB	825471/005	2021-04-12	2022-04-11
Amplifier	Agilent	8447F	3113A06717	2021-04-12	2022-04-11
Amplifier	C&D	PAP-1G18	2002	2021-04-12	2022-04-11
Trilog Broadband Antenna	Schwarz beck	VULB9163	9163-333	2021-03-20	2023-03-19
Horn Antenna	ETS	3117	00086197	2021-03-19	2023-03-18
Loop Antenna	Schwarz beck	FMZB 1516	9773	2021-03-20	2023-03-19
EMI Test Receiver	Rohde & Schwarz	ESPI	101391	2021-05-06	2022-05-05
Trilog Broadband Antenna	Schwarz beck	VULB9163(B)	9163-635	2021-04-09	2023-04-08
Amplifier	Agilent	8447D	2944A10179	2021-04-12	2022-04-11
EMI Test Receiver	Rohde & Schwarz	ESPI	101611	2021-04-12	2022-04-11
Pulse Limiter	Rohde & Schwarz	ESH3-Z2	100911	2021-04-15	2022-04-14
AC LISN	Schwarz beck	NSLK8126	8126-224	2021-04-12	2022-04-11
8-WIRE LISN	Schwarz beck	8158	CAT3-8158-0059	2021-04-12	2022-04-11
8-WIRE LISN	Schwarz beck	8158	CAT5-8158-0117	2021-04-12	2022-04-11
PMF Generator	LIONCEL	PMF-801C-C	0171101	2021-04-12	2022-04-11
PMF Antenna	LIONCEL	PMF-801C-A	0180302	2021-04-12	2022-04-11
Instantaneous PMF Generator Module	LIONCEL	PMF-801C-T	0171001	2021-04-12	2022-04-11
Digital Power Analyzer	California Instrument	CTS	72831	2021-04-12	2022-04-11
Power Source	California Instrument	5001IX-CTS-400	25965	2021-04-12	2022-04-11
ESD Generator	LIONCEL	ESD-203B	0170901	2021-04-16	2022-04-15
Transient 2000	EMC PARTNER	TRA2000	863	2021-04-12	2022-04-11
Couple Clamp	EMC PARTNER	CN-EFT1000	513	2021-04-12	2022-04-11
CONDUCTED IMMUNITY TEST SYSTEM	FRANKONIA	CIT-10/75	126B1247/2013	2021-01-08	2022-01-07
CDN	LIONCEL	CDN-T8	0210401	2021-05-06	2022-05-05
Attenuator	EMTEST	MA-5100/6BF2	1009	2021-03-30	2022-03-29
CDN	Luthi	L-801M2/M3	2665	2021-04-12	2022-04-11
Signal Generator	HP	8688B	3438A00604	2021-03-30	2022-03-29
Power Meter	KEITHLEY	3500	1162591	2021-03-27	2022-03-26
Power Meter	KEITHLEY	3500	1121428	2021-03-27	2022-03-26
RF Power Amplifier	MicoTop	MPA-80-1000-250	MPA1906239	2021-03-27	2022-03-26
RF Power Amplifier	MicoTop	MPA-80-1000-100	MPA1906238	2021-03-27	2022-03-26
Antenna	SCHWARZBECK	STLP 9129	9129 114	N/A	N/A



2. SUMMARY OF TEST RESULTS

Standards	Description of Test Item	Result
EN 55032	Conducted Emission	N/A
	Radiated Emission	Compliant
EN IEC 61000-3-2	Harmonic Current Emission	N/A
EN 61000-3-3	Voltage Fluctuation and Flicker	N/A
EN 55035	Electrostatic Discharge Immunity in accordance with EN 61000-4-2	Compliant
	Continuous RF electromagnetic field Disturbances Immunity in accordance with EN 61000-4-3	Compliant
	Electrical Fast Transient/Burst Immunity in accordance with EN 61000-4-4	N/A
	Surges Immunity in accordance with EN 61000-4-5	N/A
	Continuous induced RF disturbances Immunity in accordance with EN 61000-4-6	N/A
	Power-frequency Magnetic Fields Immunity in accordance With EN 61000-4-8	Compliant
	Voltage Dips/Interruptions Immunity in accordance with EN 61000-4-11	N/A
	Broadband impulse noise disturbances, repetitive	N/A
	Broadband impulse noise disturbances, isolated	N/A

N/A: not applicable