



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	AOC	Logo
Company name *	AOC International (Europe) B.V.	
Contact information *	Contact: Kevin Yang	
e-mail address	Email: kevin.yang@tpv-tech.com	
Internet site *	www.aoc-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	LCD Monitor					
Commercial name *	CU34P2A					
Model number *	CU34P2					
Issue date *	18-Nov-2020					
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	CU34P2	Logo	
Issue date *	18-Nov-2020		

Product	Requirement met			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$		
D. 1. 0.1	Comment: Legal reference has no maximum concentration value.		_	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$	Ш	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\boxtimes$		
	terphenyl (PCT) in preparations (see legal reference).	_		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th	e 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/weel	: 🔀		
	(see legal reference).			
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.  REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\square$		
F 1.1	REACTI Afficie 33 illiottiation about substances in afficies is available at (add ORE of Itiali contact).		Ш	Ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		П	$\square$
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			$\boxtimes$
Do ot	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		Ш	<u> </u>
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
P3.2*	The product complies with the Eco design requirements for energy-related products,	$\boxtimes$		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,		ш	
55	available at (add URL):			
<b>P5</b> P5.1*	Product packaging  Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	-	_	
P5.1	hexavalent chromium by weight of these together.	d 🔀	Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(	3)	$\overline{\Box}$	$\overline{\Box}$
. 0.2	used (see legal reference).	"	Ш	Ш
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco	ol 🔀		
	(see legal reference).	_	_	_
Do	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			_
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$	Ш	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	del number * CU34P2		
Issue date *	18-Nov-2020		

Product	environmental attributes - Market requirements (See General NOTE GN below)								
	- Environmental conscious design Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.					
P7	Design Disassembly, recycling								
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$							
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$							
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$							
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$							
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\square$							
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).								
	Product lifetime								
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			$\boxtimes$					
P7.8*	Upgrading can be done using commonly available tools			$\boxtimes$					
P7.9	Spare parts are available after end of production for: 3 years								
P7.10	Service is available after end of production for: 3 years								
<b>5</b>	Material and substance requirements								
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: Material type: Material type:								
P7.12	Insulation materials of external electrical cables are PVC free.		$\square$						
P7.13	Insulation materials of internal electrical cables are PVC free.	Ħ	$\overline{\nabla}$	$\vdash$					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	$\overline{\mathbb{N}}$		$\dashv$					
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing								
	more than 25% post-consumer recycled content								
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen		$\boxtimes$						
D7 46	as defined in IEC 61249-2-21. (See 1NOTE B2)	_							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:		Ш						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):								
	TBBPA (additive), TBBPA (reactive) \( \subseteq \) (See NOTE B3), Other; chemical name: 9, 10-Dihydro-9-Oxa-10-Phosphaphenanthrene-10-Oxide , CAS #: 35948-25-5		Ш						
		$\square$							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(20)		Ш						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in								
	concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)	Ш	Ш						
	2. Chemical name: , CAS #: "(See NOTE BT)								
	3. Chemical name: , CAS #: "								
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\boxtimes$					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been								
	assigned the following Risk phrases; and Hazard statements:	_	_	_					
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)								
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$							
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 61.72 %.  or  The weight of recycled material is 2.75.								
	b) The weight of recycled material is g.								

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	CU34P2	2			Logo			
Issue date	*	18-Nov-	-2020						
Product 6	environm	ental att	ributes - Market re	equirements (conti	nued)		Require	emen	t met
Item				,	•		Yes	No	n.a.
	Material a	and subs	tance requirements	(continued)					
P7.21*				in the product (See No	OTE B7):				
		•		•	,				
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is								
	or b) The weight of the biobased plastic material is g.								
P7.22*	Light sour	ces are fr	ee from mercury, i.e.	less than 0,1 mg/lamp.			$\boxtimes$		
Do		is used s	specify: Number of lan	nps: and maxim	um mercury content pe	er lamp: n	ng		
<b>P8</b> P8.1*	Batteries	omical or	omposition:						
P9			·						
			ion (See NOTE B8)						
P9.1		oduct the	<u> </u>	s or energy consumption					
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and te	andard for ene st method *	<mark>ergy</mark>	
EPS No-loa									
(External p									
charger plu outlet but d									
the product		u nom							
PTEC *	<del>/</del>		32.31 W	32.18 W	32.21 W	EPA8.0			
Typical En	ergy Consu	mption	32.31 <mark>vv</mark>	32.10 <mark>W</mark>	32.21 W				
ETEC *			100.55Wh/year	100.13kWh/year	100.27kWh/year	EPA8.0			
Annual Ene	ergy Consu	<mark>mption</mark>							
External Po	ower Suppl	y Efficien	I cy Level (Internationa	I <mark>I Efficiency Marking Pro</mark>	otocol) *:				
Display res	solution * :	3440*14	40 <mark>megapixels</mark>						
Default tim	e to enter e	nergy sa	ve mode: 0.1 minutes	3					
P9.2*	Informatio	n about t	he energy save function	on is provided with the	product.		$\boxtimes$		
P9.3	Energy ef	ficiency c	lass (monitors only): (	3		(EU) 2019/20			
D40	F	_							
P10	Emission Noise em		Declared according to	ISO 9296 (See NOTE	RO)				
P10.1	Mode		ode description	7130 9290 (See NOTE	Statistical upper limi	it A-weighted so	und power level		
	inicas acestiphen			L <sub>WA,c</sub> (B)	no.g.noa oo	a.i.a polito. ioro.,	'		
	Idle	*			*				
Operation *				*				X	
									_
	Other mo			_					
	Measured	accordin	g to: 🔲 ISO 7779 🗌	ECMA-74					
			Other (on	ly if not covered by EC	MA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nun	nber *	CU34P2					Logo				
Issue date	*	18-Nov-2020									
	environn	nental attributes	- Market requirem	ents (con	tinued)				<mark>quire</mark> r		
Item			<u>-</u>						Yes	No	n.a.
P10.4		nagnetic emission		roguenev el	octromagnotic fields	of the follo	wing volun	tony	$\overline{}$	$\overline{}$	$\square$
F 10.4	program(s): PreEn50279:1998 <sup>1</sup>										
P12		nics for computing									
P12.1*			nomic requirements of				ies.				
P12.2*		·	eets the requirements	of ISO 999	5 and ISO 9241-410	0.					$\boxtimes$
P13		ng and documenta									
P13.1*		packaging material		weight (kg							
		packaging material packaging material		weight (kg weight (kg							
P13.2*			aging is free from PV		<u>,. 0.000</u>						
P13.3*			ated fiberboard pack	aging, spec	ify the contained p	ercentage	of minimun	n post-			
		er recovered fiber co									
P13.4*			product documentation	n (tick box):							
	Electroni	c Paper 🛛 O	her								
P13.5			em if paper documen								
		I product document ease specify:	ation on paper media	is chlorine-f	ree:				$\boxtimes$		
	,	nlorine-free al chlorine-free							Н		
		ed chlorine-free									
	FIUCESSE	ea chionne-nee									
P14		y programs									
P14.1	The product meets the requirements of the following voluntary program(s):										
	ENERGY STAR® Criteria version: <b>8.0</b> Date: 2020-11-18 Product category: <b>Display</b>						splay				
	Eco-label: <b>TCO</b> Criteria version: Date: Product category: <b>Display</b>							splay			
	Eco-label: Criteria version: Date: Product category:										
P15		al information (Se									
P9	Energy of	consumption of co	omputer products; d	escription (	of the tested produ	ıct configu	ration:				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

1