

Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## **Annex B2 - Product environmental attributes Computers and computer monitors**

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	AOC	Logo
Company name *	AOC International Europe B.V.	
Contact information *	Kevin.yang@tpv-tech.com	
e-mail address		
Internet site *	https://eu.aoc.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *	LCD Monitor				
Commercial name *	24P2Q				
Model number *	24P2Q				
Issue date *	16-Apr-2020				
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	umber *	24P2Q	Logo			
Issue da	ue date * 16-Apr-2020					
Product	t environ	mental attributes - Legal requirements		Require	emen	t met
Item				Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\square$		
P1.2*		o do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\square$		
P1.3*	hydrobro trichloro concenti	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ation values.	naximum	-		
P1.4*	terpheny	e do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).		$\boxtimes$		
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms i	n the  🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/w	veek 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	$\boxtimes$		
P2	Batterie					
P2.1*	symbol.	duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)				$\boxtimes$
P2.2*	Batteries referenc	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See l	egal		$\boxtimes$
P2.3*						
	Batteries	and accumulators are readily removable. (See legal reference)				$\square$
P3						
P3.1*	Conform	and accumulators are readily removable. (See legal reference)	gal reference	e).		
	Conform The proc	and accumulators are readily removable. (See legal reference) hity verification & Eco design (ErP)	gal referenc	e).		
	Conform The proc The Dec The proc	, and accumulators are readily removable. (See legal reference) hity verification & Eco design (ErP) luct is CE-marked to show conformance with applicable legal requirements (see leg	gal referenc	e).		
P3.1*	Conform The proc The Dec The proc (see legs	and accumulators are readily removable. (See legal reference) <b>hity verification &amp; Eco design (ErP)</b> Huct is CE-marked to show conformance with applicable legal requirements (see legent laration of Conformity can be requested at (add link or e-mail address): Huct complies with the Eco design requirements for energy-related products, al reference). H information is; given in item P15 or added to this document,	gal referenc	e).		
P3.1*	Conform The proc The Dec The proc (see lega Required	and accumulators are readily removable. (See legal reference) <b>hity verification &amp; Eco design (ErP)</b> fluct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): fluct complies with the Eco design requirements for energy-related products, al reference).	gal referenc	e).		
P3.1* P3.2*	Conform The proc The Dec The proc (see leg: Required Product Packagii	and accumulators are readily removable. (See legal reference) <b>hity verification &amp; Eco design (ErP)</b> Huct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at (add link or e-mail address): Huct complies with the Eco design requirements for energy-related products, al reference). d information is; given in item P15 or added to this document, available at (add URL):				
P3.1* P3.2* <b>P5</b>	Conform The proc The Dec The proc (see leg: Required Product Packagii hexavale The pac	and accumulators are readily removable. (See legal reference) <b>hity verification &amp; Eco design (ErP)</b> Huct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at (add link or e-mail address): Huct complies with the Eco design requirements for energy-related products, al reference). d information is; given in item P15 or added to this document, available at (add URL): <b>packaging</b> ng and packaging components do not contain more than 0,01% lead, mercury	y, cadmium			
P3.1* P3.2* P5.1*	Conform The proc The proc (see leg: Required Product Packagii hexavale The pac used (see The proc (see leg:	and accumulators are readily removable. (See legal reference) <b>hity verification &amp; Eco design (ErP)</b> luct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at (add link or e-mail address): luct complies with the Eco design requirements for energy-related products, al reference). d information is; given in item P15 or added to this document, available at (add URL): <b>packaging</b> ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together. kaging materials are marked with abbreviations and numbers indicating the nature of and accumulation is an anticating the nature of and packaging the nature of and	y, cadmium	and X		
P3.1* P3.2* P5.1* P5.2*	Conform The prod The prod (see leg: Required Product Packagii hexavale The pac used (see The prod (see leg: Commen	and accumulators are readily removable. (See legal reference) <b>hity verification &amp; Eco design (ErP)</b> Huct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at (add link or e-mail address): Huct complies with the Eco design requirements for energy-related products, al reference). I information is; given in item P15 or added to this document, available at (add URL): <b>packaging</b> ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together. kaging materials are marked with abbreviations and numbers indicating the nature of e legal reference). Huct packaging material is free from ozone depleting substances as specified in the N al reference).	y, cadmium	and X		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	24P2Q	Logo				
Issue date *		16-Apr-2020					
Produc		mental attributes - Market requirements (See General NOTE GN I	below)	Requi	romo	nt n	not
Item	- Environmental conscious design F *=mandatory to fill in. Additional information regarding each item may be found under P14.						n.a.
P7	Design			Ye		<u> </u>	ma.
		mbly, recycling					
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	Plastic materials in covers/housing have no surface coating.						
P7.3*	-	arts > 100 g consist of one material or of easily separable materials.		$\geq$			
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\ge$			
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable to	ols. 🛛 🔀			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\geq$			
<b>D</b> 7 7*	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives					
P7.8*		ng can be done using commonly available tools					$\square$
P7.9	Spare pa	arts are available after end of production for: ${f 3}$ years					
P7.10		s available after end of production for: <b>3</b> years					
		and substance requirements					
<mark>P7.11*</mark>		cover/housing material type (e.g. plastics, metal, aluminum): type: <b>ABS</b> Material type: Materia	al type:				
P7.12		n materials of external electrical cables are PVC free.	a type.			1	
P7.13	Insulation materials of internal electrical cables are PVC free.						
P7.14	weight ( polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine ir in 25% post-consumer recycled content	e retardants	s, and 🖌		]	Η
<mark>P7.15</mark>	Printed of	sircuit boards, PCBs (without components) are low halogen: all $\square$ PCBs > 25 g $\square$ and in IEC 61249-2-21. (See 1NOTE B2)	are low ha	llogen			
<mark>P7.16</mark>		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17	TBBPA (	nemical specifications of flame retardants in printed circuit boards > 25 g (without co additive), TBBPA (reactive) 🔀 (See NOTE B3), Other; chemical name: 9, 10 )-Phosphaphenanthrene-10-Oxide , CAS #: 35948-25-5					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g $\square$ according ISO 1043-4: <i>FR(20)</i>						
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparati	ons in			
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4:	Г	ו ר	٦	$\square$
<mark>P7.19</mark>	In plastic assigned	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:					
P7.20*		rce(s) for these classifications is/are found at (add URL(s)): , (S sumer recycled plastic material content is used in the product (See Note B6):	ee note B5	,	1 -		
- <del> 20</del>	lf YES; a a) Of t a po or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 63.82%.	t (calculate	d as	ı L		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	24P2Q	Logo					
Issue date *	16-Apr-2020						
Product environmental attributes - Market requirements (continued) Requirement m							

Item

Requirement metYesNon.a.

	Material and substance requirements (continued)							
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):							
	If VES: at least o	ne of the two alternatives	helow shall be answe	ared.	,			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	total plastic by weight) is <mark>%</mark> .							
	or							
P7.22*	b) The weight of the biobased plastic material is       g.         2* Light sources are free from mercury, i.e. less than 0,1 mg/lamp.       Image: Comparison of the biobased plastic material is							
F1.22	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg							
P8								
P8.1*								
P9	Energy consum	ption (See NOTE B8)						
<mark>P9.1</mark>	For the product t	he following power levels	or energy consumption	ons are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for modes and test method	0,		
EPS No-lo	bad							
(External	power supply /							
	ugged in the wall							
	disconnected from							
the produce PTEC *	J.)		44.07		EPA8.0			
	ergy Consumption	14.41 <mark>W</mark>	14.37 <mark> w</mark>	14.58 <mark>W</mark>	EPAO.U			
	leigy consumption							
ETEC *		44.75 <mark>kWh/yea</mark>	44.63 kWh/year	45.5 kWh/year	EPA8.0			
Annual Er	ergy Consumption	r						
External F	ower Supply Efficient	ency Level (International					$\boxtimes$	
<mark>Display re</mark>	solution * : <mark>1920</mark> *1	1080 megapixels						
Default tin	ne to enter energy	save mode: 0.1 minutes						
P9.2*	Information abou	t the energy save functio	n is provided with the	product.				
<mark>P9.3</mark>	Energy efficiency	class (monitors only): E			(EU) 2019/2013			
P10	Emissions							
		- Declared according to	ISO 9296 (See NOTE	B9)				
P10.1	P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (B)							
	Idle	*	*					
	Operation	*		*			$\bowtie$	
	Other mode							
		ling to: 🔄 ISO 7779 🗌	ECMA-74					
1	Measured accord	ang to: 🔄 ISO 7779 🔛	EUNA-14					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

Model nu	mber *	24P2Q				Logo			
Issue dat	e *	16-Apr-2020							
Product	environ	nental attribute	es - Market requirements	s (continued)			Require	ment	me
ltem							Yes	No	n.a
	Electro	magnetic emission	ons-						
<mark>P10.4</mark>	program	(s): PreEn50279:		ency electromagnetic field	s of the follo	wing volunt	ary		$\square$
P12		mics for comput							
P12.1*			onomic requirements of ISO			ies.			
P12.2*	The phy	sical input device	meets the requirements of IS	SO 9995 and ISO 9241-41	0.				$\boxtimes$
<mark>P13</mark>		ing and docume							
P13.1*	Product	packaging materi packaging materi packaging materi	al type(s): <i>Paper</i> wei	ght (kg): <mark>0</mark> ght (kg): <b>2.165</b> ght (kg): <b>0.034</b>					
P13.2*			ckaging is free from PVC.	0 (0)			$\square$		
<mark>P13.3*</mark>			ugated fiberboard packaging co <mark>ntent: <mark>88.87</mark> %</mark>	g, specify the contained p	percentage	of minimun			
P13.4*		media for user an ic	d product documentation (tic Other	k box):					
P13.5	User an		s item if paper documentatior ntation on paper media is ch						
	Totally c	hlorine-free							
		al chlorine-free					H		
	Process	ed chlorine-free					$\square$		
P14	Volunta	ry programs							
<mark>P14.1</mark>	The pro	duct meets the red	quirements of the following ve	oluntary program(s):					
	ENERG	Y STAR®	Criteria version: 8.0	Date: 2020-4-16	Product c	ategory: Di	splay		
	Eco-labe	el: <b>TCO</b>	Criteria version:	Date:		ategory: Di	· ·		
	Eco-labe	el:	Criteria version:	Date:	Product c				
P15	Additio	nal information (	See NOTE B10)						
P9	Energy	consumption of	computer products; descri	iption of the tested prod	uct configu	ration:			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

1