



AG352UCG6

UltraWide 35" curved gaming display with NVIDIA G-SYNC, 1440p resolution and 120Hz refresh rate for total immersion.

UltraWide 35" curved monitor for a total gaming experience! G-SYNC technology and 120 Hz refresh rate give you responsive gameplay without tearing or input lag.

GENERAL	
Model Name	AG352UCG6
Channel	Gaming
Product line	AGON
Design family	AG2
Launch date (ETA)	4/28/2018

SCREEN	
Screen size (inch)	35
Screen size (cm)	88.9
Flat / Curved	Curved
Curvature Radius	1800R
Display hardness	3H
Panel resolution	3440x1440
Resolution name	WQHD
Aspect ratio	21:9
Panel type	MVA
Backlight type	WLED
Max Refresh rate	120 Hz
Response time GtG	4 ms
Static contrast ratio	2500:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	300 cd/m2
Pixel Pitch (mm)	0.2382

EXTERIOR

Bezel type (front)	Normal
Bezel Colour (front)	Black
Bezel finishing (front)	Glossy
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Glossy

ERGONOMICS

Vesa wallmount	100x100
Tilt	-5,5/29
Swivel	-30/30
Pivot	No
Height adjust (mm)	120mm

CONNECTIVITY AND MULTIMEDIA

HDMI	HDMI 1.4 x 1
DisplayPort	DisplayPort 1.2 x 1
USB Hub	✓
USB Hub speed	USB 3.0 (2 USB downstream ports)
USB downstream ports	2
USB fast charge port	✓

MULTIMEDIA

Speakers	✓
Speaker power	2 W x 2
Built-in Microphone	-
Audio Output	Headphone out (3.5mm)

FEATURES

Sync technology (VRR)	G-SYNC
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
Kensington Lock	-

GAMING FEATURES

Gaming style	MMORPG, Action, Beat'm up, Racing
Gaming convenience	G-menu

POWER / ENVIRONMENTAL

Power supply	External
Power source	100 - 240V 50/60Hz
Energy class	D

PRODUCT DIMENSIONS (METRIC)

Product dimensions incl. base (WxHxD) mm	587(H) x 847(W) x 266.45(D)
Packaging dimensions (WxHxD) mm	300(H) x 980(W) x 527(D)
Gross weight incl. package (in kg)	15.5
Product with stand (kg)	11.8

WHAT'S IN THE BOX

HDMI cable	1.8
Displayport cable	1.8
Power cable C5	1.8

OTHER INFORMATION

MTBF	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours

REGULATORY COMPLIANCE

ISO 9241-307	-
--------------	---