

## 24" Full HD business display with DisplayPort

This ergonomically adjustable and energy efficient business monitor boasts DisplayPort and HDMI connectors for high-speed digital input, as well as stereo speakers.



## Features

### Fast 2ms response time

These displays make sure you'll never miss out on the action. Quick 2ms response time virtually eliminates ghosting and blur, making it ideal for gaming, watching movies or editing videos. From high-speed car chases to fast-paced combat, you'll always enjoy an immersive, lag-free viewing experience.

### Height adjustable Stand

Raise or lower the screen to suit each individual's height and seating preferences. The easy-to-adjust stand ensures hours of comfort.

### Display Port

DisplayPort offers ultra-fast digital audio and video transmission without quality loss or input lag. Quickly and easily connect a range of devices to your screen, including your computer, laptop, media player, game console and more. It's perfect for professionals as well as the most demanding home users.

**Three-Year Warranty**

AOC stands behind the quality of each and every monitor with a generous three-year warranty starting from the original date of purchase. Within the warranty period, any AOC displays with manufacturing defects or faulty components will be repaired or replaced at no additional charge.

| GENERAL           |               |
|-------------------|---------------|
| Model Name        | E2460PQ       |
| Channel           | B2B           |
| Product line      | Pro-line      |
| Design family     | 60 ID         |
| Launch date (ETA) | 12/31/2014    |
| EAN               | 4038986144513 |

| DISPLAY INFORMATION       |              |
|---------------------------|--------------|
| Screen size (inch)        | 24,0         |
| Flat / Curved             | Flat         |
| Display hardness          | 3H           |
| Pixel Pitch (mm)          | 276,0        |
| Panel resolution          | 1920x1080    |
| Aspect ratio              | 16:9         |
| Panel type                | TN           |
| Backlight type            | WLED         |
| Max Refresh rate          | 60 Hz        |
| Response time<br>GtG      | 2 ms         |
| Static contrast<br>ratio  | 1000:1       |
| Dynamic contrast<br>ratio | 50M:1        |
| Viewing angle<br>(CR10)   | 170/160      |
| Display colours           | 16.7 Million |
| Brightness in nits        | 250 cd/m2    |

| CABINET INFORMATION |         |
|---------------------|---------|
| Vesa wallmount      | 100x100 |

| ERGONOMICS         |       |
|--------------------|-------|
| Height adjust (mm) | 130mm |
| Pivot              | Yes   |

| SUSTAINABILITY |     |
|----------------|-----|
| TCO Certified  | 6   |
| WEEE           | Yes |
| RoHs compliant | Yes |

| POWER CONSUMPTION   |          |
|---|----------|
| Power supply  | Internal |
| Power consumption on<br>(Energystar test method) in watts | 19,61    |
| Power consumption<br>standby in watts                     | 0,2      |
| Power consumption off in<br>watts                         | 0,12     |

| REGULATORY COMPLIANCE |              |
|-----------------------|--------------|
| CE                    | Yes          |
| TUV-GS-Mark           | Yes          |
| ISO 9241-307          | Yes          |
| FCC                   | Yes          |
| Microsoft WHQL        | Yes          |
| Pixel policy          | ISO 9241-307 |

| CONNECTIVITY INFORMATION |              |
|--------------------------|--------------|
| HDMI                     | HDMI 1.4 x 1 |

| PRODUCT DIMENSIONS                          |                                 |
|---|---------------------------------|
| Product dimensions incl.<br>base (WxHxD) mm | 400.4(H) x 551.4(W)<br>x 221(D) |
| Packaging dimensions<br>(WxHxD) mm          | 187(H) x 693(W) x<br>423(D)     |
| Gross weight incl.<br>package (in kg)       | 8,45                            |
| Net weight excl.<br>package (in kg)         | 6,38                            |

| OTHER INFORMATION |         |
|-------------------|---------|
| Warranty period   | 3 years |