



E2460PDA

24" ergonomic Full HD office display with speakers

This ergonomically adjustable and energy efficient monitor is a good choice for business environments with both DVI and VGA connectors as well as integrated speakers.

GENERAL	
Model Name	E2460PDA
EAN	4038986141963
Channel	B2B
Product line	Pro-line Pro-line
Design family	60 ID
Launch date (ETA)	12/28/2014

Screen size (inch) 24 Screen size (cm) 60.96 Flat / Curved Flat Display hardness 3H Panel resolution 1920x1080 Resolution name FHD Aspect ratio 16:9 Panel type TN Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms	SCREEN	
Flat / Curved Flat Display hardness 3H Panel resolution 1920x1080 Resolution name FHD Aspect ratio 16:9 Panel type TN Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms	Screen size (inch)	24
Display hardness 3H Panel resolution 1920x1080 Resolution name FHD Aspect ratio 16:9 Panel type TN Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms	Screen size (cm)	60.96
Panel resolution 1920x1080 Resolution name FHD Aspect ratio 16:9 Panel type TN Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms	Flat / Curved	Flat
Resolution name FHD Aspect ratio 16:9 Panel type TN Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms	Display hardness	3H
Aspect ratio 16:9 Panel type TN Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms	Panel resolution	1920×1080
Panel type TN Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms	Resolution name	FHD
Backlight type WLED Max Refresh rate 60 Hz Response time GtG 5 ms	Aspect ratio	16:9
Max Refresh rate 60 Hz Response time GtG 5 ms	Panel type	TN
Response time GtG 5 ms	Backlight type	WLED
	Max Refresh rate	60 Hz
	Response time GtG	5 ms
Static contrast ratio 1000:1	Static contrast ratio	1000:1
Dynamic contrast ratio 50M:1	Dynamic contrast ratio	50M:1
Viewing angle (CR10) 170/160	Viewing angle (CR10)	170/160
Display colours 16.7 Million	Display colours	16.7 Million
Brightness in nits 250 cd/m2	Brightness in nits	250 cd/m2
Pixel Pitch (mm) 0.276	Pixel Pitch (mm)	0.276

1/3



EXTERIOR	
Bezel type (front)	Normal
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

ERGONOMICS	
Vesa wallmount	100×100
Tilt	-5/20
Swivel	-165/165
Pivot	Yes
Height adjust (mm)	130mm

CONNECTIVITY AND MULTIMEDIA	
USB Hub	-
D-SUB (VGA)	1x
DVI	1x DVI-D

MULTIMEDIA	
Speakers	✓
Speaker power	2 W x 2

SUSTAINABILITY	
TCO Certified	6

POWER / ENVIRONMENTAL	
Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.29
Power consumption off in watts	0.13

2/3



PRODUCT DIMENSIONS	
Product dimensions incl. base (WxHxD) mm	393.6(H) x 565.4(W) x 244.58(D)
Packaging dimensions (WxHxD) mm	187(H) x 693(W) x 423(D)
Gross weight incl. package (in kg)	8.55
Net weight excl. package (in kg)	6.54

WHAT'S IN THE BOX	
D-SUB (VGA) cable	1.8
DVI cable	1.8
Audio cable	1.8
Power cable C7	1.8

OTHER INFORMATION	
МТВГ	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours