



I2460PXQU

Stunning performance that puts comfort first

This energy efficient IPS business monitor offers additional display space for viewing documents, thanks to its 16:10 format. A USB hub is included as well.

GENERAL

Model Name	I2460PXQU
EAN	4038986143745
Channel	B2B
Product line	Pro-line
Design family	60 ID
Launch date (ETA)	12/31/2014

SCREEN

Screen size (inch)	24
Flat / Curved	Flat
Display hardness	3H
Panel resolution	1920x1200
Resolution name	WUXGA
Aspect ratio	16:10
Panel type	IPS
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	5 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	300 cd/m2
Pixel Pitch (mm)	0.269

ERGONOMICS

Vesa wallmount	100x100
Pivot	Yes
Height adjust (mm)	130mm

CONNECTIVITY AND MULTIMEDIA

HDMI	HDMI 1.4 x 1
DisplayPort	DisplayPort 1.1 x 1
USB Hub	✓
USB Hub speed	USB 2.0 (4 USB downstream ports)
USB downstream ports	4
D-SUB (VGA)	1x
DVI	1x DVI-D

MULTIMEDIA

Audio Output	Headphone out (3.5mm)
--------------	-----------------------

SUSTAINABILITY

TCO Certified	6
---------------	---

POWER / ENVIRONMENTAL

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.24
Power consumption off in watts	0.14
Energy class	A

PRODUCT DIMENSIONS

Product dimensions incl. base (WxHxD) mm	400.4(H) x 551.4(W) x 221(D)
Packaging dimensions (WxHxD) mm	455(H) x 680(W) x 186(D)
Gross weight incl. package (in kg)	8.58
Net weight excl. package (in kg)	6.65

WHAT'S IN THE BOX

D-SUB (VGA) cable	1.8
DVI cable	1.8
Displayport cable	1.8
Audio cable	1.8
Power cable C7	1.8

OTHER INFORMATION

MTBF	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours

REGULATORY COMPLIANCE

ISO 9241-307	✓
--------------	---