# CU34V5CW/BK



## 34" VA WQHD model for complex multitasking, with USB-C, MultiView and Windows Hello integrated webcam

The AOC CU34V5CW is a three-side frameless curved monitor equipped with a 34" VA panel with QHD UltraWide 21:9 resolution for an impressive and immersive viewing experience, ready to support any complex work with Picture by Picture MultiView. It offers a wide array of connectivity options thanks USB-C with Power Delivery up to 65W, 4 USB ports & HDMI. Log in easily and securely with Windows Hello integrated webcam.



#### **Features**



True-to-life collaboration and video calling Video calling has never been so lifelike as with an embedded webcam with integrated microphone. Join forces with colleagues and clients from the comfort of your home or office with one simple solution!



Hello™ webcam Get the best security with Windows Hello™

facial recognition! An Integrated webcam with Windows Hello™ offers that convenient extra safety, with no need of passwords or PIN.

### UWQHD - Ultra Wide QHD

UWQHD is the ultrawide variant of QHD resolution. It comes with a display ratio of 21:9 and a resolution of 3.440 x 1.440 pixel. Feel full immersion through a wider field of view and be able to see more of the playground than your enemy does.



VA Panels (Vertical Alignment) display deeper blacks and a high contrast for extra vivid and bright images.



#### 100Hz Refresh Rate

Equip yourself with twice the frame rate of other monitors and say goodbye to image stuttering and blurry motion. With a 100Hz refresh rate every frame is rendered sharply and in smooth succession, so you can line up your shots accurately and appreciate high speed races in all their glory.



#### **USB-C** Docking

Simplify the connections with one cable only. The USB-C connection provides DisplayPort Alternate Mode for transferring high-resolution video signals from a notebook to the monitor while simultaneously charging the notebook's battery from the monitor with USB power

GENERAL	
Model Name	CU34V5CW/BK
Brand	AOC
Channel	B2C
Product line	Value-line
Design family	V5
Launch date (ETA)	8/11/2022
EAN	4038986110273

DISPLAY INFORMATI	ION
Screen size (inch)	34,0
Screen size (cm)	86,4
Flat / Curved	Curved
Curvature Radius	1500R
Display hardness	6H
Panel treatment	Antiglare (AG)
Pixel Pitch (mm)	0,23175
Pixels per Inch	110,0
Panel resolution	3440x1440
Aspect ratio	21:9
Panel type	VA
Backlight type	WLED
Max Refresh rate	100 Hz
Response time GtG	4 ms
Response time MPRT	1 ms
Static contrast ratio	3000:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	300 cd/m2

VIDEO FEATURES	
Sync technology (VRR)	Freesync
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
KVM	No

CABINET INFORMATION	
Bezel Colour (front)	Black
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Metal
Removable stand	Yes
Speaker power	5 W x 2
Kensington Lock	Yes
Vesa wallmount	100x100
MonitorWebcam	2MP Win Hello Webcam

ERGONOMICS	
Tilt	3° ±2° ~ 21° ±2°
Height adjust (mm)	130mm
Swivel	28° ±2° ~28° ±2°
Pivot	No

SUSTAINABILITY		
WEEE	Yes	
REACH compliant	Yes	
RoHs compliant	Yes	

POWER CONSUMPTION	
Power supply	Internal
Power consumption standby in watts	0,5
Power consumption off in watts	0,3
Energy class	G

REGULATORY COMPLIANCE	
СВ	Yes
CE	Yes
EAC	Yes
FCC	Yes
UKCA	Yes

CONNECTIVITY INFORMATION	
HDMI	HDMI 2.0 x 1
DisplayPort	DisplayPort 1.2 x 1
USB Hub	Yes
USB type downstream	4 x USB-A
USB fast charge port	Yes
Audio Output	Headphone out (3.5mm)
USB Type upstream	1x USB-C (DP Alt Mode), USB-C PD:65W
USB generation	USB 3.2 (Gen 1), 5 Gbit/s
D-SUB (VGA)	0x
DVI	0x
RJ45	No

PRODUCT DIMENSIONS	
Product dimensions incl. base (WxHxD) mm	808.1 x (410.5~540.5) x 250
Product dimensions excl. base (WxHxD) mm	808.1 x 378.5 x 99.9
Packaging dimensions (WxHxD) mm	1071 x 500 x 189
Gross weight incl. package (in kg)	11,9
Net weight excl. package (in kg)	9,43
Product without stand (kg)	6,78

WHAT'S IN THE BOX	
HDMI cable	1.5
USB-C to C/A cable	1.8
Power Cable	Yes

OTHER INFORMATION	
Warranty period	3 years