



## 22P1D

### 21.5" Full HD ergonomic business display

The 22P1D is an entry levelbut fully capable business display with a 21.5" TN panel in FHD (1920x1080px) resolution. Its VGA, HDMI and DVI inputs offer rich connectivity options. Easy assembly without screws, flexible stand with 130 mm height adjustment included.

#### GENERAL

Model Name	22P1D
EAN	4038986126304
Channel	B2B
Product line	Pro-line
Design family	P1
Launch date (ETA)	5/29/2018

#### SCREEN

Screen size (inch)	21.5
Screen size (cm)	54.61
Flat / Curved	Flat
Display hardness	3H
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	TN
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	2 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	170/160
Display colours	16.7 Million
Brightness in nits	250 cd/m2
Pixel Pitch (mm)	0.2482

**EXTERIOR**

Bezel type (front)	Normal
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

**ERGONOMICS**

Vesa wallmount	100x100
Tilt	-5/23
Swivel	-175/175
Pivot	Yes
Height adjust (mm)	130mm

**CONNECTIVITY AND MULTIMEDIA**

HDMI	HDMI 1.4 x 1
USB fast charge port	-
D-SUB (VGA)	1x
DVI	1x DVI-D

**MULTIMEDIA**

Speakers	✓
Speaker power	2 W x 2
Built-in Microphone	-
Audio Output	Headphone out (3.5mm)

**FEATURES**

Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free

**SUSTAINABILITY**

TCO Certified	8
Energy star	Energy star 8

**POWER / ENVIRONMENTAL**

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.28
Power consumption off in watts	0.22
Energy class	E

**PRODUCT DIMENSIONS**

Product dimensions incl. base (WxHxD) mm	506.0(H) x 504.4(W) x 198.8(D)
Packaging dimensions (WxHxD) mm	387(H) x 715(W) x 159(D)
Gross weight incl. package (in kg)	6.2
Net weight excl. package (in kg)	4.2

**WHAT'S IN THE BOX**

HDMI cable	1.8
Power cable C13	1.8

**OTHER INFORMATION**

MTBF	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours