





LOW INPUT LAG





Elevate your gaming experience to unprecedented levels with the AGON PRO AG456UCZD. This remarkable curved monitor boasts an OLED panel, WQHD resolution (3440x1440), a lightning-fast 240Hz refresh rate, and an astonishing response time as minimum as 0.03 ms GtG. Immerse yourself in vivid HDR visuals, featuring a native 10-bit color depth of 1.07 billion colors, along with exceptional color gamut coverage of DCI-P3. AGON PRO 45" - where gaming reaches new heights.

- USB-C Docking
- Picture by Picture (PbP)
- Display Port
- HDMI
- Low Blue Light
- Speakers

USB-C DOCKING

Simplify the connections with one cable only. The USB-C connection provides DisplayPort Alternate Mode for transferring high-resolution video signals from a notebook to the monitor while simultaneously charging the notebook's battery from the monitor with USB power delivery.

PICTURE BY PICTURE (PBP)

Picture by Picture is a feature that allows you to make use of multiple sources (e.g. from your laptop and desktop PC) simultaneously and display them on the same screen. Its commanding overview gives you more control and boosts your efficiency both while streaming, working and playing considerably.

DISPLAY PORT

DisplayPort offers ultra-fast digital audio and video transmission without quality loss or input lag. Quickly and easily connect a range of devices to your screen, including your computer, laptop, media player, game console and more. It's perfect for professionals as well as the most demanding home users.

HDMI

HDMI (High-Definition Multimedia Interface) is supported by the current gaming consoles, current GPUs, set-top boxes, supporting the HDCP digital content protection system. HDMI 1.3-1.4b versions support up to 144 Hz refresh rate@1080p and 75 Hz@1440p, while HDMI 2.0-2.0b versions support 240Hz@1080p, 144Hz@1440p and 60 Hz@2160p (4K).

LOW BLUE LIGHT

AOC Lowblue Light protects you from harmful blue light which, during long sessions, has been shown to cause eye strain, headaches, and sleeping disorders. Our Lowblue Light feature reduces the harmful wavelengths emitted without sacrificing color composition, setting the experience free from the worry of eye damage.

SPEAKERS

Built-in speakers make it easy to catch up with family, friends and colleagues. For movies, music, games and more, you'll enjoy quality audio without the hassle of connecting external speakers.

GAMING FEATURES

Gaming convenience	G-menu
Low Input Lag	Yes

Light FX (RGB)	Yes	
Speakers	Yes	
Speaker power	8 W x 2	

PRODUCT DIMENSIONS		
Product dimensions incl. base (WxHxD) mm	992.2 x 509-609 x 359.2	
Product dimensions excl. base (WxHxD) mm	992.2 x 457 × 219.8	
Packaging dimensions (WxHxD) mm	1130 x578 x 400	
Gross weight incl. package (in kg)	19,21	
Net weight excl. package (in kg)	13,35	
Product without stand (kg)	11,35	

DISPLAY INFORMATION	
Screen size (inch)	44,5
Flat / Curved	Curved
Panel treatment	Antiglare (AG)
Panel resolution	3440x1440
Aspect ratio	21:9
Panel type	OLED
Backlight type	WLED
Max Refresh rate	240 Hz
Viewing angle (CR10)	178/178
Display colours	1.07 Billion
Brightness in nits	1000 cd/m2
OD Response (typical)	0.03 ms GtG
Panel Haze Value	35%
Support 1:1 function	Yes

NVIDIA G-SYNC™NVIDIA G-SYNC CompatibleDigital Signal Frequency VerticalDP1.4/USBC: 48- 240Hz, HDMI2.0: 48-100HzDigital Signal Frequency HorizontalDP1.4/USBC: 30- 385kHz, HDMI2.0: 30-160kHzHDR (High Dynamic Range)HDR 10Colour space (SRCB) CIE 1976 %127,5Colour space (SCGDU Space) (DC1-P3) CIE 1976 %98,5Colour space (SGGB) CIE 1976 %96,3Flicker-FreeFlicker Free	VIDEO FEATURES	
Frequency Vertical240Hz , HDMI2.0: 48-100HzDigital Signal Frequency HorizontalDPI.4/USBC: 30- 385kHz , HDMI2.0: 30-160kHzHDR (High Dynamic Range)HDR 10Colour space (SRCB) CIE 1976 %127,5Colour space (DC1-P3) CIE 1976 %98,5Colour space (Adobe RCB) CIE96,3	NVIDIA G-SYNC™	
Frequency Horizontal385kHz , HDMI2.0: 30-160kHzHDR (High Dynamic Range)HDR 10Colour space (sRGB) CIE 1976 %127,5Colour space (DC1-P3) CIE 1976 %98,5Colour space (Adobe RCB) CIE96,3Colour space (Adobe RCB) CIE96,3	Frequency	240Hz , HDMI2.0:
Dynamic Range)Colour space (sRGB) CIE 1976 %127,5Colour space (DCI-P3) CIE 1976 %98,5Colour space (Adobe RGB) CIE 1976 %96,3	Frequency	385kHz , HDMI2.0:
(sRGB) CIE 1976 % Colour space 98,5 (DCI-P3) CIE 1976 % Colour space 96,3 (Adobe RGB) CIE 1976 %		HDR 10
(DCI-P3) CIE 1976 % Colour space 96,3 (Adobe RGB) CIE 1976 %		127,5
(Adobe RGB) CIE 1976 %	(DCI-P3) CIE 1976	98,5
Flicker-Free Flicker Free	(Adobe RGB) CIE	96,3
	Flicker-Free	Flicker Free

CONNECTIVITY INFORMATION		
HDMI	HDMI 2.0 x 2	
DisplayPort	DisplayPort 1.4 x 1	