

## Achieve freedom with the 16T3EA 15.6" Full HD portable monitor, 1920x1080 resolution, USB-C Power, and Autopivot feature

Experience work freedom with the 16T3EA 15.6" Full HD portable monitor. Boasting a sharp 1920x1080 resolution and 60Hz refresh rate, this USB-C powered display ensures vibrant visuals on the go. Its integrated stand and flicker-free technology provide comfort and convenience, while the Autopivot feature seamlessly adjusts orientation. Lightweight and versatile, the 16T3EA is your perfect partner for productivity anywhere, anytime.



## Features



### Auto-Pivot

Change the orientation of the monitor to automatically align screen content (included AOC i-Menu software needed to activate).



### Flexi-Stand

The E1659FWU has a foldable flexi-stand for viewing in landscape or portrait mode. Landscape mode is ideal for video conferences, presentations and Excel sheets, while the Portrait mode conveniently gives you an easy vertical view of your instant messaging program, or sidebars such as search results.



### Portable - compact and lightweight

Thinner than most notebooks and lighter than most water bottles, it fits perfectly in any backpack or purse and is easy to carry.



### VESA Wall Mount Compatible

The E1659FWU USB Monitor comes with VESA 75 x 75 mm Mount Compliant feature, allowing you to easily mount the USB monitor to any wall.

### USB-C

One cable is all you need. The USB-C technology carries both the power and the display signal to the screen in one cable. It not only looks ultra-clean and sleek but also greatly improves portability of the monitor.

### Productivity anywhere you go

More screen real-estate significantly increases productivity. With your monitor connected to your laptop you can be efficient even outside your home or office – when travelling or, visiting customers.

## GENERAL

Model Name	16T3EA
Channel	B2C, B2B
Product line	Style-line
Design family	T3

## DISPLAY INFORMATION

Screen size (inch)	15,6
Screen size (cm)	39,5
Flat / Curved	Flat
Display hardness	3H
Pixel Pitch (mm)	0,1793
Panel resolution	1920x1080
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	4 ms
Static contrast ratio	700:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	85/85
Display colours	16.7 Million
Brightness in nits	250 cd/m <sup>2</sup>

## VIDEO FEATURES

Colour space (sRGB) CIE 1931 %	64,1
Colour space (sRGB) CIE 1976 %	52,7
Colour space (DCI-P3) CIE 1931 %	47,2
Colour space (DCI-P3) CIE 1976 %	42,0
Colour space (Adobe RGB) CIE 1931 %	47,5
Colour space (Adobe RGB) CIE 1976 %	45,2
Flicker-Free	Flicker Free

## CABINET INFORMATION

Bezel Colour (front)	Black
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Metal
Removable stand	Yes
Vesa wallmount	50x50

## ERGONOMICS

Tilt	5/25
Pivot	Yes

## SUSTAINABILITY

TCO Certified	No
WEEE	Yes
REACH compliant	Yes
RoHs compliant	Yes
PVC/BFR free housing	Yes
Mercury free	Yes
Recycable packaging material	100 % recycable
Carton material	Paper

## POWER CONSUMPTION

Power supply	Internal
Power consumption on (typical) in watts	7,0
Power consumption standby in watts	0,5
Power consumption off in watts	0,3
Energy class	C

## REGULATORY COMPLIANCE

CB	Yes
CE	Yes
TUV-Bauart-Mark	Yes
ISO 9241-307	Yes
EAC	Yes
FCC	Yes
Microsoft WHQL	Yes

## CONNECTIVITY INFORMATION

Audio Output	Headphone out (3.5mm)
USB Type upstream	1x USB-C (DP Alt Mode), USB-C PD:15W
USB generation	USB 3.2

## PRODUCT DIMENSIONS

<b>Product dimensions incl. base (WxHxD) mm</b>	363.7 x 229.3 x 12.5
---	----------------------

<b>Product dimensions excl. base (WxHxD) mm</b>	363.7 x 229.3 x 12.5
---	----------------------

<b>Packaging dimensions (WxHxD) mm</b>	467 x 313 x 102
--	-----------------

<b>Gross weight incl. package (in kg)</b>	1,83
---	------

<b>Net weight excl. package (in kg)</b>	0,83
---	------

## WHAT'S IN THE BOX

<b>USB-C to C cable</b>	1.8
-------------------------	-----

<b>Power adaptor</b>	Yes
----------------------	-----

## OTHER INFORMATION

<b>Warranty period</b>	3 years
------------------------	---------