



## E2275SWJ

### Comfortable viewing, remarkable performance

This model targets business and home office users alike. Hidden behind its classically designed case is the latest LED technology. It boasts a high typical contrast, an ultra-fast response time and wide viewing angles for excellent imaging performance. The environmentally friendly display comes in an elegant, textured black finish.

全般	
モデル名	E2275SWJ
チャンネル	B2B
製品ライン	Essential-line
デザインの系列	75 ID
発売日 (到着予定日)	2014-12-30

画面	
画面サイズ (インチ)	21,5
フラット / カーブ	Flat
ディスプレイの硬度	3H
パネル解像度	1920x1080
解像度名	FHD
アスペクト比	16:9
パネルの種別	TN
バックライトの種別	WLED
Max リフレッシュ レート	60 Hz
応答時間 GtG	2 ms
静的コントラスト比	1000:1
動的コントラスト比	200M:1
視野角 (CR10)	170/160
ディスプレイの色	16.7 Million
Brightness in nits	250 cd/m2
画素ピッチ (mm)	248

人間工学	
VESA 壁取付け	100x100
ピボット	No

接続性とマルチメディア	
HDMI	HDMI 1.4 x 1
USB ハブ	-
USB 急速充電ポート	-
D-SUB (VGA)	1x
DVI	1x DVI-D

マルチメディア	
スピーカー	✓
スピーカー パワー	2 W x 2
内蔵マイク	-
オーディオ出力	Headphone out (3.5mm)

機能	
フリッカーフリー	Flicker Free
セキュリティワイヤー	-

持続可能性	
TCO 認定	6

電力・環境	
電力供給	Internal
電源	100 - 240V 50/60Hz
消費電力待機時 (ワット)	0,3
消費電力オフ (ワット)	0,3
エネルギークラス	A

## 製品の寸法

ベースを含む製品寸法 (幅×高さ×奥行き) mm	193.5(H) x 504(W) x 395.4(D)
パッケージ寸法 (幅×高さ×奥行き) mm	390(H) x 560(W) x 120(D)
パッケージを含む総重量 (kg)	4,5
パッケージを除く正味重量 (kg)	3,15

## 箱の中身

D-SUB (VGA) ケーブル	1.8
DVI ケーブル	1.8
電源ケーブル C5	1.8

## その他の情報

MTBF	50.000 hours (excluded backlight)
MTBF (パネルを除く)	50.000 hours

## 規制コンプライアンス

ISO 9241-307	-
--------------	---