



## **U34E2M/BK**

34" VA monitor with WQHD and slim 3 side frameless design for a comfortable and neat look

The AOC U34E2M is equipped with a 34" VA panel with Ultrawide QHD 21:9 resolution for an incredible viewing experience and more screen estate to boost your productivity and multitasking. Multiple inputs supported thanks to HDMI and DP ports.

GENERAL	
Model Name	U34E2M/BK
EAN	4038986110723
Channel	B2B
Product line	Essential-line
Design family	E2
Launch date (ETA)	9/21/2022

Screen size (inch)         34           Screen size (cm)         86.4           Flat / Curved         Flat           Display hardness         3H           Panel treatment         Antiglare (AG)           Panel resolution         3440x1440           Resolution name         WQHD           Aspect ratio         21:9           Panel type         VA           Backlight type         WLED           Max Refresh rate         100 Hz           Response time GtG         4 ms           Static contrast ratio         4000:1           Dynamic contrast ratio         20M:1           Viewing angle (CR10)         178/178           Display colours         16.7 Million           Brightness in nits         300 cd/m2           Pixel Pitch (mm)         0.23175	SCREEN	
Flat / Curved  Display hardness  3H  Panel treatment  Antiglare (AG)  Panel resolution  3440x1440  Resolution name  WQHD  Aspect ratio  21:9  Panel type  VA  Backlight type  WLED  Max Refresh rate  100 Hz  Response time GtG  4 ms  Static contrast ratio  Dynamic contrast ratio  Display colours  Brightness in nits  Tell the contract of the contract o	Screen size (inch)	34
Display hardness 3H  Panel treatment Antiglare (AG)  Panel resolution 3440x1440  Resolution name WQHD  Aspect ratio 21:9  Panel type VA  Backlight type WLED  Max Refresh rate 100 Hz  Response time GtG 4 ms  Static contrast ratio 4000:1  Dynamic contrast ratio 20M:1  Viewing angle (CR10) 178/178  Display colours 16.7 Million  Brightness in nits 300 cd/m2	Screen size (cm)	86.4
Panel treatment Antiglare (AG)  Panel resolution 3440x1440  Resolution name WQHD  Aspect ratio 21:9  Panel type VA  Backlight type WLED  Max Refresh rate 100 Hz  Response time GtG 4 ms  Static contrast ratio 4000:1  Dynamic contrast ratio 20M:1  Viewing angle (CR10) 178/178  Display colours 16.7 Million  Brightness in nits 300 cd/m2	Flat / Curved	Flat
Panel resolution 3440x1440  Resolution name WQHD  Aspect ratio 21:9  Panel type VA  Backlight type WLED  Max Refresh rate 100 Hz  Response time GtG 4 ms  Static contrast ratio 4000:1  Dynamic contrast ratio 20M:1  Viewing angle (CR10) 178/178  Display colours 16.7 Million  Brightness in nits 300 cd/m2	Display hardness	3H
Resolution name WQHD  Aspect ratio 21:9  Panel type VA  Backlight type WLED  Max Refresh rate 100 Hz  Response time GtG 4 ms  Static contrast ratio 4000:1  Dynamic contrast ratio 20M:1  Viewing angle (CR10) 178/178  Display colours 16.7 Million  Brightness in nits 300 cd/m2	Panel treatment	Antiglare (AG)
Aspect ratio 21:9  Panel type VA  Backlight type WLED  Max Refresh rate 100 Hz  Response time GtG 4 ms  Static contrast ratio 4000:1  Dynamic contrast ratio 20M:1  Viewing angle (CR10) 178/178  Display colours 16.7 Million  Brightness in nits 300 cd/m2	Panel resolution	3440x1440
Panel type VA  Backlight type WLED  Max Refresh rate 100 Hz  Response time GtG 4 ms  Static contrast ratio 4000:1  Dynamic contrast ratio 20M:1  Viewing angle (CR10) 178/178  Display colours 16.7 Million  Brightness in nits 300 cd/m2	Resolution name	WQHD
Backlight type  WLED  Max Refresh rate  100 Hz  Response time GtG  4 ms  Static contrast ratio  4000:1  Dynamic contrast ratio  20M:1  Viewing angle (CR10)  178/178  Display colours  16.7 Million  Brightness in nits  300 cd/m2	Aspect ratio	21:9
Max Refresh rate100 HzResponse time GtG4 msStatic contrast ratio4000:1Dynamic contrast ratio20M:1Viewing angle (CR10)178/178Display colours16.7 MillionBrightness in nits300 cd/m2	Panel type	VA
Response time GtG 4 ms  Static contrast ratio 4000:1  Dynamic contrast ratio 20M:1  Viewing angle (CR10) 178/178  Display colours 16.7 Million  Brightness in nits 300 cd/m2	Backlight type	WLED
Static contrast ratio 4000:1  Dynamic contrast ratio 20M:1  Viewing angle (CR10) 178/178  Display colours 16.7 Million  Brightness in nits 300 cd/m2	Max Refresh rate	100 Hz
Dynamic contrast ratio  20M:1  Viewing angle (CR10)  178/178  Display colours  16.7 Million  Brightness in nits  300 cd/m2	Response time GtG	4 ms
Viewing angle (CR10)178/178Display colours16.7 MillionBrightness in nits300 cd/m2	Static contrast ratio	4000:1
Display colours 16.7 Million  Brightness in nits 300 cd/m2	Dynamic contrast ratio	20M:1
Brightness in nits 300 cd/m2	Viewing angle (CR10)	178/178
	Display colours	16.7 Million
Pixel Pitch (mm) 0.23175	Brightness in nits	300 cd/m2
	Pixel Pitch (mm)	0.23175

1/3



EXTERIOR	
Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Matt
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Matt

ERGONOMICS	
Vesa wallmount	100x100
Tilt	3.5° ±1.5° ~ 21.5° ±1.5°
Pivot	No

CONNECTIVITY AND MULTIMEDIA	
НДМІ	HDMI 2.0 x 2
DisplayPort	DisplayPort 1.2 x 1
USB Hub	-
USB fast charge port	-
RJ45	No
D-SUB (VGA)	0x

MULTIMEDIA	
Speakers	-
Built-in Microphone	-
Audio Output	Headphone out (3.5mm)
MonitorWebcam	No

FEATURES	
Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Multiview (PbP, PiP)	PbP
Flicker-Free	Flicker Free
KVM	No
Kensington Lock	/

2/3



POWER / ENVIRONMENTAL	
Power supply	Internal
Power consumption on (Energystar test method) in watts	35
Power consumption on (typical) in watts	35
Power consumption standby in watts	0.5
Power consumption off in watts	0.3
Energy class	F

PRODUCT DIMENSIONS	
Product dimensions incl. base (WxHxD) mm	817.5 x 475.0 x 253.8
Product dimensions excl. base (WxHxD) mm	817.5 x 370.7 x 55.3
Packaging dimensions (WxHxD) mm	940 x 506 x 174
Gross weight incl. package (in kg)	10.7
Net weight excl. package (in kg)	7.67

WHAT'S IN THE BOX	
HDMI cable	1.8