



# 22E2UMF

## High-performance 21.5" FHD Monitor: Revolutionize Your Workspace

The 22E2UMF features a 21.5" monitor designed to revolutionize your workspace. With a height-adjustable stand ensuring ergonomic comfort, a three-sided frameless design for an immersive viewing experience, and powerful 2W speakers, this monitor combines style and functionality seamlessly. The integrated USB HUB facilitates easy connectivity for your peripherals, streamlining your workflow. It also prioritizes your well-being with the flicker-free technology, reducing eye strain during extended usage. Elevate your productivity with the 22E2UMF.

GENERAL	
Model Name	22E2UMF
EAN	4038986122092
Channel	B2B
Product line	Essential-line
Design family	E2

**SCREEN**

Screen size (inch)	21.5
Screen size (cm)	54.6
Flat / Curved	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	VA
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Static contrast ratio	3000:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	250 cd/m2
Pixel Pitch (mm)	0.2493
Pixels per Inch	102

**EXTERIOR**

Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

**ERGONOMICS**

Vesa wallmount	100x100
Tilt	-5~35°
Swivel	180°
Pivot	-90°~90°
Height adjust (mm)	150mm

**CONNECTIVITY AND MULTIMEDIA**

HDMI	HDMI 1.4 x 1
Digital HDCP (HDMI version)	HDCP 1.4
DisplayPort	DisplayPort 1.2 x 1
USB Hub	✓
USB Hub speed	USB 3.2 (Gen 1)
USB downstream ports	4
USB fast charge port	✓
D-SUB (VGA)	1x

**MULTIMEDIA**

Speakers	✓
Speaker power	2 W x 2
Audio Output	1x Audio out

**FEATURES**

Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
Kensington Lock	✓

**SUSTAINABILITY**

TCO Certified	9
Energy star	Energy star 8
EPEAT	Gold

**POWER / ENVIRONMENTAL**

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.3
Energy class	D

**PRODUCT DIMENSIONS**

Product dimensions incl. base (WxHxD) mm	492.1 × 386.1~474.3 × 200.1
Product dimensions excl. base (WxHxD) mm	492.1 × 290.2 × 51.1
Packaging dimensions (WxHxD) mm	559 × 520 × 127
Gross weight incl. package (in kg)	6.69
Net weight excl. package (in kg)	4.39
Product without stand (kg)	2.63

**WHAT'S IN THE BOX**

HDMI cable	1.8
Displayport cable	1.8
Power Cable	✓
Power cable C13	1.8

**OTHER INFORMATION**

MTBF (excluding panel)	70.000 hours
MTBF (including panel)	30.000 hours