



27G2ZNE/BK

Super fast 27" FHD VA gaming monitor with refresh rate 240Hz, Adaptive Sync, low input lag and 1 ms MPRT to take your performance to the next level.

The AOC GAMING 27G2ZNE/BK meets the needs of both eSports, competitive gamers, and casual gamers as well. It offers a responsive 27" VA panel with FHD resolution, and super contrast ratio of 3000:1. Be the fastest in action with 240Hz refresh rate, Adaptive Sync, 1ms MPRT and low input lag.

GENERAL	
Model Name	27G2ZNE/BK
EAN	4038986181266
Channel	Gaming
Product line	AOC Gaming
Design family	G2
Launch date (ETA)	6/15/2023

1 / 4



Screen size (inch) 27 Screen size (cm) 68.6 Flat / Curved Flat Curvature Radius Flat Display hardness 3H Panel treatment Antiglare (AG) Panel resolution 1920x1080 Resolution name FHD Aspect ratio 16:9 Panel type VA Backlight type WLED Max Refresh rate 240 Hz Response time GtG 1 ms Response time MPRT 0.5 ms Static contrast ratio 4000:1 Dynamic contrast ratio 80M:1 Viewing angle (CR10) 178/178 Display colours 16.7 Million	SCREEN	
Flat / Curved Curvature Radius Flat Display hardness 3H Panel treatment Antiglare (AG) Panel resolution 1920x1080 Resolution name FHD Aspect ratio 16:9 Panel type VA Backlight type WLED Max Refresh rate 240 Hz Response time GtG Response time MPRT 0.5 ms Static contrast ratio 4000:1 Dynamic contrast ratio 80M:1 Viewing angle (CR10)	Screen size (inch)	27
Curvature Radius Display hardness 3H Panel treatment Antiglare (AG) Panel resolution 1920x1080 Resolution name FHD Aspect ratio 16:9 Panel type VA Backlight type WLED Max Refresh rate 240 Hz Response time GtG 1 ms Response time MPRT 0.5 ms Static contrast ratio 4000:1 Dynamic contrast ratio 80M:1 Viewing angle (CR10)	Screen size (cm)	68.6
Display hardness 3H Panel treatment Antiglare (AG) Panel resolution 1920x1080 Resolution name FHD Aspect ratio 16:9 Panel type VA Backlight type WLED Max Refresh rate 240 Hz Response time GtG 1 ms Response time MPRT 0.5 ms Static contrast ratio 4000:1 Dynamic contrast ratio 80M:1 Viewing angle (CR10) 178/178	Flat / Curved	Flat
Panel treatment Antiglare (AG) Panel resolution 1920x1080 Resolution name FHD Aspect ratio 16:9 Panel type VA Backlight type WLED Max Refresh rate 240 Hz Response time GtG 1 ms Response time MPRT 0.5 ms Static contrast ratio 4000:1 Dynamic contrast ratio 80M:1 Viewing angle (CR10) 178/178	Curvature Radius	Flat
Panel resolution 1920x1080 Resolution name FHD Aspect ratio 16:9 Panel type VA Backlight type WLED Max Refresh rate 240 Hz Response time GtG 1 ms Response time MPRT 0.5 ms Static contrast ratio 4000:1 Dynamic contrast ratio 80M:1 Viewing angle (CR10) 178/178	Display hardness	ЗН
Resolution name FHD Aspect ratio 16:9 Panel type VA Backlight type WLED Max Refresh rate 240 Hz Response time GtG 1 ms Response time MPRT 0.5 ms Static contrast ratio 4000:1 Dynamic contrast ratio 80M:1 Viewing angle (CR10)	Panel treatment	Antiglare (AG)
Aspect ratio 16:9 Panel type VA Backlight type WLED Max Refresh rate 240 Hz Response time GtG 1 ms Response time MPRT 0.5 ms Static contrast ratio 4000:1 Dynamic contrast ratio 80M:1 Viewing angle (CR10) 178/178	Panel resolution	1920x1080
Panel type VA Backlight type WLED Max Refresh rate 240 Hz Response time GtG 1 ms Response time MPRT 0.5 ms Static contrast ratio 4000:1 Dynamic contrast ratio 80M:1 Viewing angle (CR10) 178/178	Resolution name	FHD
Backlight type WLED Max Refresh rate 240 Hz Response time GtG 1 ms Response time MPRT 0.5 ms Static contrast ratio 4000:1 Dynamic contrast ratio 80M:1 Viewing angle (CR10) 178/178	Aspect ratio	16:9
Max Refresh rate240 HzResponse time GtG1 msResponse time MPRT0.5 msStatic contrast ratio4000:1Dynamic contrast ratio80M:1Viewing angle (CR10)178/178	Panel type	VA
Response time GtG 1 ms Response time MPRT 0.5 ms Static contrast ratio 4000:1 Dynamic contrast ratio 80M:1 Viewing angle (CR10) 178/178	Backlight type	WLED
Response time MPRT 0.5 ms Static contrast ratio 4000:1 Dynamic contrast ratio 80M:1 Viewing angle (CR10) 178/178	Max Refresh rate	240 Hz
Static contrast ratio 4000:1 Dynamic contrast ratio 80M:1 Viewing angle (CR10) 178/178	Response time GtG	1 ms
Dynamic contrast ratio 80M:1 Viewing angle (CR10) 178/178	Response time MPRT	0.5 ms
Viewing angle (CR10) 178/178	Static contrast ratio	4000:1
	Dynamic contrast ratio	80M:1
Display colours 16.7 Million	Viewing angle (CR10)	178/178
	Display colours	16.7 Million
Brightness in nits 300 cd/m2	Brightness in nits	300 cd/m2

EXTERIOR	
Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black, Red
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black, Red
Cabinet finishing (backside)	Texture

ERGONOMICS	
Vesa wallmount	100x100
Tilt	-4° ±1° ~ +21.5° ±1.5°

CONNECTIVITY AND MULTIMEDIA	
HDMI	HDMI 2.0 x 2
DisplayPort	DisplayPort 1.4 x 1
USB Hub	-



MULTIMEDIA	
Audio Output	Headphone out (3.5mm)

FEATURES	
Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
KVM	No
Kensington Lock	✓

GAMING FEATURES	
Gaming style	Shooters, MMORPG, Action, eSports, RTS, FPS (eSports), Beat'm up, Racing
Gaming convenience	G-menu
Low Input Lag	/
Game Colour	/
Shadow Control	/
Motion Blur Reduction	/
Crosshair / Dial Point	/
Frame Counter	/
Good for Console Gaming	/
PS5 Compatibility	1920x1080@120Hz
Xbox X Compatibility	1920x1080@120Hz
Xbox S Compatibility	1920x1080@120Hz

POWER / ENVIRONMENTAL	
Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.5

3 / 4



PRODUCT DIMENSIONS	
Product dimensions incl. base (WxHxD) mm	612.5 x 464.6 x 227.4
Product dimensions excl. base (WxHxD) mm	612.5 x 365.8 x 48.8
Packaging dimensions (WxHxD) mm	730 x 520 x 187
Gross weight incl. package (in kg)	6.63
Net weight excl. package (in kg)	4.36
Product without stand (kg)	3.48

WHAT'S IN THE BOX	
HDMI cable	1x
Displayport cable	1x

REGULATORY COMPLIANCE	
ISO 9241-307	✓