



I2475PXJ/GR

Stunning performance that puts comfort first.

At home or the office, this monitor offers excellent performance with 16.7 million colors and 4ms response time. The height-adjustable stand tilts, swivels and even pivots 90 degrees for optimal viewing and comfort.

GENERAL

Model Name	I2475PXJ/GR
EAN	4038986146296
Channel	B2B
Product line	Pro-line
Design family	75 ID
Launch date (ETA)	12/29/2014

SCREEN

Screen size (inch)	23.8
Screen size (cm)	60.452
Flat / Curved	Flat
Display hardness	3H
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	4 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	250 cd/m2
Pixel Pitch (mm)	0.2745

EXTERIOR

Bezel type (front)	Normal
Bezel Colour (front)	Grey
Bezel finishing (front)	Texture
Cabinet colour (backside)	Grey
Cabinet finishing (backside)	Texture

ERGONOMICS

Vesa wallmount	100x100
Tilt	-5/25
Swivel	-165/165
Pivot	Yes
Height adjust (mm)	130mm

CONNECTIVITY AND MULTIMEDIA

HDMI	HDMI 1.4 x 1
USB Hub	-
USB fast charge port	-
D-SUB (VGA)	1x

MULTIMEDIA

Speakers	✓
Speaker power	2 W x 2
Built-in Microphone	-
Audio Output	Headphone out (3.5mm)

FEATURES

Flicker-Free	Flicker Free
Kensington Lock	-

SUSTAINABILITY

TCO Certified	7
---------------	---

POWER / ENVIRONMENTAL

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption on (Energystar test method) in watts	15.4
Power consumption standby in watts	0.3
Power consumption off in watts	0.3

PRODUCT DIMENSIONS

Product dimensions incl. base (WxHxD) mm	423.7(H) x 554.4(W) x 193.5(D)
Packaging dimensions (WxHxD) mm	415(H) x 670(W) x 182(D)
Net weight excl. package (in kg)	6

WHAT'S IN THE BOX

D-SUB (VGA) cable	1.8
-------------------	-----

OTHER INFORMATION

MTBF	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours