



24P3CW

23.8" FHD 3-sided flat IPS display for easy productivity in any office setting

The AOC 24P3CW is a 23.8" flat-screen IPS monitor with a three-sided bezel design that has everything you need to get the most out of your workday. Enjoy enhanced Full HD (1920 x 1080) resolution for crisp, vivid colors and realistic picture quality, in addition to 300-nit brightness and generous 178/178° wide viewing angles. To ensure smooth remote collaboration, this monitor features two built-in 5W + 5W speakers for high-quality sound and a 5MP integrated webcam supporting Windows Hello™. Monitor 24P3CW is ready to boost your productivity with USB-C supporting Power Delivery up to 65W, data transfer and DP-alt mode. Connectivity of this monitor is enhanced with USB Hub, RJ-45 & DP-out. To ensure the most efficient power consumption, an array of environmental certifications including EPA, TCO, and EPEAT complete this monitor.

GENERAL

Model Name	24P3CW
EAN	4038986140812
Channel	B2B
Product line	Pro-line
Launch date (ETA)	2/14/2023

SCREEN	
Screen size (inch)	23.8
Screen size (cm)	60.5
Flat / Curved	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	300 cd/m2
Pixel Pitch (mm)	0.2745
Pixels per Inch	93

EXTERIOR	
Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

ERGONOMICS	
Vesa wallmount	100x100
Tilt	-5-35
Swivel	175°±5
Pivot	-90°~90°
Height adjust (mm)	150mm

CONNECTIVITY AND MULTIMEDIA

HDMI	HDMI 1.4 x 1
Digital HDCP (HDMI version)	HDCP 1.4
DisplayPort	DisplayPort 1.2 x 1, DisplayPort Out
USB-C connectivity	USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W)
USB Hub speed	USB 3.2
USB downstream ports	4
RJ45	1x 10M/100M/1G
DisplayPort output	1x DP-Out 1.2

MULTIMEDIA

Speakers	✓
Speaker power	5 W x 2
Audio Output	1x Audio out
MonitorWebcam	5MP Win Hello Webcam

FEATURES

Sync technology (VRR)	Adaptive Sync
Flicker-Free	Flicker Free
Kensington Lock	✓
Colour space (sRGB) CIE 1976 %	120.2
Colour space (DCI-P3) CIE 1931 %	89.2
Colour space (DCI-P3) CIE 1976 %	95.7
Colour space (Adobe RGB) CIE 1931 %	89.6
Colour space (Adobe RGB) CIE 1976 %	103

SUSTAINABILITY

TCO Certified	9
Energy star	Energy star 8

POWER / ENVIRONMENTAL

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.3
Energy class	E

PRODUCT DIMENSIONS

Product dimensions incl. base (WxHxD) mm	540 (W) x 384.4~520.2 (H) x 200.1 (D)
Product dimensions excl. base (WxHxD) mm	540(W)x 343.6(H)x 50.7(D)
Packaging dimensions (WxHxD) mm	613(W)x519(H)x 162(D)
Gross weight incl. package (in kg)	7.56
Net weight excl. package (in kg)	5.41

WHAT'S IN THE BOX

HDMI cable	1.8
Displayport cable	1.8
Power cable C13	1.8

OTHER INFORMATION

MTBF	70.000 hours (excluded backlight) + 30.000 hours (including backlight)
MTBF (excluding panel)	70.000 hours
MTBF (including panel)	30.000 hours