



## 24P2Q

**Comfort, convenience, and performance in a 23.8" Full HD display with DisplayPort**

The 24P2Q is equipped with a flat 23.8" IPS/3FL panel with Full HD resolution and 178°/178° wide viewing angles in a slim 3-sided frameless display. Designed to offer today's business the heightened productivity they seek, this model is compatible with VGA, DVI, HDMI, and DP and includes a USB 3.2 hub. Equipped with Low Blue Mode and Flicker-Free technology, it can be adjusted, tilted, pivoted, and swiveled to the ideal ergonomic position.

GENERAL	
Model Name	24P2Q
EAN	4038986147293
Channel	B2B
Product line	Pro-line
Design family	P2
Launch date (ETA)	7/1/2020

SCREEN	
Screen size (inch)	23.8
Screen size (cm)	60.452
Flat / Curved	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	300 cd/m2
Pixel Pitch (mm)	0.2745
Pixels per Inch	92

EXTERIOR	
Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

ERGONOMICS	
Vesa wallmount	100x100
Tilt	-5/35
Swivel	-180/180
Pivot	Yes
Height adjust (mm)	150mm

**CONNECTIVITY AND MULTIMEDIA**

HDMI	HDMI 1.4 x 1
DisplayPort	DisplayPort 1.2 x 1
USB Hub	✓
USB Hub speed	USB 3.2 (Gen 1) (4 USB downstream ports) 5Gbit
USB downstream ports	4
USB fast charge port	✓
D-SUB (VGA)	1x
DVI	1x DVI-D

**MULTIMEDIA**

Speakers	✓
Speaker power	2 W x 2
Built-in Microphone	-
Audio Output	Headphone out (3.5mm)

**FEATURES**

Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
Kensington Lock	✓
Colour space (Adobe RGB) CIE 1931 %	79

**SUSTAINABILITY**

TCO Certified	8
Energy star	Energy star 8
EPEAT	Gold

**POWER / ENVIRONMENTAL**

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.3
Power consumption off in watts	0.3
Energy class	D

**PRODUCT DIMENSIONS**

Product dimensions incl. base (WxHxD) mm	513(H) x 540.2(W) x 200.1(D)
Product dimensions excl. base (WxHxD) mm	326.4(H) x 540.2(W) x 50.7(D)
Packaging dimensions (WxHxD) mm	525(H) x 610(W) x 160(D)
Gross weight incl. package (in kg)	6.89
Net weight excl. package (in kg)	4.75

**WHAT'S IN THE BOX**

HDMI cable	1.8
Displayport cable	1.8
Audio cable	1.8
Power cable C13	1.8

**OTHER INFORMATION**

MTBF (excluding panel)	50.000 hours
MTBF (including panel)	30.000 hours

**REGULATORY COMPLIANCE**

ISO 9241-307	✓
--------------	---