

49" ULTRA-WIDE

With a size of 49", ultra-wide displays provide double more screen space compared to regular monitors. The extra size makes for more efficient use of space and allows for an unprecedented 32:9 ratio.





1800R CURVED

Curved design wraps around you putting you at the center of the action and provides an immersive gaming experience.

165HZ REFRESH RATE

A 165Hz refresh rate, well over twice the industry standard of 60Hz, makes games run smooth as silk. Realize the potential in your graphics card. Forget screen tearing and forget motion blur. Feel your reflexes become one with the action. Never look back.





USB-C DOCKING

Simplify the connections with one cable only. The USB-C connection provides DisplayPort Alternate Mode for transferring high-resolution video signals from a notebook to the monitor while simultaneously charging the notebook's battery from the monitor with USB power delivery.

VESA CERTIFIED DISPLAYHDR™ 400

Even the lowest level of High Dynamic Range (HDR) feature poses a significant upgrade to common monitors. The peak luminance of 400 cd/m² enables your display to hone the picture quality with a manifold colour spectrum and more diverse contrast. The VESAcertificate ensures richness of detail and realistic portrayals of game and film worlds.





KVM

Share one single keyboard, mouse and monitor between multiple computers with KVM switch hardware.

GENERAL	
Model Name	AG493UCX2
Channel	Gaming
Product type	Monitor
Product line	AGON
Classification	Superhero

GAMING FEATURES

Gaming convenience

CABINET INFORMATION		
Light FX (RGB)	No	
Speakers	Yes	
Speaker power	5 W x 2	

G-menu

DISPLAY INFORMATION		
Screen size (inch)	48,8	
Flat / Curved	Curved	
Panel treatment	Antiglare (AG)	
Panel resolution	5120x1440	
Aspect ratio	32:9	
Panel type	VA	
Backlight type	WLED	
Max Refresh rate	165 Hz	
Response time MPRT	lms	
Viewing angle (CR10)	178/178	
Display colours	16.7 Million	
Brightness in nits	400 cd/m2	

VIDEO FEATURES	
HDR (High Dynamic Range)	VESA Certified DisplayHDR™ 400
Colour space (sRGB) CIE 1931 %	122,0
Colour space (DCI-P3) CIE 1976 %	91,0
Colour space (Adobe RGB) CIE 1976 %	98,0
Colour space (NTSC) CIE 1976 %	100,0
Flicker-Free	Flicker Free
KVM	1x USB3.2 Gen 2 type C + 1x type B

PRODUCT DIMENSIONS

Product dimensions incl. base (WxHxD) mm	1194.4 x (467.6~567.6) x 308.0
Product dimensions excl. base (WxHxD) mm	1194.4 x 369.4 x 153.24
Packaging dimensions (WxHxD) mm	1308 x 553 x420
Gross weight incl. package (in kg)	20,8
Net weight excl. package (in kg)	14,4

CONNECTIVITY INFORMATION HDMI HDMI 2.0 x 3

HDMI	HDMI 2.0 X 3
DisplayPort	DisplayPort 1.4 x 1