



E2275SWQE

Vibrant viewing, energy-efficient performance

This model targets business and home office users alike. Hidden behind its classically designed case is the latest LED technology. It boasts a high typical contrast, an ultra-fast response time and wide viewing angles for excellent imaging performance. With the i-Care function, the monitor adapts the panel's brightness to the ambient light. This means a more comfortable viewing experience, whilst lowering the energy consumption at the same time. The environmentally friendly display comes in an elegant, textured black finish.

GENERAL

Model Name	E2275SWQE
EAN	4038986126144
Channel	B2B
Product line	Essential-line
Design family	75 ID
Launch date (ETA)	12/30/2014

SCREEN

Screen size (inch)	21.5
Flat / Curved	Flat
Display hardness	3H
Panel resolution	1920x1080
Resolution name	FHD
Panel type	TN
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	2 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	200M:1
Display colours	16.7 Million
Brightness in nits	250 cd/m2
Pixel Pitch (mm)	248

ERGONOMICS

Vesa wallmount	100x100
Pivot	No

CONNECTIVITY AND MULTIMEDIA

HDMI	HDMI 1.4 x 1
DisplayPort	DisplayPort 1.1 x 1
USB Hub	-
USB fast charge port	-
D-SUB (VGA)	1x

MULTIMEDIA

Built-in Microphone	-
Audio Output	Headphone out (3.5mm)

FEATURES

Flicker-Free	Flicker Free
Kensington Lock	-

SUSTAINABILITY

TCO Certified	7
---------------	---

POWER / ENVIRONMENTAL

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.3
Power consumption off in watts	0.3
Energy class	A

PRODUCT DIMENSIONS

Product dimensions incl. base (WxHxD) mm	193.5(H) x 504(W) x 395.4(D)
Packaging dimensions (WxHxD) mm	390(H) x 560(W) x 120(D)
Gross weight incl. package (in kg)	4.5
Net weight excl. package (in kg)	3.15

WHAT'S IN THE BOX

D-SUB (VGA) cable	1.8
Displayport cable	1.8
Audio cable	1.8
Power cable C13	1.8

OTHER INFORMATION

MTBF	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours

REGULATORY COMPLIANCE

ISO 9241-307	-
--------------	---