



U3277PWQU

Ergonomic 32" 4K display with wide colour gamut

This 4K monitor with a wide colour gamut makes UHD content truly come to life on its large 32" screen. It boasts ergonomic options as well as DisplayPort, HDMI and USB connectors.

GENERAL

Model Name	U3277PWQU
EAN	4038986185783
Channel	B2B
Product line	Pro-line
Design family	77 ID
Launch date (ETA)	9/3/2016

SCREEN

Screen size (inch)	31.5
Screen size (cm)	80.01
Flat / Curved	Flat
Display hardness	3H
Panel resolution	3840x2160
Resolution name	UHD
Aspect ratio	16:9
Panel type	MVA
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	4 ms
Static contrast ratio	3000:1
Dynamic contrast ratio	80M:1
Viewing angle (CR10)	178/178
Display colours	1.07 Billion
Brightness in nits	300 cd/m2
Pixel Pitch (mm)	0.1845

EXTERIOR

Bezel type (front)	Narrow
Bezel Colour (front)	Black
Bezel finishing (front)	Glossy
Cabinet colour (backside)	Silver, Black
Cabinet finishing (backside)	Glossy

ERGONOMICS

Vesa wallmount	100x100
Tilt	-5/24
Swivel	-165/165
Pivot	Yes
Height adjust (mm)	180mm

CONNECTIVITY AND MULTIMEDIA

HDMI	HDMI 2.0 x 1
DisplayPort	DisplayPort 1.2 x 1
USB Hub	✓
USB Hub speed	USB 2.0 + 3.0 (4 USB downstream ports)
USB downstream ports	4
D-SUB (VGA)	1x
DVI	1x DVI-D

MULTIMEDIA

Speakers	✓
Speaker power	3 W x 2
Built-in Microphone	-

FEATURES

Flicker-Free	Flicker Free
Kensington Lock	-

SUSTAINABILITY

TCO Certified	7
---------------	---

POWER / ENVIRONMENTAL

Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.5
Energy class	G

PRODUCT DIMENSIONS

Product dimensions incl. base (WxHxD) mm	659(H) × 741.88(W) × 171.2(D)
Packaging dimensions (WxHxD) mm	577(H) × 858(W) × 248(D)
Gross weight incl. package (in kg)	15.31
Net weight excl. package (in kg)	11.51

WHAT'S IN THE BOX

HDMI cable	1.8
D-SUB (VGA) cable	1.8
Displayport cable	1.8
Audio cable	1.8
Power cable C7	1.8

OTHER INFORMATION

MTBF	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours

REGULATORY COMPLIANCE

ISO 9241-307	✓
--------------	---