CU34V5C/BK



34" VA WQHD panel for maximum productivity, with MultiView, USB-C and PD65W

The AOC CU34V5C is equipped with a 34" VA curved panel with Ultrawide QHD 21:9 resolution for an immersive viewing experience in a three-side frameless chassis that you can tilt and height adjust as needed. Ready to boost your productivity with USB-C with Power Delivery up to 65W, 4 USB ports & HDMI, it also offers Picture by Picture MultiView for the most complex multitasking.



Features



Wide QHD (WQHD) Resolution

With 3440 x 1440 resolution, Wide Quad HD (WQHD) offers superior picture quality and crisp imagery that reveals every detail. The widescreen 21:9 aspect ratio is perfect for watching movies in an expansive format or immersing yourself in the latest game, plus it offers more space when it's time to work. True 8-bit color provides a broad color palette for vibrant, natural-looking images.



VA Pane

VA Panels (Vertical Alignment) display deeper blacks and a high contrast for extra vivid and bright images.



Power Delivery 65W

USB-C is a rising technology that allows fast data transfer, display signal and power delivery to recharge your devices while working. Through a single slim cable, AOC USB-C technology powers up to 65W, charging conventional low/high power devices (such as your mouse or keyboard), smartphones and laptops.



USB-C Docking

Simplify the connections with one cable only. The USB-C connection provides DisplayPort Alternate Mode for transferring high-resolution video signals from a notebook to the monitor while simultaneously charging the notebook's battery from the monitor with USB power delivery.



Display Port

DisplayPort offers ultra-fast digital audio and video transmission without quality loss or input lag. Quickly and easily connect a range of devices to your screen, including your computer, laptop, media player, game console and more. It's perfect for professionals as well as the most demanding home users.



HDMI

HDMI (High-Definition Multimedia Interface) is supported by the current gaming consoles, current GPUs, set-top boxes, supporting the HDCP digital content protection system. HDMI 1.3-1.4b versions support up to 144 Hz refresh rate@1080p and 75 Hz@1440p, while HDMI 2.0-2.0b versions support 240Hz@1080p, 144Hz@1440p and 60 Hz@2160p (4K).

| GENERAL | |
|-------------------|---------------|
| Model Name | CU34V5C/BK |
| Brand | AOC |
| Channel | B2C |
| Product line | Value-line |
| Design family | V5 |
| Launch date (ETA) | 7/18/2022 |
| EAN | 4038986110198 |

| DISPLAY INFORMATION | |
|-------------------------|-----------------------|
| Screen size (inch) | 34,0 |
| Screen size (cm) | 86,4 |
| Flat / Curved | Curved |
| Curvature Radius | 1500R |
| Display hardness | 6H |
| Panel treatment | Antiglare (AG) |
| Pixel Pitch (mm) | 0,23175 |
| Pixels per Inch | 109,7 |
| Panel resolution | 3440x1440 |
| Aspect ratio | 21:9 |
| Panel type | VA |
| Backlight type | WLED |
| Max Refresh rate | 100 Hz |
| Response time GtG | 4 ms |
| Response time MPRT | 1 ms |
| Static contrast ratio | 3000:1 |
| Dynamic contrast ratio | 20M:1 |
| Viewing angle (CR10) | 178/178 |
| Display colours | 16.7 Million |
| Brightness in nits | 300 cd/m ² |

| VIDEO FEATURES | |
|---|----------------|
| Sync technology (VRR) | Freesync |
| Blue Light Technology | Low Blue Light |
| Multiview (PbP, PiP) | PbP, PiP |
| Colour space (sRGB) CIE 1931 % | 121,0 |
| Colour space (sRGB) CIE 1976 % | 116,0 |
| Colour space (DCI- P3) CIE 1931 % | 90,0 |
| Colour space (DCI- P3) CIE 1976 % | 93,0 |
| Colour space (Adobe RGB) CIE 1931 % | 90,0 |
| Colour space (Adobe RGB) CIE 1976 % | 100,0 |
| Flicker-Free | Flicker Free |
| KVM | No |

| CABINET INFORMATION | |
|------------------------------|---------|
| Bezel Colour (front) | Black |
| Cabinet colour (backside) | Black |
| Cabinet finishing (backside) | Matt |
| Removable stand | Yes |
| Speaker power | 5 W x 2 |
| Kensington Lock | Yes |
| Vesa wallmount | 100x100 |
| MonitorWebcam | No |

| ERGONOMICS | |
|--------------------|------------------|
| Tilt | 3° ±2° ~ 21° ±2° |
| Height adjust (mm) | 130mm |
| Swivel | 28° ±2° ~28° ±2° |
| Pivot | No |

| TCO Certified No WEEE Yes REACH compliant Yes RoHs compliant Yes PVC/BFR free Yes housing Mercury free Yes | SUSTAINABILITY | |
|---|-----------------|-----------------|
| REACH compliant Yes RoHs compliant Yes PVC/BFR free Yes housing | TCO Certified | No |
| RoHs compliant Yes PVC/BFR free Yes housing | WEEE | Yes |
| PVC/BFR free Yes housing | REACH compliant | Yes |
| housing | RoHs compliant | Yes |
| Mercury free Yes | | Yes |
| | Mercury free | Yes |
| Recycable 100 % recycable packaging material | | 100 % recycable |

| POWER CONSUMPTION | |
|---|----------|
| Power supply | Internal |
| Power consumption on (Energystar test method) in watts | 60,0 |
| Power consumption on (typical) in watts | 60,0 |
| Power consumption standby in watts | 0,5 |
| Power consumption off in watts | 0,3 |
| Energy class | G |
| | |

| REGULATORY COMPLIANCE | | |
|-----------------------|-----|--|
| СВ | Yes | |
| CE | Yes | |
| TUV-Bauart-Mark | Yes | |
| ISO 9241-307 | Yes | |
| EAC | Yes | |
| FCC | Yes | |

| CONNECTIVITY INFO | RMATION |
|-----------------------------|--|
| HDMI | HDMI 2.0 x 1 |
| Digital HDCP (HDMI version) | HDCP 2.2 |
| DisplayPort | DisplayPort 1.2 x 1 |
| USB Hub | Yes |
| USB type downstream | 4 x USB-A |
| USB fast charge port | Yes |
| Audio Output | Headphone out (3.5mm) |
| USB Type upstream | 1x USB-C (DP Alt Mode), USB-C PD:65W |
| USB generation | USB 3.2 (Gen 1) (4 USB downstream ports) 5Gbit |
| D-SUB (VGA) | 0x |
| DVI | 0x |
| RJ45 | No |

| PRODUCT DIMENSIONS | | |
|--|---------------------------|--|
| Product dimensions incl. base (WxHxD) mm | 808.1x(397.3~527.3)x250mm | |
| Product dimensions exc base (WxHxD) r | ··· | |
| Packaging dimensions (WxHxD) mm | 1071x189x500mm | |
| Gross weight in package (in kg) | ncl. 11,75 | |
| Net weight excl package (in kg) | . 9,34 | |
| Product withou stand (kg) | t 6,76 | |
| | | |

| WHAT'S IN THE BOX | |
|-------------------|---------|
| HDMI cable | 1.5 |
| USB-C to C cable | 1.8 |
| Power Cable | Yes |
| | |
| OTHER INFORMATION | |
| Warranty period | 3 years |