# **22B2H/EU**



# Modern and sleek 21.5" 3-sides borderless monitor with Full HD and eye-caring LowBlue and FlickerFree technology

Modernized design and crisp Full HD images. The 22B2H/EU combines a sleek 3-sides frameless panel and VGA and HDMI connectivity. Enjoy working or streaming with wide viewing angles and eye-soothing LowBlue and FlickerFree technologies.



# **Features**



### Frameless design

Besides looking modern and attractive, frameless designs enable seamless multimonitor setups. Your cursor/windows will not be lost anymore in the dark abyss of bezels, when many displays are placed side by side.



#### **FHD Resolution**

Want to watch a Blu-ray movie in full quality, enjoy games in high resolution or read crisp text in office applications? Thanks to its Full HD resolution of 1920 x 1080 pixels, this monitor lets you do just that. Whatever you are viewing, with Full HD it will be displayed in rich detail without requiring a high-end graphics card or consuming a lot of your system's resources.

#### VA Panel

VA Panels (Vertical Alignment) display deeper blacks and a high contrast for extra vivid and bright images.



#### HDM

HDMI (High-Definition Multimedia Interface) is supported by the current gaming consoles, current GPUs, set-top boxes, supporting the HDCP digital content protection system. HDMI 1.3-1.4b versions support up to 144 Hz refresh rate@1080p and 75 Hz@1440p, while HDMI 2.0-2.0b versions support 240Hz@1080p, 144Hz@1440p and 60 Hz@2160p (4K).



## Low Blue Light

AOC Lowblue Light protects you from harmful blue light which, during long sessions, has been shown to cause eye strain, headaches, and sleeping disorders. Our Lowblue Light feature reduces the harmful wavelengths emitted without sacrificing color composition, setting the experience free from the worry of eye damage.



#### Flicker Free

AOC Flicker-Free Technology utilises a DC (Direct Current) backlight panel, reducing flickering light levels. With eye strain and fatigue absolutely minimized, feel free to enjoy those long, intense gaming sessions in comfort!

GENERAL	
Model Name	22B2H/EU
Channel	B2C
Product line	Basic-line
Design family	B2
Launch date (ETA)	11/1/2020
EAN	4038986127165

Screen size (inch) 21,5  Screen size (cm) 54,61  Flat / Curved Flat  Display hardness 3H  Panel treatment Antiglare (AG)  Pixel Pitch (mm) 0,2482  Pixels per Inch 103,0  Panel resolution 1920x1080  Aspect ratio 16:9  Panel type VA  Backlight type WLED  Max Refresh rate 75 Hz  Response time GtG  Static contrast ratio  Dynamic contrast ratio  Viewing angle (CR10)  144	DISPLAY INFORMATI	ION
Flat / Curved Flat  Display hardness 3H  Panel treatment Antiglare (AG)  Pixel Pitch (mm) 0,2482  Pixels per Inch 103,0  Panel resolution 1920x1080  Aspect ratio 16:9  Panel type VA  Backlight type WLED  Max Refresh rate 75 Hz  Response time GtG  Static contrast ratio  Dynamic contrast ratio  Viewing angle (CR10)  The Antiglare (AG)  Viewing angle (CR10)	Screen size (inch)	21,5
Display hardness 3H  Panel treatment Antiglare (AG)  Pixel Pitch (mm) 0,2482  Pixels per Inch 103,0  Panel resolution 1920x1080  Aspect ratio 16:9  Panel type VA  Backlight type WLED  Max Refresh rate 75 Hz  Response time GtG  Static contrast ratio  Dynamic contrast ratio  Viewing angle (CR10)  Antiglare (AG)  Volume 100,2482  Pixel Pitch (mm) 0,2482  Response Inch 100,000  100,	Screen size (cm)	54,61
Panel treatment Antiglare (AG)  Pixel Pitch (mm) 0,2482  Pixels per Inch 103,0  Panel resolution 1920x1080  Aspect ratio 16:9  Panel type VA  Backlight type WLED  Max Refresh rate 75 Hz  Response time GtG  Static contrast ratio  Dynamic contrast ratio  Viewing angle (CR10)  Antiglare (AG)  1920x1080  4 ms  900x1080  178/178	Flat / Curved	Flat
Pixel Pitch (mm) 0,2482  Pixels per Inch 103,0  Panel resolution 1920x1080  Aspect ratio 16:9  Panel type VA  Backlight type WLED  Max Refresh rate 75 Hz  Response time GtG  Static contrast ratio  Dynamic contrast ratio  Viewing angle (CR10)  103,0  104  105,0  106  107  108  108  108  108  108  108  108	Display hardness	3H
Pixels per Inch 103,0  Panel resolution 1920x1080  Aspect ratio 16:9  Panel type VA  Backlight type WLED  Max Refresh rate 75 Hz  Response time GtG  Static contrast ratio  Dynamic contrast ratio  Viewing angle (CR10)  103,0  103,0  104  105,0  105	Panel treatment	Antiglare (AG)
Panel resolution 1920x1080  Aspect ratio 16:9  Panel type VA  Backlight type WLED  Max Refresh rate 75 Hz  Response time GtG  Static contrast ratio  Dynamic contrast ratio  Viewing angle (CR10)  1920x1080  WA  1920x1080  1920x1080  1920x1080  1089  TO A TO	Pixel Pitch (mm)	0,2482
Aspect ratio 16:9  Panel type VA  Backlight type WLED  Max Refresh rate 75 Hz  Response time GtG  Static contrast ratio  Dynamic contrast ratio  Viewing angle (CR10)  16:9  VA  A ms  3000:1  20M:1	Pixels per Inch	103,0
Panel type VA  Backlight type WLED  Max Refresh rate 75 Hz  Response time GtG  Static contrast ratio  Dynamic contrast ratio  Viewing angle (CR10)  VA  WLED  WLED  A ms  3000:1  20M:1  178/178	Panel resolution	1920x1080
Backlight type WLED  Max Refresh rate 75 Hz  Response time GtG  Static contrast ratio  Dynamic contrast ratio  Viewing angle (CR10)  WLED  4 ms  2000:1  2000:1  178/178	Aspect ratio	16:9
Max Refresh rate 75 Hz  Response time GtG  Static contrast ratio  Dynamic contrast ratio  Viewing angle (CR10)  175 Hz  4 ms  4 ms  2000:1  178/178	Panel type	VA
Response time definition of the static contrast ratio	Backlight type	WLED
Static contrast ratio  Dynamic contrast ratio  Viewing angle (CR10)  Static contrast 3000:1  20M:1  178/178	Max Refresh rate	75 Hz
Dynamic contrast 20M:1 ratio  Viewing angle (CR10)  178/178		4 ms
Viewing angle (CR10)		3000:1
(CR10)		20M:1
		178/178
Display colours 16.7 Million	Display colours	16.7 Million
Brightness in nits 250 cd/m2	Brightness in nits	250 cd/m2

VIDEO FEATURES	
Blue Light Technology	Low Blue Light
Colour space (sRGB) CIE 1931 %	98,0
Colour space (Adobe RGB) CIE 1931 %	77,0
Flicker-Free	Flicker Free

CABINET INFORMATION	
Bezel Colour (front)	Black
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture
Removable stand	Yes
Kensington Lock	Yes
Vesa wallmount	100x100

ERGONOMICS	
Tilt	-5/21,5
Pivot	No

SUSTAINABILITY	
TCO Certified	No
WEEE	Yes
REACH compliant	Yes
RoHs compliant	Yes
HF	Yes
PVC/BFR free housing	Yes
Mercury free	Yes
Recycable packaging material	100 % recycable

POWER CONSUMPTION	
Power supply	External
Power consumption on (Energystar test method) in watts	18,0
Power consumption standby in watts	0,3
Power consumption off in watts	0,3
Energy class	E

REGULATORY COMPLIANCE	
СВ	Yes
CE	Yes
TUV-Bauart-Mark	Yes
ISO 9241-307	Yes
EAC	Yes
FCC	Yes
Microsoft WHQL	Yes
	·

CONNECTIVITY INFORMATION	
НОМІ	HDMI 1.4 x 1
Audio Output	Headphone out (3.5mm)
D-SUB (VGA)	1x

PRODUCT DIMENSIONS	
Product dimensions incl. base (WxHxD) mm	388.11(H) x 492.78(W) x 162.94(D)
Product dimensions excl. base (WxHxD) mm	292.68(H) x 492.78(W) x 36.2(D)
Packaging dimensions (WxHxD) mm	370(H) x 550(W) x 120(D)
Gross weight incl. package (in kg)	3,5
Net weight excl. package (in kg)	2,1

WHAT'S IN THE BOX		
HDMI cable	1.8	
Power cable C13	1.8	

OTHER INFORMATION	N
Warranty period	3 years