


Fast performance and beautiful colours all in one: The AG274QXM combines a super-fast refresh rate of 170Hz with lifelike images thanks to the mini-LED technology and HDR1000. The monitor works for both PC and consoles at the highest level.

- MiniLed
- USB-C Docking
- Power Delivery 65W
- IPS Panel
- Minimal bezel distraction for the ultimate battle station
- QHD Resolution

MINILED

Thanks to the implemented Mini-LED technology, this model combines the highest brightness, finest picture quality and best uniformity while still being slimmer than monitors with conventional LED. The 50 shades of grey that slim the immersion are erased, providing true darkness and smaller halos





POWER DELIVERY 65W

USB-C is a rising technology that allows fast data transfer, display signal and power delivery to recharge your devices while working. Through a single slim cable, AOC USB-C technology powers up to 65W, charging conventional low/high power devices (such as your mouse or keyboard), smartphones and laptops.



Vithout IPS

USB-C DOCKING

Simplify the connections with one cable only. The USB-C connection provides DisplayPort Alternate Mode for transferring high-resolution video signals from a notebook to the monitor while simultaneously charging the notebook's battery from the monitor with USB power delivery.



IPS PANEL

IPS panel ensures an excellent viewing experience with lifelike yet brilliant and accurate colours. Colours look consistent no matter from which angle you look at the display

MINIMAL BEZEL DISTRACTION FOR THE ULTIMATE BATTLE STATION

Expand your view with multiple monitor set-up. The narrow border and frameless design offer the minimal bezel distraction for the ultimate battle station.

| | Full HD 1920 x 1080 |
|--|---------------------|

QHD 2560 x 1440



QHD RESOLUTION

With 2560 x 1440 resolution, Quad HD (QHD) offers superior picture quality and sharp imagery that reveals the finest details. The widescreen 16:9 aspect ratio provides plenty of space to spread out and work, plus allows you to enjoy games or movies in their original size.

| GENERAL | |
|----------------|-----------|
| Model Name | AG274QXM |
| Brand | AOC |
| Channel | Gaming |
| Product type | Monitor |
| Product line | AGON PRO |
| Classification | Superhero |
| | |

GAMING FEATURES

| Gaming convenience | G-menu |
|-----------------------|--------|
| Low Input Lag | Yes |

| | Panel treatment | Antiglare (AG) |
|-----|-------------------------|----------------|
| | Panel resolution | 2560x1440 |
| RO | Aspect ratio | 16:9 |
| ero | Panel type | IPS |
| | Backlight type | Mini LED |
| | Max Refresh rate | 170 Hz |
| | Viewing angle (CR10) | 178/178 |
| | Display colours | 1.07 Billion |
| | Brightness in nits | 600 cd/m2 |

Microphone in

C Η D (F D

DISPLAY INFORMATION

Screen size (inch)

Flat / Curved

27,0

Flat

| rightness in nits | 600 cd/m2 | (|
|------------------------------|---------------------|-----|
| | | 1 |
| | IFORMATION | C |
| DMI | HDMI 2.0 x 2 | (|
| igital HDCP HDMI version) | HDCP 2.2 | - F |
| visplayPort | DisplayPort 1.4 x 1 | |

Yes

| VIDEO FEATURES | |
|-------------------------------------------|--------------------------------------------|
| Digital Signal Frequency Vertical | 48- 144Hz(HDMI/USB C) / 48-170Hz(DP) |
| Digital Signal Frequency Horizontal | 30k- 230kHz(HDMI/USB C) / 255KHz(DP) |
| HDR (High Dynamic Range) | VESA Certified DisplayHDR™ 1000 |
| Colour space (sRGB) CIE 1931 % | 155,0 |
| Colour space (DCI-P3) CIE 1976 % | 116,0 |
| Colour space (Adobe RGB) CIE 1976 % | 125,0 |
| Colour space (NTSC) CIE 1976 % | 127,0 |
| KVM | 1x USB3.2 Gen 2 type C + 1x type B |
| | |

CABINET INFORMATION

| Light FX (RGB) | Yes |
|----------------|---------------|
| Speakers | Yes |
| Speaker power | 5 W x 2 + DTS |

| PRODUCT DIMENSIONS | |
|---------------------------------------------------|-----------------------------------------------|
| Product dimensions incl. base (WxHxD) mm | 427.3~547.3 (H) × 612.9 (W) × 352.1 (D) |
| Product dimensions excl. base (WxHxD) mm | 612.9 (W) x 73(D) x 368.2(H) |
| Packaging dimensions (WxHxD) mm | 718 (L) x 225 (W) x 652 (H) |
| Gross weight incl. package (in kg) | 13,92 |
| Net weight excl. package (in kg) | 8,15 |