



X24P1/GR

3-sides borderless 24" IPS display with 1920x1200 resolution and 16:10 aspect ratio

The 16:10 aspect ratio and 1920x1200 resolution of the 24" sized, 3-sides frameless X24P1/GR is suited perfectly for productivity tasks (spreadsheets, texts). X24P1/GR comes with a fully adjustable stand with 150 mm height range, capable of pivot mode. It is also fully equipped with VGA, DVI, HDMI and DisplayPort inputs, a built-in USB 3.0 hub and speakers.

| GENERAL | |
|-------------------|-------------------|
| Model Name | X24P1/GR |
| EAN | 4038986146555 |
| Channel | B2B |
| Product line | Pro-line Pro-line |
| Design family | P1 |
| Launch date (ETA) | 6/29/2018 |

| SCREEN | |
|------------------------|--------------|
| Screen size (inch) | 24 |
| Screen size (cm) | 60.96 |
| Flat / Curved | Flat |
| Display hardness | ЗН |
| Panel resolution | 1920x1200 |
| Resolution name | WUXGA |
| Aspect ratio | 16:10 |
| Panel type | IPS |
| Backlight type | WLED |
| Max Refresh rate | 60 Hz |
| Response time GtG | 4 ms |
| Static contrast ratio | 1000:1 |
| Dynamic contrast ratio | 50M:1 |
| Viewing angle (CR10) | 178/178 |
| Display colours | 16.7 Million |
| Brightness in nits | 300 cd/m2 |
| Pixel Pitch (mm) | 0.27 |

1/3



| EXTERIOR | |
|------------------------------|-------------------|
| Bezel type (front) | 3-sided frameless |
| Bezel Colour (front) | Grey |
| Bezel finishing (front) | Texture |
| Cabinet colour (backside) | Grey |
| Cabinet finishing (backside) | Texture |

| ERGONOMICS | |
|--------------------|----------|
| Vesa wallmount | 100x100 |
| Tilt | -5/35 |
| Swivel | -175/175 |
| Pivot | Yes |
| Height adjust (mm) | 150mm |

| CONNECTIVITY AND MULTIMEDIA | |
|-----------------------------|--|
| HDMI | HDMI 1.4 x 1 |
| DisplayPort | DisplayPort 1.2 x 1 |
| USB Hub | / |
| USB Hub speed | USB 3.1 (Gen 1) (4 USB downstream ports) |
| USB downstream ports | 4 |
| USB fast charge port | / |
| D-SUB (VGA) | 1x |

| MULTIMEDIA | |
|---------------------|-----------------------|
| Speakers | ✓ · |
| Speaker power | 2 W x 2 |
| Built-in Microphone | - |
| Audio Output | Headphone out (3.5mm) |

| FEATURES | |
|-----------------------|----------------|
| Blue Light Technology | Low Blue Light |
| Flicker-Free | Flicker Free |
| Kensington Lock | / |

2/3



| SUSTAINABILITY | |
|----------------|---------------|
| TCO Certified | 7 |
| Energy star | Energy star 8 |

| POWER / ENVIRONMENTAL | |
|------------------------------------|--------------------|
| Power supply | Internal |
| Power source | 100 - 240V 50/60Hz |
| Power consumption standby in watts | 0.5 |
| Power consumption off in watts | 0.5 |
| Energy class | E |

| PRODUCT DIMENSIONS | |
|---|----------------------------------|
| Product dimensions incl. base (WxHxD) mm | 533.5(H) × 535.23(W) x 202.96(D) |
| Packaging dimensions (WxHxD) mm | 422(H) × 752(W) x 168(D) |
| Gross weight incl. package (in kg) | 7.5 |
| Net weight excl. package (in kg) | 5.5 |

| WHAT'S IN THE BOX | |
|-------------------|-----|
| HDMI cable | 1.8 |
| Displayport cable | 1.8 |
| Power cable C13 | 1.8 |

| OTHER INFORMATION | |
|------------------------|-----------------------------------|
| MTBF | 50.000 hours (excluded backlight) |
| MTBF (excluding panel) | 50.000 hours |

3/3